

**DURHAM MFG®**  
Est. 1922

TÜV USA  
TÜV USA, Inc.

ISO 9001

tuv-nord.com/us



**New and Expanded Product Lines!**



[www.durhammfg.com](http://www.durhammfg.com) - 800.243.3774 - [custsvc@durhammfg.com](mailto:custsvc@durhammfg.com)

# Table of Contents




**DURHAM MFG®**  
Est. 1922

## New Products




**Pages 3 - 4**

## Louvered Panels



**Pages 7 - 9**

## Bins and Drawers



**Pages 10 - 18**

## Rotabin® Rotary Shelving




**Pages 19 - 25**

## Compartment Boxes and Racks



**Pages 26 - 37**

## Specialty Storage



**Pages 38 - 54**

Some products may have been enlarged to show details

**Heavy Duty Storage Cabinets**

**Pages 59 - 100**



**Job Site Storage Cabinets**

**Pages 55 - 58**



**Mobile or Stationary Workbenches and Workstations**

**Pages 102 - 115**



**Carts and Trucks**

**Pages 116 - 177**



**Safety Storage**

**Pages 178 - 196**




**Office and Literature Storage**

**Pages 197 - 202**



**New Accessories for Bins, Drawers and Racks**

**Page 203**



# NEW PRODUCTS

---

## Job site Cabinets by Durham MFG.



Job Site Storage  
Page 57 - 60

---

## PPE Storage



Both Labels Included

**Personal  
Protective  
Equipment**      **SPILL  
RESPONSE  
CENTER**

PPE Storage  
Page 188 - 189




3 Sided Truck  
Page 167 - 169


---



Aerosol Storage Racks  
Page 44



Abrasive Storage  
Page 45



Pegboard Panel  
Page 47

---



# NEW PRODUCTS

## Stainless Carts



Stainless Order Picking Cart  
Page 129



Stainless Tub Racks  
Page 129



Stainless Stock Cart  
Page 130



Wire Storage Cart  
Page 128



Drop Gate Truck  
Page 169



120 Gallon  
Flammable Storage Cabinet  
Pages 181 - 182




Gas Cylinder Racks  
Page 184



Self-Closing Gas  
Cylinder Cabinets  
Page 185 - 186

# DURHAM MODULARITY

## SIMPLE, SMALL PARTS ORGANIZATION



# DURHAM MODULARITY

## SIMPLE, SMALL PARTS ORGANIZATION



18 Drawer  
Cabinet  
005-95

72 Hole Bolt Bin  
363-95

Base  
364-95



(3) Large Slide  
Racks - 303-95 or  
303B-95 (Bearing  
slide rack)

and (12) Large  
Compartment Boxes

Base  
304-95-5.75/LEG



18 Drawer  
Cabinet  
005-95

42 Hole Bolt Bin  
360-95

Base  
364-95




18 Drawer  
Cabinet  
005-95

40 Hole Bolt Bin  
359-95

Base  
364-95

# Louvered Panel Systems

**DURHAM MFG®**  
Est. 1922




| Bin, Louvered Panels Wall & Rack Systems |  |   |
|------------------------------------------|--|---|
| 72 Opening Bin with Side Louvered Panels |  | 8 |
| Wall Mountable Louvered Panel            |  | 8 |
| Free Standing Louvered Panel Racks       |  | 9 |



# LOUVERED PANELS

## WALL MOUNTABLE



**Model**  
**LPW-34.5X20-95**



**Model**  
**LPW-17.25X20-95**



**Model**  
**LPW-46X64-95**



**Model**  
**LPW-34.5X20-95**

### Wall Mountable Louvered Panel (Hook-On-Bins® sold separately\*)

- Constructed of 16 gauge steel
- Louvers accommodate all sizes of Hook-On-Bins® (Bins are sold separately\*)
- Tray shelves can be purchased as an accessory see page 9
- 1/4" holes for wall mounting - hardware not included
- Durable, textured, powder coat finish


| Model           | Dimensions WxH (in.) | Hook-On-Bins® (Quantity to fit Louvered Panel) |         |         |         |         | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|----------------------|------------------------------------------------|---------|---------|---------|---------|-----------------|-----------------|
|                 |                      | PB30210                                        | PB30220 | PB30230 | PB30240 | PB30250 |                 |                 |
| LPW-17.25X20-95 | 17-1/4 x 20          | 16                                             | 16      | 9       | 4       | 2       | 175             | 10              |
| LPW-17.25X64-95 | 17-1/4 x 64          | 64                                             | 64      | 30      | 16      | 8       | 500             | 26              |
| LPW-34.5X12-95  | 34-1/2 x 12          | 24                                             | 24      | 12      | 4       | 2       | 175             | 10              |
| LPW-34.5X20-95  | 34-1/2 x 20          | 40                                             | 40      | 18      | 8       | 4       | 175             | 16              |
| LPW-34.5X64-95  | 34-1/2 x 64          | 128                                            | 128     | 60      | 32      | 16      | 1000            | 43              |
| LPW-46X20-95    | 46 x 20              | 40                                             | 40      | 24      | 12      | 4       | 250             | 22              |
| LPW-46X64-95    | 46 x 64              | 176                                            | 176     | 84      | 40      | 16      | 1000            | 57              |



Ships UPS

### 72 Opening Bin with Side Louvered Panels (Hook-On-Bins® sold separately\*)

- All-welded, prime cold-rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Ribbed and hemmed dividers provide added strength
- Sloped shelves for easy removal of contents
- Tray shelves can be purchased as an accessory (see page 9)
- Louvered strips welded to the side accommodate tray shelves (see page 9) or Hook-On-Bins®
- Modular with most 12" deep bins and drawer cabinets; mounting holes are located on both the top and bottom
- Optional doors, base and bin labels available
- Ships fully assembled
- Durable, powder coat finish



**Model**  
**363LP-95**

| Model           | Dimensions WxDxH (in.)   | Hook-On-Bins® (Quantity to fit Louvered Panel) |         |         |         |         | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|------------------------------------------------|---------|---------|---------|---------|-----------------|-----------------|
|                 |                          | PB30210                                        | PB30220 | PB30230 | PB30240 | PB30250 |                 |                 |
| 363LP-95        | 33-13/16 x 11-15/16 x 42 | 48                                             | 48      | 24      | 8       | N/A     | 500             | 83              |
| <b>BASE</b>     |                          |                                                |         |         |         |         |                 |                 |
| 364-95 5.75/LEG | 34-1/14 x 12-1/8 x 5-3/4 | -                                              |         |         |         |         | -               | 14              |

\*Hook-On-Bins® are only sold in full carton quantities

# LOUVERED PANELS

## FREE STANDING



**Model**  
**LPRSS-17.25X68-95**



**Model**  
**LPRSS-34.5X20-95**



**Model**  
**LPRDS-34.5X68-95**  
\*\*2 sided model



**Model**  
**LPRSS-34.5X68-95**

### Free Standing Louvered Panel Racks (Hook-On-Bins® sold separately\*)

- Constructed of 16 gauge steel
- LPRDS is a double sided unit
- Louvers accommodate all sizes of Hook-On-Bins® (Bins are sold separately\*)
- Base mounts easily with hardware provided
- Tray shelves can be purchased as an accessory
- 1/4" holes for wall mounting
- Durable, textured, powder coat finish

| Model             | Dimensions WxH (in.)       | Hook-On-Bin® (Quantity to fit Louvered Panel) |         |         |         |         | Capacity (lbs.) | Ship Wt. (lbs.) | Shipping |
|-------------------|----------------------------|-----------------------------------------------|---------|---------|---------|---------|-----------------|-----------------|----------|
|                   |                            | PB30210                                       | PB30220 | PB30230 | PB30240 | PB30250 |                 |                 |          |
| LPRSS-17.25X20-95 | 17-9/16 x 8 x 20-1/8       | 16                                            | 16      | 9       | 4       | 2       | 140             | 24 Lbs.         | UPS-able |
| LPRSS-17.25X68-95 | 17-13/16 x 13-1/2 x 68-1/2 | 64                                            | 64      | 33      | 16      | 8       | 125             | 52 Lbs.         | Truck    |
| LPRSS-34.5X12-95  | 35 x 9 x 13                | 24                                            | 24      | 12      | 4       | 2       | 150             | 23 Lbs.         | UPS-able |
| LPRSS-34.5X20-95  | 35 x 9 x 24                | 40                                            | 40      | 18      | 8       | 4       | 500             | 27 Lbs.         | UPS-able |
| LPRSS-34.5X68-95  | 35-1/2 x 13-1/2 x 68-1/2   | 136                                           | 136     | 66      | 32      | 16      | 1000            | 90 Lbs.         | Truck    |
| LPRDS-34.5X68-95  | 35-1/2 x 24-5/8 x 68-1/2   | 272                                           | 272     | 132     | 64      | 32      | 2000            | 135 Lbs.        | Truck    |

\*Hook-On-Bins® are only sold in full carton quantities

## ACCESSORIES

### Tray Shelves

- Constructed of steel
- Hooks easily onto louvers with no tools required
- Unit comes fully assembled
- Durable, textured, powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Quantity per pack | Ship Wt. (lbs.) |
|------------|--------------------------|-------------------|-----------------|
| DSH-124-95 | 11-1/2 x 3-3/4 x 1-1/2   | 6                 | 9 Lbs.          |
| DSH-184-95 | 17-1/4 x 3-3/4 x 1-1/2   | 6                 | 13 Lbs.         |



Ships UPS




**Model**  
**DSH-124-95**



**Model**  
**DSH-184-95**

# DURHAM MFG®

Est. 1922



# Bins and Drawer Cabinets

## Bins, Drawer Cabinets & Drawer Cabinet Systems

|                      |         |                                   |    |
|----------------------|---------|-----------------------------------|----|
| 12" Deep Part Bins   | 11 - 12 | Drawer Cabinets - 2-3/4"H Drawers | 16 |
| 12" Deep Tall Bins   | 13      | Drawer Cabinets - 3-1/2"H Drawers | 16 |
| 9" Deep Parts Bins   | 14      | Drawer Cabinet Systems            | 17 |
| Adjustable Bins      | 14      | Accessories for Drawers           | 18 |
| Accessories for Bins | 15      |                                   |    |

**Most of Durham's Small Parts Storage Units can be stacked and bolted together creating highly concentrated storage systems**

# PART STORAGE BINS

## 12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN



**Model  
329-95**



**Model  
396-95**



**Model  
397-95**



**Model  
330-95**



**Model  
353-95**



**Model  
354-95**



**Model  
351-95**



**Model  
356-95**

### 12" Deep Part Bins with Slope Shelf Design

- All-welded, prime cold-rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Modular with most 12" deep bins and drawer cabinets; mounting holes are located on both the top and bottom
- Optional doors and base available for most models (see page 15)
- Ships fully assembled
- Durable, gray, powder coat finish

| Model    | Overall Dim: WxDxH (in.)     | Bin Openings | Bin Dim: WxDxH (in.)                                         | Carton | Ship Wt. (lbs.) |
|----------|------------------------------|--------------|--------------------------------------------------------------|--------|-----------------|
| 329-95   | 33-13/16 x 11-15/16 x 24     | 4            | 16-3/8 x 11-15/16 x 9-7/8                                    | 1      | 31              |
| 331-95   | 33-13/16 x 11-15/16 x 24     | 6            | 16-3/8 x 11-15/16 x 11-15/16                                 | 1      | 28              |
| 396-95   | 33-13/16 x 11-15/16 x 24     | 8            | (4) 8 x 11-15/16 x 12-5/16<br>(4) 8-3/8 x 11-15/16 x 12-5/16 | 1      | 31              |
| 397-95** | 33-13/16 x 11-15/16 x 42     | 10           | 16-3/8 x 11-15/16 x 8-3/16                                   | 1      | 45              |
| 330-95   | 33-13/16 x 11-15/16 x 24     | 12           | 8 x 11-15/16 x 7-11/16                                       | 1      | 33              |
| 353-95   | 33-13/16 x 11-15/16 x 11-3/4 | 16           | 4 x 11-15/16 x 5-1/8                                         | 1      | 25              |
| 354-95   | 33-13/16 x 11-15/16 x 19-1/4 | 18           | 5-3/8 x 11-16/16 x 6-3/8                                     | 1      | 34              |
| 351-95** | 33-13/16 x 11-15/16 x 42     | 20           | 8 x 11-15/16 x 8                                             | 1      | 50              |
| 356-95   | 33-13/16 x 11-15/16 x 24     | 24           | 5-3/8 x 11-15/16 x 5-7/16                                    | 1      | 40              |



Ships UPS

\*\* Units must ship by truck due to UPS ground size restrictions



# PART STORAGE BINS

## 12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN



**Model  
357-95**



**Model  
358-95**



**Model  
359-95**



**Model  
360-95**



**Model  
398-95**



**Model  
399-95**



**Model  
361-95**



**Model  
363-95**

### 12" Deep Part Bins with Slope Shelf Design - continued

- All-welded, prime cold-rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Modular with most 12" deep bins and drawer cabinets; mounting holes are located in both the top and bottom
- Optional doors and base available for most models (see page 15)
- Ships fully assembled
- Durable, gray, powder coat finish

| Model    | Overall Dim: WxDxH (in.)     | Bin Openings | Bin Dim: WxDxH (in.)                                        | Carton | Ship Wt. (lbs.) |
|----------|------------------------------|--------------|-------------------------------------------------------------|--------|-----------------|
| 357-95   | 33-13/16 x 11-15/16 x 19-1/2 | 32           | 4 x 11-15/16 x 4-1/2                                        | 1      | 39              |
| 358-95   | 17-13/16 x 11-15/16 x 42     | 36           | 4 x 11-15/16 x 4-1/2                                        | 1      | 41              |
| 359-95   | 33-13/16 x 11-15/16 x 24     | 40           | 4 x 11-15/16 x 4-1/2                                        | 1      | 45              |
| 360-95   | 33-13/16 x 11-15/16 x 42     | 42           | 5-3/8 x 11-15/16 x 5-7/16                                   | 1      | 61              |
| 398-95** | 33-13/16 x 11-15/16 x 42     | 44           | (40) - 4 x 11-15/16 x 5-1/16<br>(4) - 16-3/8 x 11-5/16 x 8  | 1      | 55              |
| 399-95** | 33-13/16 x 11-15/16 x 42     | 48           | (40) - 4 x 11-15/16 x 5-1/16<br>(8) - 16-3/8 x 11-15/16 x 8 | 1      | 63              |
| 361-95** | 33-13/16 x 11-15/16 x 42     | 56           | 4-13/16 x 11-15/16 x 5-1/16                                 | 1      | 67              |
| 363-95** | 33-13/16 x 11-15/16 x 42     | 72           | 4 x 11-15/16 x 4-1/2                                        | 1      | 72              |



Ships UPS

\*\* units must ship by truck due to UPS ground size restrictions

# TALL BINS

## 12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN



**Model  
725-95**




**Model  
730-95**



**Model  
735-95**



**Model  
740-95**



**Model  
745-95**

### 12" Deep, Tall Part Bins with Slope Shelf Design

- All-welded, prime cold-rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Ribbed and hemmed dividers provide added strength
- Optional base available (see page 15)
- Ships fully assembled
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)     | Total Openings | Bin Dim: WxDxH (in.)                                        | Carton | Ship Wt. (lbs.) |
|--------|------------------------------|----------------|-------------------------------------------------------------|--------|-----------------|
| 725-95 | 33-13/16 x 11-15/16 x 64-1/2 | 32             | 8 x 11-15/16 x 7-11/16                                      | 1      | 77              |
| 730-95 | 33-13/16 x 11-15/16 x 64-1/2 | 60             | (40) 4 x 11-15/16 x 4-1/2<br>(20) 8 x 11-15/16 x 8-3/16     | 1      | 89              |
| 735-95 | 33-13/16 x 11-15/16 x 64-1/2 | 84             | (80) 4 x 11-15/16 x 5-1/16<br>(4) 16-3/8 x 11-15/16 x 7-7/8 | 1      | 99              |
| 740-95 | 33-13/16 x 11-15/16 x 64-1/2 | 104            | 4 x 11-15/16 x 4-1/2                                        | 1      | 106             |
| 745-95 | 33-13/16 x 11-15/16 x 64-1/2 | 112            | 4 x 11-15/16 x 4-1/2                                        | 1      | 111             |



# PART STORAGE BINS

## 9" DEEP PARTS BINS



**Model  
393-95**



**Model  
394-95**



**Model  
344-95**



**Model  
349-95**



**Model  
350-95**

### 9" Deep Part Bins

- All-welded, prime cold-rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Modular with all other 9" deep bins
- Mounting holes are located in both the top and bottom
- Optional base available (see page 15)
- Ships fully assembled
- Durable, gray, powder coat finish

| Model    | Overall Dim: WxDxH (in.)  | Total Openings | Bin Dim: WxDxH (in.)                                                                                         | Carton | Ship Wt. (lbs.) |
|----------|---------------------------|----------------|--------------------------------------------------------------------------------------------------------------|--------|-----------------|
| 393-95   | 33-13/16 x 8-1/2 x 19-1/4 | 8              | 8 x 8-1/2 x 9-13/16                                                                                          | 1      | 36              |
| 394-95   | 33-13/16 x 8-1/2 x 22-1/4 | 20             | (4) 8-5/16 x 8-1/2 x 5-1/16<br>(4) 8 x 8-1/2 x 5-1/16<br>(6) 8-5/16 x 8-1/2 x 4<br>(6) 8 x 8-1/2 x 4         | 1      | 33              |
| 344-95   | 33-13/16 x 8-1/2 x 19-1/4 | 32             | 3-7/8 x 8-1/2 x 4-1/2                                                                                        | 1      | 32              |
| 349-95   | 33-13/16 x 8-1/2 x 22-1/4 | 40             | (4) 4-5/8 x 8-1/2 x 5-1/16<br>(6) 4-5/8 x 8-1/2 x 4<br>(12) 3-7/8 x 8-1/2 x 5-1/16<br>(18) 3-4/8 x 8-1/2 x 4 | 1      | 37              |
| 350-95** | 33-13/16 x 8-1/2 x 42     | 72             | 3-7/8 x 8-1/2 x 4-1/2                                                                                        | 1      | 59              |



Ships UPS

\*\* Units must ship by truck due to UPS ground size restrictions

### Adjustable Opening Bin

- Constructed of prime cold-rolled steel
- 23-3/4" wide design allows unit to fit perfectly on the end of back-to-back 12" deep shelving
- Fixed shelves are slotted to hold vertical dividers
- Vertical dividers are removable allowing the creation of multiple bins
- 1-1/4" high shelf fronts retain parts and provide areas to accommodate labels
- Compartment bottoms are angled to make part removal easy
- Keyhole slots in back panel allow wall mounting
- Durable, gray, powder coat finish



**Model  
314-95**

| Model  | Overall Dim: WxDxH (in.) | Openings | Bin Dim: WxDxH (in.)  | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|----------|-----------------------|--------|-----------------|
| 314-95 | 23-3/4 x 4-3/4 x 23-3/4  | 6 - 36   | 3-7/8 x 4-5/8 x 3-3/4 | 1      | 23              |



Ships UPS

# BIN ACCESSORIES

## FOR 9" & 12" DEEP PARTS BINS

**SEE PAGE 203 FOR  
NEW ACCESSORIES**



**Model  
365-95**

### Hinged Door Sets

- Prime cold-rolled steel
- Allows secure storage of parts
- Helps keep contents free from dust and dirt
- Full length piano hinges eliminate sagging
- Pad-lock hasp included (pad-lock not provided)
- Ships separately and attach easily to bins using sheet metal screws or pop rivets (fasteners not provided)
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Fits models                                 | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|---------------------------------------------|--------|-----------------|
| 365-95 | 32-7/16 x 3/4 x 41       | 348, 350, 351, 360, 361, 363, 397, 398, 399 | 1 set  | 22              |



Ships UPS



**Model  
364-95 5.75/LEG**

### Bin Bases

- Prime cold-rolled steel
- Fits all 12" & 9" x 33-3/4" Parts Bins
- Raises bins 5-3/4" above the floor
- Legs attach easily using fasteners provided
- Durable, gray, powder coat finish

| Model           | Overall Dim: WxDxH (in.)    | Fits models                                                                                        | Carton | Ship Wt. (lbs.) |
|-----------------|-----------------------------|----------------------------------------------------------------------------------------------------|--------|-----------------|
| 364-95 5.75/LEG | 34-1/16 x 12-3/16 x 5-11/16 | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745 | 1      | 14              |
| 382-95 5.75/LEG | 34-1/8 x 9-1/4 x 5-11/16    | 344, 349, 350, 393, 394                                                                            | 1      | 12              |



Ships UPS



**Model  
379-95**


### Bin Topper

- Prime cold-rolled steel
- Fits all 12" x 33-3/4" Parts Bins
- Keeps top of bin free of clutter
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Fits models                                                                                        | Carton | Ship Wt. (lbs.) |
|--------|---------------------------|----------------------------------------------------------------------------------------------------|--------|-----------------|
| 379-95 | 33-3/4 x 11-15/16 x 8-1/2 | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745 | 1      | 14              |



Ships UPS



### Bin Topper with Aerosol Compartments Storage

- Prime cold-rolled steel
- Modular with most 12" bins and drawers
- Keeps top of bin free of clutter
- Holds standard sized aerosol cans
- Pre-installed threaded nutserts for easy mounting
- Accommodates 17 standard 12 oz. cans
- Durable, textured, gray powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Fits models                                                                                        | Carton   | Ship Wt. (lbs.) |
|------------|--------------------------|----------------------------------------------------------------------------------------------------|----------|-----------------|
| 479-17C-95 | 33-11/16 x 12 x 8-1/2    | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745 | Recessed | 365             |



Ships UPS



# DRAWER CABINETS

## SMALL PARTS STORAGE



**001-95**




**003-95**



**004-95**



**013-95**



**002-95**



**005-95**



**006-95**



**007-95**



**014-95**

### Drawer Cabinets

- Prime cold-rolled steel construction
- High density drawer cabinet; stores large quantities of small parts
- Drawers feature interlocking design for superior strength
- Each drawer includes 2 easy to label dividers, which are adjustable on 1" centers
- Drawers have full width handles and easy glide runners
- Cabinets can be stacked using mounting holes
- Optional base available for most units (see page 18)
- Durable, gray, powder coat finish
- Ships fully assembled

| Model                                          | Overall Dim: WxDxH (in.)      | No. of Drawers | Drawer Dim: WxDxH (in.)   | Carton | Ship Wt. (lbs.) |
|------------------------------------------------|-------------------------------|----------------|---------------------------|--------|-----------------|
| <b>Standard 2-3/4" high drawer</b>             |                               |                |                           |        |                 |
| 001-95                                         | 11-3/4 x 12-5/16 x 10-7/8     | 6              | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 18              |
| 002-95                                         | 33-13/16 x 12-5/16 x 3-15/16  | 6              | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 19              |
| 003-95                                         | 22-13/16 x 12-5/16 x 7-3/8    | 8              | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 22              |
| 004-95                                         | 17-5/16 x 12-5/16 x 10-7/8    | 9              | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 24              |
| 013-95                                         | 33-13/16 x 12-5/16 x 7-3/8    | 12             | 4-15/32 x 11-1/4 x 3-3/16 | 1      | 32              |
| 005-95                                         | 33-13/16 x 12-5/16 x 10-7/8   | 18             | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 45              |
| 006-95                                         | 17-5/16 x 12-5/16 x 21-1/4    | 18             | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 46              |
| 007-95                                         | 33-13/16 x 12-5/16 x 14-5/16  | 24             | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 59              |
| 014-95**                                       | 33-13/16 x 12-5/16 x 17-13/16 | 30             | 5-15/32 x 11-1/4 x 3-3/16 | 1      | 73              |
| <b>Jumbo 3-1/2" high drawer x 11-1/4" deep</b> |                               |                |                           |        |                 |
| 030-95                                         | 33-13/16 x 12-1/4 x 12-13/16  | 18             | 5-7/16 x 11-11/32 x 3-3/4 | 1      | 54              |
| 031-95**                                       | 33-13/16 x 12-1/4 x 16-15/16  | 24             | 5-7/16 x 11-11/32 x 3-3/4 | 1      | 70              |
| 034-95**                                       | 33-13/16 x 12-1/4 x 21-1/16   | 30             | 5-11/32 x 11-1/4 x 3-3/4  | 1      | 85              |
| <b>Jumbo 3-1/2" high drawer x 17" deep</b>     |                               |                |                           |        |                 |
| 032-95**                                       | 33-13/16 x 17-3/4 x 12-13/16  | 18             | 5-7/16 x 17-1/8 x 3-3/4   | 1      | 70              |
| 033-95**                                       | 33-13/16 x 17-3/4 x 16-15/16  | 24             | 5-7/16 x 17-1/8 x 3-3/4   | 1      | 92              |
| 035-95**                                       | 33-13/16 x 17-3/4 x 21-1/16   | 30             | 5-7/16 x 17-1/8 x 3-3/4   | 1      | 113             |



Ships UPS


\*\* units must ship by truck due to UPS ground size restrictions

# DRAWER CABINET SYSTEMS

FULLY ASSEMBLED WITH BASE




**Model  
017-95**



**Model  
019-95**



**Model  
022-95**



**Model  
024-95**



**Model  
025-95**



**Model  
026-95**

## Drawer Cabinet System (Fully assembled with base)

- Prime cold-rolled steel construction
- High density drawer cabinet; easy to store large quantities of small parts
- Drawers feature interlocking design for superior strength
- Drawers have full width handles and easy glide runners
- Each drawer includes 2 dividers
- Dividers are movable on 1" centers and easy to label
- Vertical supports inside the cabinet provide added strength
- Fully welded base is included and raises unit 5-1/4" above the floor
- Ships fully assembled
- Durable, gray, powder coat finish

| Model                      | Overall Dim: WxDxH (in.) | Drawers | Drawer Dim: WxDxH (in.)     | Carton | Ship Wt. (lbs.) |
|----------------------------|--------------------------|---------|-----------------------------|--------|-----------------|
| <b>2-3/4" high drawers</b> |                          |         |                             |        |                 |
| 017-95                     | 34 x 12-1/4 x 33-3/4     | 48      | 5-15/32 x 11-1/4 x 2-27/32  | 1      | 162             |
| 019-95                     | 34 x 12-1/4 x 48         | 72      | 5-15/32 x 11-1/4 x 2-27/32  | 1      | 224             |
| 022-95                     | 34 x 12-1/4 x 62-1/4     | 96      | 5-15/32 x 11-1/4 x 2-27/32  | 1      | 276             |
| <b>3-1/2" high drawers</b> |                          |         |                             |        |                 |
| 024-95                     | 34 x 12-1/4 x 26-1/4     | 30      | 5-7/16 x 11-11/32 x 3-13/32 | 1      | 136             |
| 027-95                     | 34 x 17-3/4 x 26-1/4     | 30      | 5-7/16 x 17-1/8 x 3-13/32   | 1      | 153             |
| 025-95                     | 34 x 12-1/4 x 47-5/16    | 60      | 5-7/16 x 11-11/32 x 3-13/32 | 1      | 214             |
| 028-95                     | 34 x 17-3/4 x 47-5/16    | 60      | 5-7/16 x 17-1/8 x 3-13/32   | 1      | 268             |
| 026-95                     | 34 x 12-1/4 x 68-3/8     | 90      | 5-7/16 x 11-11/32 x 3-13/32 | 1      | 291             |
| 029-95                     | 34 x 17-3/4 x 68-3/8     | 90      | 5-7/16 x 17-1/8 x 3-13/32   | 1      | 332             |

**SEE PAGE 203 FOR  
NEW ACCESSORIES**

# DRAWER ACCESSORIES

## DIVIDERS, DRAWERS & TOPPER

### Dividers and Drawers for 2 3/4"H and 3 1/2"H

- High Impact Plastic Dividers (sold separately in bags of 12)
- Dividers are adjustable on 1" centers
- Custom designed tabs hold dividers securely in place
- Color; gray

| Model  | Overall Dim: WxDxH (in.) | For use with     | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|------------------|--------|-----------------|
| 010-95 | 5-3/16 x 2-1/2           | 2-3/4" H drawers | 12/bag | 1               |
| 036-95 | 5-1/4 x 3-1/4            | 3-1/2" H drawers | 12/bag | 2               |



Optional Drawer

**023-95-DURHAM-IND**  
with Divider Model **010-95**

| Model             | Overall Dim: WxDxH (in.)    | Drawer type                   | Carton | Ship Wt. (lbs.) |
|-------------------|-----------------------------|-------------------------------|--------|-----------------|
| 023-95-DURHAM-IND | 5-15/32 x 11-1/4 x 2-27/32  | 2-3/4" H drawers              | 1      | 2               |
| 784-95-DURHAM-IND | 5-7/16 x 17-1/8 x 3-13/32   | 3-1/2" H drawers (17" Deep)   | 1      | 3               |
| 783-95-DURHAM-IND | 5-7/16 x 11-11/32 x 3-13/32 | 3-1/2" Drawers (11-1/4" deep) | 1      | 2               |



Ships UPS

### Drawer Cabinet Bases

- Prime cold-rolled steel
- Model 364-95 fits all 33-3/4"W x 11-3/4" x 11-5/8"D drawer cabinets
- Model 362-95 fits all 33-3/4"W x 17"D drawer cabinets
- Raise bins 5-3/4" above the floor
- Legs attach easily using fasteners provided
- Durable, gray, powder coat finish

| Model           | Overall Dim: WxDxH (in.) | For use with                           | Carton | Ship Wt. (lbs.) |
|-----------------|--------------------------|----------------------------------------|--------|-----------------|
| 364-95 5.75/LEG | 34-1/16 x 12-1/4 x 5-3/4 | 002, 005, 007, 013, 014, 030, 031, 034 | 1      | 14              |
| 362-95          | 34 x 17-19/32 x 5-1/4    | 032, 033, 035                          | 1      | 18              |



**Model**  
**364-95 5.75/LEG**



Ships UPS

### Drawer Topper

- Prime cold-rolled steel
- Fits all drawer models listed in the table
- Keeps top of bin free of clutter
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Fits models                                                          | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|----------------------------------------------------------------------|--------|-----------------|
| 379-95 | 33-11/16 x 12 x 8-1/2    | 002, 005, 007, 013, 014, 030, 031, 034, 017, 019, 022, 024, 025, 026 | 1      | 14              |



**Model**  
**379-95**



Ships UPS

### Pressure Sensitive Labels for Drawers and Bins

- Easy and efficient way to label bins
- Peel and stick; easy to apply
- Clear part descriptions
- Easy to read printing
- Can be wiped clean
- Different colors designate different fastener types

| Model    | Description           | Pages per set | Color  |
|----------|-----------------------|---------------|--------|
| 373-D705 | USS Cap Screw Sets    | 6             | Yellow |
| 375-D706 | SAE Cap Crew Sets     | 6             | Yellow |
| 371-D806 | Metric Cap Screw Sets | 9             | White  |
| 369-D697 | Stainless Steel       | 4             | Silver |



**Model**  
**373-D705**



Ships UPS

# Rotabin® Revolving Shelves

**DURHAM MFG®**  
Est. 1922



## **Rotabin® Revolving Shelves - 17", 28", 34", 44" & 58" Diameter**

|                                                |         |                                |    |
|------------------------------------------------|---------|--------------------------------|----|
| 17" Rotabin® Revolving Shelves and accessories | 21      | 44" Rotabin® Revolving Shelves | 25 |
| 28" Rotabin® Revolving Shelves and accessories | 22      | 58" Rotabin® Revolving         | 25 |
| 34" Rotabin® Revolving Shelves and accessories | 23 - 24 | Merchandising Rotabin®         | 25 |

**Save Time • Save Space • Save Money**



# ROTABIN® REVOLVING SHELVES

SAVE SPACE, SAVE TIME, SAVE MONEY

---

## Over 20 Different Size Configurations



**17" Diameter**  
**60 Lbs. capacity per shelf**  
**(weight evenly distributed)**



**28" Diameter**  
**500 Lbs. capacity per shelf**  
**(weight evenly distributed)**



**34" Diameter**  
**500 Lbs. capacity per shelf**  
**(weight evenly distributed)**



**44" Diameter**  
**625 Lbs. capacity per shelf**  
**(weight evenly distributed)**



**52" Diameter**  
**2000 Lbs. capacity per shelf**  
**(weight evenly distributed)**

**Save Time • Save Space • Save Money**

# ROTABIN®

## 17" REVOLVING SHELVES



**Model  
1104-95**



**Model  
1106-95**



**Model  
1110-95**

### 4, 6, or 10 Shelves, 17" Rotabins®

- All steel construction
- Fits in less than 3 sq. ft.
- 4 fixed dividers per shelf form 13"W x 7-1/2"D x 3-3/8"H permanent compartments
- Optional dividers allow the creation of up to 16 compartments per shelf
- Ideal for use on work benches
- Revolving shelves make accessing parts easy
- Each shelf rotates independently on heavy duty ball bearings
- Shelf capacity of 60 Lbs. (evenly distributed)
- Easy assembly using hardware provided
- Durable, gray, powder coat finish

| Model   | Diameter (in.) | Height (in.) | Shelves | Total Cap. (lbs.) | Carton | Ship Wt. (lbs.) |
|---------|----------------|--------------|---------|-------------------|--------|-----------------|
| 1104-95 | 17             | 17-5/8       | 4       | 240               | 1      | 21              |
| 1106-95 | 17             | 25-7/8       | 6       | 360               | 1      | 29              |
| 1110-95 | 17             | 41-7/8       | 10      | 600               | 1      | 44              |



Ships UPS

## ACCESSORIES

### FOR 17" REVOLVING SHELF ROTABINS®

#### Steel Divider for 17" Rotabin®

- Can be placed on 3-3/8" centers to create additional compartments
- Flanged and punched for easy bolting to shelves
- Easy to install using hardware provided
- Durable, gray, powder coat finish



**Model  
1141-95**

| Model       | Description              | Dimensions LxW (in.) | Carton Pack | Ship Wt. (lbs.) |
|-------------|--------------------------|----------------------|-------------|-----------------|
| 1141-95-IND | Additional Steel Divider | 7-3/8 x 3-1/16       | 1           | 1               |



Ships UPS

# ROTABINS®

## 28" REVOLVING SHELVES



**Model  
1205-95**



**Model  
1206-95**



**Model  
1207-95**



**Model  
1208-95**

### 5, 6, 7, 8, 9 or 10 Shelves, 28" Rotabins®

- Sturdy all steel construction
- Shelf capacity of 500 Lbs. (evenly distributed)
- (6) fixed dividers per shelf form (30) 14-1/2"W x 12"D x 5-3/4"H permanent compartments
- Optional dividers can be inserted to create up to 24 compartments per shelf
- 1-5/8"H bin fronts provide space for pressure sensitive labels
- Unit fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves make accessing parts easy
- Each shelf rotates independently on heavy duty ball bearings
- Assembles easily using hardware provided
- Durable, gray, powder coat finish

| Model   | Diameter (in.) | Height (in.) | Shelves | Total Cap. (lbs.) | Carton | Ship Wt. (lbs.) |
|---------|----------------|--------------|---------|-------------------|--------|-----------------|
| 1205-95 | 28             | 34-1/8       | 5       | 2,500             | 7      | 138             |
| 1206-95 | 28             | 40-3/8       | 6       | 3,000             | 8      | 155             |
| 1207-95 | 28             | 46-5/8       | 7       | 3,500             | 9      | 167             |
| 1208-95 | 28             | 52-7/8       | 8       | 4,000             | 10     | 183             |
| 1209-95 | 28             | 59-1/8       | 9       | 4,500             | 11     | 199             |
| 1210-95 | 28             | 65-23/32     | 10      | 5,000             | 12     | 215             |

## ACCESSORIES

### FOR 28" REVOLVING SHELF ROTABINS®

#### Steel 28" Rotabin® Divider

- Sturdy all steel construction
- Bolt easily into place on 1" centers using hardware provided
- Allow the creation of up to 24 compartments per 28" diameter shelf
- Durable, gray, powder coat finish



**Model  
1241-95-IND**

| Model       | Description              | Dimensions - LxW (in.) | Carton Pack | Ship Wt. (lbs.) |
|-------------|--------------------------|------------------------|-------------|-----------------|
| 1241-95-IND | Additional Steel Divider | 12-5/16 x 5-9/16       | 1           | 1               |



Ships UPS

# ROTABINS®

## 34" REVOLVING SHELVES



**Model  
1304-95**



**Model  
1305-95**



**Model  
1306-95**



**Model  
1308-95**

### 5 - 10 Shelves, 34" Rotabins®

- Sturdy all steel construction
- Shelf capacity of 500 Lbs. (Evenly distributed)
- (5) fixed dividers per shelf form (20) 21"W x 15"D x 7"H permanent compartments
- Optional dividers can be inserted on 1" centers
- Optional plastic pans are available for transporting parts; 3 pans fit into each permanent compartment
- 2-3/8" high bin fronts provide space for pressure sensitive labels
- Unit fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves make accessing parts easy; each shelf rotates independently on heavy duty ball bearings
- Assembles easily using hardware provided
- Durable, gray, powder coat finish

| Model   | Diameter (in.) | Height (in.) | Shelves | Total Cap. (lbs.) | Cartons | Ship Wt. (lbs.) |
|---------|----------------|--------------|---------|-------------------|---------|-----------------|
| 1304-95 | 34             | 34-1/4       | 4       | 2000              | 6       | 155             |
| 1305-95 | 34             | 42           | 5       | 2500              | 7       | 181             |
| 1306-95 | 34             | 49-3/4       | 6       | 3000              | 8       | 206             |
| 1307-95 | 34             | 57-1/2       | 7       | 3500              | 9       | 232             |
| 1308-95 | 34             | 65-1/2       | 8       | 4000              | 10      | 257             |

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**



# ROTABINS®

## ACCESSORIES FOR 34" UNITS

### Dividers for 34" Rotabins® with 2-3/8"H Bin Fronts

- Sturdy all steel construction
- Bolt easily into place on 1" centers using hardware provided
- Durable, gray, powder coat finish

| Model       | Description              | Dimensions - LxH (in.) | Carton Pack | Ship Wt. (lbs.) |
|-------------|--------------------------|------------------------|-------------|-----------------|
| 1341-95-IND | Additional Steel Divider | 15 x 6-9/16            | 1           | 1               |



Ships UPS



**Model  
1341-95-IND**

### Rotabin® Pans for 34" Rotabins®

- Durable molded plastic design
- Makes it easy to transport parts and store different items in the same shelf compartment
- Up to 3 pans fit in each fixed shelf compartment
- Sold in packages of 15
- Color: Gray

| Model    | Description       | Carton Pack | Ship Wt. (lbs.) |
|----------|-------------------|-------------|-----------------|
| 15007-95 | Grey Rotabin® Pan | 15          | 17              |



Ships UPS



**Model  
15007-95**

## MULTI-SIZED REVOLVING SHELVES

### Multi-Sized Merchandising Rotabin®

- Sturdy all steel construction
- Total capacity of 2,650 Lbs. (evenly distributed)
- Each shelf rotates independently on heavy duty ball bearings
- Optional dividers are available for 28" & 34" shelves
- Total of 26 compartments
- Fits in otherwise unusable space, including corners and aisle ends
- Assembles easily using hardware provided
- Bin fronts on the 28" and 34" shelves have 1-5/8" H space for labeling and pricing
- Durable, gray, powder coat finish

| Model   | Dia. (in.)                          | Height (in.) | Shelves (in.) / capacity (lbs.)                                                                                | Cartons | Ship Wt. (lbs.) |
|---------|-------------------------------------|--------------|----------------------------------------------------------------------------------------------------------------|---------|-----------------|
| 1700-95 | 44" Bottom<br>34" Center<br>28" Top | 65-3/4       | 1-28" (6 compartments) 500 lb. Cap<br>3-34" (5 compartments) 500 lb. Cap<br>1-44" (5 compartments) 650 lb. Cap | 7       | 185             |



**Model  
1700-95**

### Accessories for Multi-Sized Merchandising Rotabin®

| Model       | Description                     | Carton pk. | Ship Wt. (lbs.) |
|-------------|---------------------------------|------------|-----------------|
| 15007-95    | Gray Rotabin® Pan for 34" shelf | 15         | 17              |
| 1241-95-IND | Steel Divider for 28" shelf     | 1          | 1               |
| 1341-95-IND | Steel Divider for 34" shelf     | 1          | 1               |



Ships UPS

# ROTABINS®

## 44" & 58" REVOLVING SHELVES



**Model  
1504-95**



**Model  
1505-95**



**Model  
1535-95**



**Model  
1506-95**

### 4, 5 or 6 Shelves, 44" Rotabin®

- Sturdy all steel construction
- Shelf capacity is 625 Lbs. (Evenly distributed)
- Shelves are manufactured from one piece of steel with dividers welded into place
- 5 permanent compartments per shelf; 20 total compartments
- Fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves with rounded bottoms make accessing parts easy
- Each shelf rotates independently on heavy duty ball bearings
- Assembles easily using hardware provided
- Durable, gray, powder coat finish

| Model   | Diameter (in.) | Height (in.) | Shelves | Compartments per shelf | Total Cap. (lbs.) | Carton | Ship Wt. (lbs.) |
|---------|----------------|--------------|---------|------------------------|-------------------|--------|-----------------|
| 1504-95 | 44             | 46-1/2       | 4       | 5                      | 2,500             | 4      | 194             |
| 1505-95 | 44             | 57-1/2       | 5       | 5                      | 3,125             | 7      | 228             |
| 1535-95 | 44             | 57-1/2       | 5       | 10                     | 3,125             | 7      | 268             |
| 1506-95 | 44             | 69-1/2       | 6       | 5                      | 3,750             | 8      | 263             |
| 1536-95 | 44             | 69-1/2       | 6       | 10                     | 3,750             | 8      | 338             |



**Model  
1605-95**

### 5 Shelf 52" Rotabin® (10,000 Lbs. overall capacity)

- Sturdy all steel construction with 10,000 Lbs. overall capacity
- Shelf capacity is 2,000 Lbs. (evenly distributed)
- Shelves are manufactured from one piece of steel with dividers welded into place
- 10 permanent compartments per shelf; 50 total compartments
- Fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves with rounded bottoms make accessing parts easy
- Each shelf rotates independently on Heavy duty ball bearings
- Assembles easily using hardware provided
- Durable, gray, powder coat finish

| Model   | Diameter (in.) | Height (in.) | Shelves | Cartons | Ship Wt. (lbs.) |
|---------|----------------|--------------|---------|---------|-----------------|
| 1605-95 | 52             | 66-5/16      | 5       | 6       | 549             |

# DURHAM MFG®

Est. 1922



## Metal & Plastic Compartment Box and Racks

|                                          |         |                                          |        |
|------------------------------------------|---------|------------------------------------------|--------|
| Large Compartment Boxes                  | 27 - 29 | Small Compartment Boxes                  | 33     |
| Large Slide Racks                        | 30 - 31 | Small Slide Racks                        | 34     |
| Base for Large Slide Racks               | 30 - 31 | Base for Small Slide Racks               | 34     |
| Plastic Inserts                          | 31, 34  | Locking Hinge                            | 32, 35 |
| Large Label Pouches                      | 31      | Small Label Pouches                      | 35     |
| Small Plastic Compartment Boxes and Rack | 36      | Large Plastic Compartment Boxes and Rack | 37     |

# Compartment Boxes & Racks

**Durham Compartment Boxes are designed to be the perfect organizers, merchandisers and storage systems for small parts**

# LARGE COMPARTMENT BOXES

## SCOOP BOX STYLE



**Model  
102-95**



**Model  
107-95**



**Model  
109-95**



**Model  
111-95**



**Model  
113-95**



**Model  
115-95**



**Model  
117-95**



**Model  
125-95**

### Large Compartment Boxes

- Prime cold-rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Handle allows for easy transport
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Racks, and pouches for cover labels are available as accessories. Cover labels can be downloaded from our website
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)   | Compartments / Opening Size                     | Carton Pack | Ship Wt. (lbs.) |
|--------|----------------------------|-------------------------------------------------|-------------|-----------------|
| 102-95 | 18-5/16 x 12-7/16 x 3-1/16 | (20) 2-11/16 x 2-7/8<br>(4) 3-13/16 x 2-7/8     | 4           | 32              |
| 107-95 | 18-5/16 x 12-7/16 x 3-1/16 | (32) 2-1/8 x 2-7/8                              | 4           | 32              |
| 109-95 | 18-5/16 x 12-7/16 x 3-1/16 | (20) 2-11/16 x 2-15/16<br>(1) 3-13/16 x 11-9/16 | 4           | 32              |
| 111-95 | 18-5/16 x 12-7/16 x 3-1/16 | (20) 3-7/16 x 2-15/16                           | 4           | 32              |
| 113-95 | 18-5/16 x 12-7/16 x 3-1/16 | (16) 4-15/16 x 2-15/16                          | 4           | 32              |
| 115-95 | 18-5/16 x 12-7/16 x 3-1/16 | (12) 5-13/16 x 2-15/16                          | 4           | 32              |
| 117-95 | 18-5/16 x 12-7/16 x 3-1/16 | (6 Vertical) 2-7/8 x 11-11/16                   | 4           | 32              |
| 125-95 | 18-5/16 x 12-7/16 x 3-1/16 | (6 Horizontal) 17-1/2 x 1-7/8                   | 4           | 32              |



Ships UPS

More Compartment Boxes on next page



# LARGE COMPARTMENT BOXES

## SCOOP BOX STYLE

### Adjustable Compartment Large Horizontal Box

- Prime cold-rolled steel outer shell
- 6 horizontal compartments:  
1-7/8" x 17-1/2" x 2-15/16"
- 12 vertical dividers are included and adjust on 2-1/4" centers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)       | Compartments        | Carton Pack | Ship Wt. (lbs.) |
|--------|--------------------------------|---------------------|-------------|-----------------|
| 099-95 | 18-5/16 x 12-7/16 x 3-1/16     | Variable/Adjustable | 4           | 32              |
| 097-95 | Dividers for 099-95 (straight) |                     | Bag of 12   | 1               |



Ships UPS



**Model  
099-95**

### Adjustable Compartment Large Vertical Box

- Prime cold-rolled steel outer shell
- Durable plastic with 3 fixed vertical compartments and 9 movable dividers adjustable on 1" centers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)    | Compartments                                | Carton Pack | Ship Wt. (lbs.) |
|--------|-----------------------------|---------------------------------------------|-------------|-----------------|
| 119-95 | 18-5/16 x 12-7/16 x 3-1/16  | Variable/Adjustable<br>(4) 4-5/16 x 11-7/16 | 4           | 32              |
| 120-95 | Scooped dividers for 119-95 |                                             | Bag of 9    | 3               |



Ships UPS



**Model  
119-95**

### Adjustable Compartment Large Expando Box

- Prime cold-rolled steel outer shell
- Durable plastic insert
- 3 adjustable horizontal and 3 adjustable vertical dividers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish

| Model           | Overall Dim: WxDxH (in.)         | Compartments | Carton Pack | Ship Wt. (lbs.) |
|-----------------|----------------------------------|--------------|-------------|-----------------|
| 131-95          | 18-5/16 x 12-7/16 x 3-1/16       | adjustable   | 4           | 32              |
| 132-95-EXL-H/DV | Dividers for 131-95 (horizontal) |              | 1           | 1               |
| 133-95-EXL-V/DV | Dividers for 131-95 (vertical)   |              | 1           | 1               |



Ships UPS



**Model  
131-95**

### Large Empty Metal Shell

- Prime cold-rolled steel
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover closed
- Handle allows easy transport
- Can be used with plastic inserts for large compartment boxes on Page 31
- Racks are also available as accessories
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)   | Compartments      | Carton Pack | Ship Wt. (lbs.) |
|--------|----------------------------|-------------------|-------------|-----------------|
| 123-95 | 18-5/16 x 12-7/16 x 3-1/16 | Empty Metal Shell | 4           | 24              |



Ships UPS



**Model  
123-95**

# LARGE COMPARTMENT BOXES

## SCOOP BOX STYLE & HEAVY DUTY HANDLE



**Model**  
**095-95-RSC-IND**

### Large 9 Opening Compartment Box - Sold as individual

- Prime cold-rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Handle allows for easy transport
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish


| Model          | Overall Dim: WxDxH (in.)   | Compartments                                                                  | Carton Pack | Ship Wt. (lbs.) |
|----------------|----------------------------|-------------------------------------------------------------------------------|-------------|-----------------|
| 095-95-RSC-IND | 18-5/16 x 12-7/16 x 3-1/16 | 9 total<br>(4) 5-13/16 x 2-15/16<br>(4) 2-7/8 x 2-15/16<br>(1) 17-1/2 x 5-3/4 | 1           | 8               |



Ships UPS



**Model**  
**102PC227-95**



**New Comfort Grip**  
handle and new double  
catches with option  
to pad-lock. Lock not  
Included



**Model**  
**119PC227-95**

- Prime cold-rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Comfort Grip handle allows for easy transport
- Positive pull-down lock-able catches keeps cover tightly closed to prevent part migration
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish

| Model       | Overall Dim: WxDxH (in.)    | Compartments                                | Carton Pack | Ship Wt. (lbs.) |
|-------------|-----------------------------|---------------------------------------------|-------------|-----------------|
| 102PC227-95 | 17-15/16 x 11-7/8 x 2-15/16 | (20) 2-11/16 x 2-7/8<br>(4) 3-13/16 x 2-7/8 | 4           | 32              |
| 119PC227-95 | 17-15/16 x 11-7/8 x 2-15/16 | Variable/Adjustable<br>(4) 4-5/16 x 11-7/16 | 4           | 32              |



Ships UPS

# LARGE BEARING SLIDE RACKS & BASES

## FOR USE WITH LARGE COMPARTMENT BOXES



**Model  
303B-15.75-95**



**Model  
305B-95**



**Model  
309B-95**



**Model  
303B-16.75-95**



**Model  
321B-95**



**Model  
321B-95-DR**



**Model  
304-95 15/LEG**

### Heavy Duty Bearing Slide Rack (Holds Large Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Each cradle holds up to 75 Lbs.
- Solid cradle extends beyond the opening of the unit when in the open position reducing the chance of drawer covers closing when not intended
- Slides can be replaced
- Positive closure feature keeps trays from sliding out unintentionally
- Punched holes for easy installation of locking hinge (locking hinge not included)
- -DR model includes door and lock with 2 keys
- Base is available as accessory
- Durable, gray, powder coat finish

| Model                 | Overall Dim: WxDxH (in.)   | Compartments                            | Carton Pack | Ship Wt. (lbs.) |
|-----------------------|----------------------------|-----------------------------------------|-------------|-----------------|
| 303B-15.75-95         | 20-5/16 x 15-7/8 x 15      | 4                                       | 1           | 40              |
| 309B-95               | 20-3/16 x 12-5/8 x 8-1/8   | 2                                       | 40*         | 20              |
| 310B-95               | 20-5/16 x 12-5/8 x 14-7/8  | 4                                       | 1           | 34              |
| 305B-95               | 20-1/2 x 12-1/2 x 21       | 5                                       | 1           | 48              |
| 321B-95               | 20-5/16 x 15-7/8 x 21-7/8  | 6                                       | 1           | 57              |
| 321B-95-DR            | 20-5/16 x 15-7/8 x 21-7/8  | 6 with locking door                     | 1           | 62              |
| <b>Optional Bases</b> |                            |                                         |             |                 |
| 304-95 15/LEG         | 20-9/16 x 16-1/8 x 15      | For Models 302B-15.75, 303B-15.75, 321B | 1           | 16              |
| 304-95-5.75/LEG       | 20-9/16 x 16-1/8 x 5-11/16 | For Models 302B-15.75, 303B-15.75, 321B | 1           | 12              |
| 311-95 15/LEG         | 20-3/4 x 12-3/4 x 15       | For Models 309B, 310B                   | 1           | 15              |
| 311B/305B-95          | 20-3/4 x 12-3/4 x 15       | Only for Model 305B-95                  | 1           | 15              |



Ships UPS

\* Minimum order quantity

**SEE PAGE 203 FOR  
NEW TOPPER ACCESSORY**

See next page for more rack options

# LARGE SLIDE RACKS

## FOR LARGE COMPARTMENT BOXES



**Model  
303-95**



**Model  
302B-15.75-95**

### Easy Glide Slide Rack (Holds 2 or 4 Large Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Each cradle holds up to 40 Lbs
- Easy glide slides allow boxes to move in and out smoothly
- Center braces on cradles provide extra rigidity
- Reinforced rack keeps boxes level
- Boxes can be easily removed for transport to work areas
- Base and locking hinge are available as accessories
- Durable, gray, powder coat finish

| Model                 | Overall Dim: WxDxH (in.)   | Compartments | Carton | Ship Wt. (lbs.) |
|-----------------------|----------------------------|--------------|--------|-----------------|
| 302B-15.75-95         | 20-5/16 x 15-7/8 x 8-3/16  | 2            | 1      | 22              |
| 303-95                | 20 x 15-5/8 x 15           | 4            | 1      | 30              |
| <b>Optional Bases</b> |                            |              |        |                 |
| 304-95 15/LEG         | 20-9/16 x 16-1/8 x 15      | -            | 1      | 16              |
| 304-95-5.75/LEG       | 20-9/16 x 16-1/8 x 5-11/16 | -            | 1      | 12              |



Ships UPS

### Plastic Inserts Only for Large Compartment Boxes

- Molded from durable plastic
- Can be used independently or as replacements for other Large Compartment Box inserts
- Fits into model 123-95 Large Empty Metal Shell
- Dividers are sold separately
- Color; gray



**Model  
124-95-24**

| Model              | Compartments                                     | Dividers     | Carton | Ship Wt. (lbs.) |
|--------------------|--------------------------------------------------|--------------|--------|-----------------|
| 124-95-06/HOR-IND  | (6) 17-1/2 x 1-27/32                             | 0            | 1      | 4               |
| 124-95-06/VERT-IND | (6) 2-13/16 x 11-21/32                           | 0            | 1      | 4               |
| 124-95-12-IND      | (12) 5-25/32 x 2-27/32                           | 0            | 1      | 4               |
| 124-95-16-IND      | (16) 4-5/16 x 2-27/32                            | 0            | 1      | 4               |
| 124-95-20-IND      | (20) 3-7/16 x 2-27/32                            | 0            | 1      | 4               |
| 124-95-21-IND      | (20) 2-21/32 x 2-27/32<br>(1) 3-25/32 x 11-19/32 | 0            | 1      | 4               |
| 124-95-24-IND      | (24) 2-21/32 x 2-27/32                           | 0            | 1      | 4               |
| 124-95-32-IND      | (32) 2-1/8 x 2-27/32                             | 0            | 1      | 4               |
| 124-95-ADL-IND     | Variable 4-13<br>4-15/16 x 11-19/32              | 9            | 1      | 4               |
| 124-95-ADLH-IND    | Variable 6-18<br>17-1/2 x 1-7/8                  | 12           | 1      | 4               |
| 124-95-EXL-IND     | Variable 1-16                                    | 3 (H), 3 (V) | 1      | 4               |



Ships UPS

### Clear Plastic Label Pouch for Large Compartment Boxes



**Model  
D853**

(shown with optional cover label installed)

- Peel and stick backing allows pouch to adhere to covers easily
- Can be used with downloadable cover labels on [www.durhammfg.com](http://www.durhammfg.com)
- Keeps labels, plan-o-grams, inventory sheets, and instruction sheets clean
- Items being inserted can be easily changed

| Model | Descriptions                          | Carton | Ship Wt. (lbs.) |
|-------|---------------------------------------|--------|-----------------|
| D853  | Label Pouch for Large Compartment Box | 1      | 1               |



Ships UPS





# SMALL COMPARTMENT BOXES

## SCOOP BOX STYLE



**Model  
202-95**



**Model  
204-95**



**Model  
206-95**



**Model  
209-95**



**Model  
211-95**



**Model  
213-95**



**Model  
215-95**



**Model  
227-95**

### Small Compartment Boxes

- Prime cold-rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Handle allows for easy transport
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Racks, pouches and cover labels are available as accessories
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Compartments                                                            | Carton Pack | Ship Wt. (lbs.) |
|--------|---------------------------|-------------------------------------------------------------------------|-------------|-----------------|
| 202-95 | 13-9/16 x 9-7/8 x 2-1/8   | 24 - (20) 1-15/16 x 2-3/16, (4) 2-3/4 x 2-3/16                          | 6           | 30              |
| 204-95 | 13-9/16 x 9-7/8 x 2-1/8   | 21 - (20) 1-15/16 x 2-3/16, (1) 2-3/4 x 8-15/16                         | 6           | 30              |
| 206-95 | 13-9/16 x 9-7/8 x 2-1/8   | (20) 2-1/2 x 2-3/16                                                     | 6           | 30              |
| 227-95 | 13-9/16 x 9-7/8 x 2-1/8   | 17 - (14) 1-15/16 x 2-13/16, (2) 1-15/16 x 6-11/16, (1) 2-3/4 x 8-15/16 | 6           | 30              |
| 209-95 | 13-9/16 x 9-7/8 x 2-1/8   | (16) 3-3/16 x 2-3/16                                                    | 6           | 30              |
| 211-95 | 13-9/16 x 9-7/8 x 2-1/8   | (12) 4-1/4 x 2-3/16                                                     | 6           | 30              |
| 213-95 | 13-9/16 x 9-7/8 x 2-1/8   | (8) 6-3/8 x 2-3/16                                                      | 6           | 30              |
| 215-95 | 13-9/16 x 9-7/8 x 2-1/8   | Variable - (4) 3-1/8 x 8-13/16                                          | 6           | 30              |
| 216-95 | Scoop Dividers for 215-95 |                                                                         | Bag of 9    | 1               |
| 226-95 | 13-9/16 x 9-7/8 x 2-1/8   | Small Empty Metal Shell                                                 | 6           | 24              |



Ships UPS

# SMALL SLIDE RACKS

## FOR USE WITH SMALL COMPARTMENT BOXES



**Model  
306B-95**



**Model  
307B-95**



**Model  
308B-95**



**Optional Base  
Model 315B-95**

### Easy Glide Slide Rack (Holds Small Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Accommodates small compartment boxes
- Bearing slides allow boxes to move in and out smoothly
- Full bottom cradles provide extra rigidity
- Reinforced rack keeps boxes level
- Boxes can be easily removed for transport to work areas
- Base is available as an accessory
- Durable, gray, powder coat finish

| Model                 | Overall Dim: WxDxH (in.)   | Compartments                 | Carton | Ship Wt. (lbs.) |
|-----------------------|----------------------------|------------------------------|--------|-----------------|
| 307B-95               | 15-9/16 x 11-7/8 x 11-5/16 | 4                            | 1      | 20              |
| 308B-95               | 15-9/16 x 11-7/8 x 16-3/8  | 6                            | 1      | 31              |
| <b>Optional Bases</b> |                            |                              |        |                 |
| 315B-95 15/LEG        | 15-1/2 x 12-1/4 x 15       | For Models: 306B, 307B, 308B | 1      | 13              |



Ships UPS


## ACCESSORIES

### FOR SMALL COMPARTMENT BOXES

#### Plastic Inserts for Small Compartment Boxes

- Can be used independently or as replacements for other Small Compartment Box inserts
- Fits into model 226-95 Small Empty Metal Shell
- Dividers are sold separately
- Color; gray

| Model          | Compartments                                                               | Carton | Ship Wt. (lbs.) |
|----------------|----------------------------------------------------------------------------|--------|-----------------|
| 229-95-08-IND  | (8) 6-3/8 x 2-3/16                                                         | 1      | 3               |
| 229-95-12-IND  | (12) 4-1/4 x 2-3/16                                                        | 1      | 3               |
| 229-95-16-IND  | (16) 3-3/16 x 2-3/16                                                       | 1      | 3               |
| 229-95-17-IND  | 17 - (14) 1-15/16 x 2-13/16,<br>(2) 1-15/16 x 6-11/16, (1) 2-3/4 x 8-15/16 | 1      | 3               |
| 229-95-20-IND  | (20) 2-1/2 x 2-3/16                                                        | 1      | 3               |
| 229-95-21-IND  | 21 - (20) 1-15/16 x 2-3/16, (1) 2-3/4 x 8-15/16                            | 1      | 3               |
| 229-95-24-IND  | 24 - (20) 1-15/16 x 2-3/16, (4) 2-3/4 x 2-3/16                             | 1      | 3               |
| 229-95-ADS-IND | Variable - (4) 3-1/8 x 8-13/16                                             | 1      | 3               |




**Model  
229-95-12**



Ships UPS

# ACCESSORIES


## FOR SMALL COMPARTMENT BOXES & RACKS



### Locking Hinges (For Small Slide Racks)

- All steel for durability
- Sizes available to fit either the model 307 or 308
- Swivel pad-lock attachment allows units to be locked for security (pad-lock not included)
- Holds boxes securely in place during transport
- Easy to install using pop rivets or sheet metal screws (fasteners not included)
- Locking hasp has 3/8" diameter


| Model | Fits Models | Dim: LxW (in.) | Ship Wt. (lbs.) | Carton |
|-------|-------------|----------------|-----------------|--------|
| 312   | 308         | 13-1/2 x 1-1/4 | 1               | 1      |
| 313   | 307         | 10 x 1-7/16    | 1               | 1      |



### Clear Plastic Label Pouch for Small Compartment Boxes

- Sturdy all steel construction
- Available for both the Easy Glide Racks and the Space Saver Rack
- Legs attach easily using fasteners provided
- Durable, gray, powder coat finish

| Model | Description                           | Carton | Ship Wt. (lbs.) |
|-------|---------------------------------------|--------|-----------------|
| D820  | Label Pouch for Small Compartment Box | 1      | 1               |



**Model D820**  
(shown with downloadable cover label installed)



# SMALL PLASTIC COMPARTMENT BOXES

## DURABLE CLEAR PLASTIC



**Model  
SP6-CLEAR**



**Model  
SP12-CLEAR**



**Model  
SPOS12-CLR**



**Model  
SP13-CLEAR**



**Model  
SP18-CLEAR**



**Model  
SPADJ-CLEAR**



**Model  
290-95**

### Small Compartment Plastic Box

- Molded from clear polypropylene resin which permits visibility of contents
- Heavy duty reinforced hinges
- Patented positive stops allow cover to be opened wide or remain in the upright open position making it easy to read content labels
- Two positive snap latches keep boxes securely closed and prevent parts from migrating between compartments
- Cover overlaps sides to keep out dust and dirt
- Optional rack is available with handle to carry up to 5 boxes

| Model       | Overall Dim: WxDxH (in.) | Compartments / Opening Size                                                                                                                                        | Carton Pack | Ship Wt. (lbs.) |
|-------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------|
| SP6-CLEAR   | 10-13/16 x 6-3/4 x 1-3/4 | (6) 1-11/16 x 6-1/8 x 1-9/16                                                                                                                                       | 10          | 8               |
| SP12-CLEAR  | 10-13/16 x 6-3/4 x 1-3/4 | (12) 1-11/16 x 3 x 1-9/16                                                                                                                                          | 10          | 8               |
| SPOS12-CLR  | 10-13/16 x 6-3/4 x 1-3/4 | (6) 1-11/16 x 4-1/6 x 1-9/16, (6) 1-11/16 x 2 x 1-9/16                                                                                                             | 10          | 8               |
| SP13-CLEAR  | 10-13/16 x 6-3/4 x 1-3/4 | (6) 1-11/16 x 1-7/8 x 1-9/16, (6) 1-11/16 x 1-5/16 x 1-9/16, (1) 10-1/2 x 2-13/16 x 1-9/16                                                                         | 10          | 8               |
| SP18-CLEAR  | 10-13/16 x 6-3/4 x 1-3/4 | (18) 1-11/16 x 2 x 1-9/16                                                                                                                                          | 10          | 8               |
| SPADJ-CLEAR | 10-13/16 x 6-3/4 x 1-3/4 | (3) 10-1/2 x 2 x 1-9/16, (variable) 1-11/16 x 2 x 1-9/16 (2 fixed dividers and 15 adjustable dividers are included allowing the creation of up to 18 compartments) | 10          | 8               |



Ships UPS

### Rack for Small Plastic Compartment Box

- Constructed of prime cold-rolled steel
- Model 290-95 holds 5 small boxes
- Includes removable flexible offset handle
- 290-95-LOCK BAR available as accessory
- Keyholes slots on the top allow the stacking of another rack
- Keyhole slots in back allow mounting on walls or panels
- Durable, gray, powder coat finish

| Model  | Description            | Overall Dim: WxDxH (in.)  | Carton Pack | Ship Wt. (lbs.) |
|--------|------------------------|---------------------------|-------------|-----------------|
| 290-95 | Rack for 5 small Boxes | 11-1/4 x 6-23/32 x 10-3/4 | 1           | 6               |



Ships UPS

Large plastic compartment boxes and Racks on the next page



# LARGE PLASTIC COMPARTMENT BOXES

## DURABLE CLEAR PLASTIC



**Model  
LPADJ-CLEAR**



**Model  
LP6-CLEAR**



**Model  
LP12-CLEAR**



**Model  
LP16-CLEAR**



**Model  
LP18-CLEAR**



**Model  
LP24-CLEAR**



**Model  
291-95**

### Large Compartment Plastic Box

- Molded from clear polypropylene resin which permits visibility of contents
- Heavy duty reinforced hinges
- Patented positive stops allow cover to be opened wide or remain in the upright open position making it easy to read content labels
- Two positive snap latches keep boxes securely closed and prevent parts from migrating between compartments
- LPADJ has 3 fixed dividers and 20 adjustable dividers are included allowing the creation of up to 24 compartments
- Cover overlaps sides to keep out dust and dirt
- Optional rack is available with handle to carry up to 5 boxes

| Model       | Overall Dim: WxDxH (in.) | Compartments / Opening Size                                           | Carton Pack | Ship Wt. (lbs.) |
|-------------|--------------------------|-----------------------------------------------------------------------|-------------|-----------------|
| LP6-CLEAR   | 13-1/8 x 9 x 2-5/16      | (6) 2-1/16 x 8-1/2 x 2-1/16                                           | 5           | 7               |
| LP12-CLEAR  | 13-1/8 x 9 x 2-5/16      | (12) 2-1/6 x 4-3/16 x 2-1/16                                          | 5           | 7               |
| LP16-CLEAR  | 13-1/8 x 9 x 2-5/16      | (16) 3-1/8 x 9 x 2-5/16                                               | 5           | 7               |
| LP18-CLEAR  | 13-1/8 x 9 x 2-5/16      | (12) 2-1/16 x 2-1/16 x 2-1/16<br>(6) 2-1/16 x 4-3/16 x 2-1/16         | 5           | 7               |
| LP24-CLEAR  | 13-1/8 x 9 x 2-5/16      | (24) 2-1/6 x 2-1/16 x 2                                               | 5           | 7               |
| LPADJ-CLEAR | 13-1/8 x 9 x 2-5/16      | (4) 12-11/16 x 2-1/16 x 2-1/16<br>(Variable) 2-1/16 x 2-1/16 x 2-1/16 | 5           | 7               |



Ships UPS

### Rack for Large Plastic Compartment Box

- Constructed of prime cold-rolled steel
- Model 291-95 holds 5 large boxes
- Includes removable flexible offset handle
- 291-95-LOCK BAR available as accessory
- Keyholes slots on the top allow the stacking of another rack
- Keyhole slots in back allow mounting on walls or panels
- Durable, gray, powder coat finish

| Model  | Description            | Overall Dim: WxDxH (in.) | Carton Pack | Ship Wt. (lbs.) |
|--------|------------------------|--------------------------|-------------|-----------------|
| 291-95 | Rack for 5 Large Boxes | 13-1/2 x 9-1/8 x 13-5/16 | 1           | 9               |



Ships UPS

# DURHAM MFG®

Est. 1922

## Specialty Storage



### Truck/Van Storage, Utility/Aerosol Cabinets and more

|                               |         |                           |       |
|-------------------------------|---------|---------------------------|-------|
| Wall Mount Cabinets           | 39 - 42 | Aerosol Storage           | 41-42 |
| Tape Dispenser                | 44      | Welding Rod Canister Rack | 44    |
| Plastic Drawer Cabinets       | 45      | Pegboard Panel            | 45    |
| Tilt-Out Tray Cabinet         | 45      | Wire Storage Rack         | 46    |
| Hose Storage                  | 47 - 48 | Bar and Rod Racks         | 49    |
| Cable Tie and Key Stock Racks | 50      | Hose Clamp Storage        | 50    |
| Truck and Van Storage         | 51      | Heavy Duty Shelving       | 52-53 |
| Enclosed Shelving             | 52 - 54 |                           |       |

**Storage for trucks & vans, aerosol storage, spool racks, small parts dispensers**

# SPECIALTY STORAGE

## WALL MOUNTABLE CABINETS

### Wall Mountable Cabinet with Fixed Shelves



**Model**  
**060-95-WFS**

- Manufactured using prime cold-rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from sagging
- Pre-installed lock and 2 keys are included
- Units have pockets on inside door to store MSDS sheets and or other forms
- Key hole slots in back of unit for wall mounting
- Durable, gray, powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Shelf             | Ship Wt. (lbs.) |
|------------|--------------------------|-------------------|-----------------|
| 060-95-WFS | 33-3/4 x 11-7/8 x 23-7/8 | 33-11/16 x 11-1/4 | 38              |



Ships UPS

### Wall Mountable Cabinets with Adjustable Shelves



**Model**  
**061-95-ADJFS**

- Manufactured using prime cold-rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from sagging
- Key hole slots in back of unit for wall mounting
- Durable, gray, powder coat finish

| Model        | Overall Dim: WxDxH (in.)   | Shelf                 | Lock Type                 | Ship Wt. (lbs.) |
|--------------|----------------------------|-----------------------|---------------------------|-----------------|
| 061-95-ADJFS | 26-9/16 x 11-7/8 x 30      | (2) 26-7/8 x 11-7/32  | Pre installed with 2 keys | 42              |
| 062-95-ADJFS | 35-5/16 x 11-7/8 x 21-7/16 | (1) 35-1/32 x 10-9/16 | Pad-lockable              | 36              |



Ships UPS

### Utility Cabinets



**Model**  
**055-95 & 056-95**

- Prime cold-rolled steel, all welded construction
- Full piano hinges prevent doors from sagging
- 2 adjustable shelves are included
- Model 056 has a inside door pocket to hold printed material
- Chrome handle with 2 keys included
- Keyhole slots in back allow wall hanging
- Model 056-95 is modular with Durham Large Slide Rack Cabinets (see page 32)
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Shelves Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|--------|--------------------------|--------------------------|-----------------|
| 055-95 | 13-3/4 x 12-3/4 x 30     | (2) 13-5/8 x 11-15/16    | 26              |
| 056-95 | 20 x 14-1/4 x 32-3/4     | (2) 19-5/8 x 12-13/16    | 38              |



Ships UPS

# SPECIALTY STORAGE

## WALL MOUNTABLE CABINETS



**Model  
071SD-95**



**Model  
070SD-95**



**Model  
072SD-95**

### Wall Mount Cabinets

- 18 gauge, all-welded, steel construction
- Includes mounting hardware
- Includes 2 adjustable shelves that adjust on 2" centers
- 150 Lbs. capacity per shelf
- Pre-installed lock and 2 keys are included
- Keyhole slots in the back of the unit for wall mounting
- Ships fully assembled
- Gray, gloss, powder coat finish

| Model    | Overall Dim: WxDxH (in.)     | Shelf Dimensions | Ship Wt. (lbs.) |
|----------|------------------------------|------------------|-----------------|
| 070SD-95 | 18-1/8 x 13-11/16 x 26-15/16 | (2) 17-3/4 x 12  | 52 (Ships UPS)  |
| 071SD-95 | 29-7/8 x 13-11/16 x 26-15/16 | (2) 29-1/2 x 12  | 78              |
| 072SD-95 | 35-7/8 x 13-11/16 x 26-15/16 | (2) 35-1/2 x 12  | 88              |

### Utility Cabinets

- Manufactured using prime cold-rolled steel
- All-welded construction prevents warping and twisting
- 1 fixed shelf and center uprights divide cabinet into 4 equal sections
- Full piano hinges prevent door sag
- Holes in top and bottom allow secure stacking
- Modular with bins and drawers that have the same width and depth
- Durable, gray, powder coat finish



**Model  
338-95**

| Model  | Overall Dim: WxDxH (in.)  | Sections | Lock Type                 | Carton | Ship Wt. (lbs.) |
|--------|---------------------------|----------|---------------------------|--------|-----------------|
| 343-95 | 33-13/16 x 8-1/2 x 22-1/4 | 4        | Pre-installed with 2 keys | 1      | 36              |
| 338-95 | 33-13/16 x 12-3/8 x 24    | 4        | Pad-lockable              | 1      | 42              |



Ships UPS

### Extra Heavy Duty Wall Mountable Cabinet (1,750 Lbs. capacity)

- All-welded 12 gauge steel construction.
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included).
- Recessed doors with Heavy duty hinges prevent doors from sagging or warping
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers.
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|------------------|--------------------------|-----------------|
| HDCWM143648-2S95 | 36-3/16 x 14-1/16 x 48   | 232             |



**Model  
HDCWM143648-2S95**

# SPECIALTY STORAGE

## WALL MOUNTABLE CABINETS



**Model**  
**299-16.75-95**

### Wall Mountable Cabinet with Fixed Shelf

- Manufactured using prime cold-rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from sagging
- Pre-installed lock and 2 keys are included
- Key hole slots in back of unit for wall mounting
- Durable, gray, powder coat finish

| Model        | Overall Dim: WxDxH (in.)  | Shelf                 | Ship Wt. (lbs.) |
|--------------|---------------------------|-----------------------|-----------------|
| 299-16.75-95 | 20-5/16 x 16-7/8 x 21-7/8 | (1) 20-7/32 x 16-9/32 | 27              |




Ships UPS


**SEE PAGE 203 FOR NEW TOPPER ACCESSORY**

# SPECIALTY STORAGE

## AEROSOL STORAGE



**Model 385-95**



**Model 386-95**

### Aerosol Can Caddy


- Sturdy one piece steel construction
- Holds standard sized aerosol cans
- Pre-punched holes allow wall mounting or fastening to tool boxes
- Solid bottom allows use on shelves or counter tops
- Perfect for use in vans or trucks
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Aerosol Capacity          | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|---------------------------|--------|-----------------|
| 385-95 | 21-1/2 x 3-1/8 x 5-5/16  | 6 (standard 12 oz. cans)  | 1      | 2               |
| 386-95 | 20 x 7-3/16 x 6-5/8      | 12 (standard 12 oz. cans) | 1      | 6               |



Ships UPS

### Bin Topper with Aerosol Compartments Storage



- Prime cold-rolled steel
- Modular with most 12" bins and drawers
- Keeps top of bin free of clutter
- Holds standard sized aerosol cans
- Pre-installed threaded nutserts for easy mounting
- Accommodates 17 standard 12 oz. cans
- Durable, textured, gray powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Fits models                                                                                        | Carton   | Ship Wt. (lbs.) |
|------------|--------------------------|----------------------------------------------------------------------------------------------------|----------|-----------------|
| 479-17C-95 | 33-11/16 x 12 x 8-1/2    | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745 | Recessed | 365             |



Ships UPS



# SPECIALTY STORAGE

## AEROSOL STORAGE

### Aerosol Storage Cabinet

- All-welded steel cabinet
- Pre-installed lock and 2 keys are included
- Two independently sliding shelves, slide in and out easily on 75 lb. capacity bearing slides
- Each sliding shelf accommodates 24 standard 12 oz. cans (48 total)
- Modular with Durham Large Slide Rack Cabinets (see page 30)
- Durable, gray, powder coat finish

| Model           | Description     | Overall Dim: WxDxH (in.)   | Carton | Ship Wt. (lbs.) |
|-----------------|-----------------|----------------------------|--------|-----------------|
| 300-95          | Storage Cabinet | 20-5/16 x 15-7/8 x 21-7/8  | 1      | 48              |
| 304-95          | Base            | 20-9/16 x 16-1/8 x 15      | 1      | 16              |
| 304-95-5.75/LEG | Base            | 20-9/16 x 16-1/8 x 5-11/16 | 1      | 12              |



Ships UPS



**Model  
300-95**

### Wall Mountable Cabinet with Slotted Shelves

- Manufactured using prime cold-rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from warping or sagging
- Pre-installed lock and 2 keys are included
- Units have pockets on inside door to store MSDS sheets and or other forms
- Slotted shelf unit accommodates 88 standard 12 oz. cans
- Key hole slots in back of unit for wall mounting
- Durable, gray, powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|------------|--------------------------|-----------------|
| 060-95-WSS | 33-3/4 x 11-7/8 x 23-7/8 | 43              |



Ships UPS



**Model  
060-95-WSS**

### Gravity Fed Aerosol Cabinet, 6 Slots

- All-welded steel cabinet
- Accommodates 30 standard 12 oz. cans
- Shelf has 6 slots to keep cans organized and in place
- Ships assembled and ready for use
- Durable, gray, powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|------------------|--------------------------|-----------------|
| 303B-16.75-AR-95 | 20-5/16 x 16-7/8 x 15    | 24              |



Ships UPS



**Model  
303B-16.75-AR-95**

# SPECIALTY STORAGE

## WALL MOUNTABLE ABRASIVE STORAGE



**Model**  
**060A-95-WFS**

### Abrasive Accessory Cabinet

- All-welded, steel construction
- Locking system with keys included
- Keyhole slots in the back of the unit for wall mounting
- (1) Sandpaper rod included
- (6) Removable dividers
- Pegboard is 21" x 7-11/16" and includes 5 pegboard hooks
- Modular to our 12" deep bins and other cabinets of the same size
- Some assembly is required
- Durable, gray, powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|-------------|--------------------------|-----------------|
| 060A-95-WFS | 33-3/4 x 11-7/8 x 23-7/8 | 56              |



Ships UPS



**Model**  
**057A-95-ND**

### Abrasive Cabinet with Pegboard Back

- All-welded, steel construction
- Keyhole slots in the back of the unit for wall mounting
- (2) adj. shelves: 19-5/8" x 12-5/16"
- Shelves adjust on 1-7/8" increments
- Includes (10) 8" peg hooks
- Ships fully assembled
- Durable, gray, powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|------------|--------------------------|-----------------|
| 057A-95-ND | 19-7/8 x 14-1/4 x 32-3/4 | 42              |



Ships UPS



**Model**  
**557-95**

### Cut-off Wheel Dispensers

- 18 Gauge, sturdy, formed steel
- Keyhole punches allow for wall mounting
- Fully assembled and ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Description                    | Ship Wt. (lbs.) |
|--------|---------------------------|--------------------------------|-----------------|
| 555-95 | 3-1/8 x 3-1/8 x 4-1/4     | 3" Cut-Off Wheel Dispenser     | 1               |
| 556-95 | 4-1/8 x 4-1/8 x 4-1/4     | 4" Cut-Off Wheel Dispenser     | 1               |
| 557-95 | 4-11/16 x 4-11/16 x 4-1/4 | 4-1/2" Cut-Off Wheel Dispenser | 1               |



Ships UPS



**Model**  
**657-95**

### Grinding Wheel Dispensers with Lid

- 20 Gauge, sturdy, formed steel
- Keyhole punches allow for wall mounting
- Fully assembled and ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Description                     | Ship Wt. (lbs.) |
|--------|--------------------------|---------------------------------|-----------------|
| 657-95 | 6-1/4 x 5-1/2 x 16-1/4   | 4-1/2" Grinding Wheel Dispenser | 5               |
| 658-95 | 8-9/16 x 7-3/4 x 16-1/4  | 7" Grinding Wheel Dispenser     | 6               |



Ships UPS

# SPECIALTY STORAGE

## WALL MOUNTABLE ABRASIVE STORAGE


### Gravity Feed Dispenser with 6 Compartments

- 20 Gauge, sturdy, welded steel
- Keyhole punches allow for wall mounting
- 6 Openings: (2) 3-1/2" (4) 3-3/8"
- Holds 2" or 3" grinding discs but can be used for any small parts
- Fully assembled and ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|--------|--------------------------|-----------------|
| 289-95 | 20-3/4 x 7-1/2 x 17-5/8  | 13              |



Ships UPS



**Model  
289-95**

### Tape Dispensers with Lid

- 20 Gauge, sturdy, formed steel
- Keyhole punches allow for wall mounting
- Viewing slot
- Holds 18 tape rolls
- Fully assembled and ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Description    | Ship Wt. (lbs.) |
|--------|--------------------------|----------------|-----------------|
| 659-95 | 4-1/2 x 3-15/16 x 16-1/4 | Tape Dispenser | 3               |



Ships UPS



**Model  
659-95**

### Welding Rod Canister Rack

- 16 Gauge, sturdy, formed steel
- Keyhole punches allow for wall mounting
- Holds (3) 3-1/4" canisters
- Fully assembled and ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Description   | Ship Wt. (lbs.) |
|--------|--------------------------|---------------|-----------------|
| 265-95 | 12-5/8 x 4-7/16 x 5-1/2  | Canister Rack | 3               |



Ships UPS



Canisters not included

**Model  
265-95**

# SPECIALTY STORAGE

## PLASTIC DRAWER, PEGBOARD, TILT OUT STORAGE

**Model  
317-95**



**Model  
016-95**


### Plastic Drawer Cabinets

- All-welded steel cabinet
- Industrial strength clear polypropylene plastic drawers
- Drawers slide in and out smoothly
- Drawers have scooped bottoms to make part removal easy
- 2 dividers are included for each drawer
- Dividers lock into place to assure content separation
- Rear backstops keep drawers from being accidentally pulled out
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Bin Dim: WxDxH (in.)           | Carton | Ship Wt. |
|--------|---------------------------|--------------------------------|--------|----------|
| 016-95 | 16-3/4 x 6-3/8 x 11-11/32 | (20) 3-31/32 x 6-1/4 x 1-15/16 | 1      | 12       |
| 317-95 | 25-7/8 x 6-3/8 x 21-7/16  | (64) 3-31/32 x 6-1/4 x 1-15/16 | 1      | 34       |



Ships UPS



**Model  
915-95**

### Wall Mountable Pegboard Panels

- 18 Gauge, sturdy, formed steel. Hole punches allow for wall mounting.
- Peghole size is 1/4" and are spaced 1" apart
- (10) 8" pegboard hooks are included
- Fully assembled and ready for use. Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|--------|--------------------------|-----------------|
| 915-95 | 34-3/4 x 1 x 20-3/4      | 11              |



Ships UPS



**Model  
590-95**

### Tilt-Out Tray Dispensing Cabinet

- Constructed using prime cold-rolled steel
- (4) durable plastic tilt-out trays
- (28) adjustable dividers are included allowing the creation of from 4 to 32 compartments
- Back-up storage shelves are located behind hinged cover
- Ideal for the storage and organization of automotive bulbs, fuses, terminals, fasteners and more
- Cover provides ideal space for logos or signs
- Unit can be wall hung using keyholes punched in the back
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | # of Bins | Carton | Ship Wt. (lbs.) |
|--------|---------------------------|-----------|--------|-----------------|
| 590-95 | 19-1/16 x 4-1/16 x 26-3/4 | 4-32      | 1      | 23              |



Ships UPS

# SPECIALTY STORAGE

## WIRE STORAGE

### Small Wire and Terminal Storage Cabinet

- Features 12 hole compartments for storing small parts. 2 latches help to keep parts secure during transport
- Suitcase handle allows for comfortable transport
- Accommodates (16) 3-1/2" spools
- 4 rods for wire spools, perfect for maximizing your small wire storage
- Includes a ruled decal is making it easy to cut wire or tubing to the proper length
- Side holes allow for comfortable rod placement
- 8 clips are included to keep wire rods in place
- Ships fully assembled, ready for use
- Durable, gray, powder coat finish



**Model  
295-95**

| Model  | Overall Dim: WxDxH (in.)  | Carton | Ship Wt. (lbs.) |
|--------|---------------------------|--------|-----------------|
| 295-95 | 12-11/16 x 7-3/4 x 18-7/8 | 1      | 11              |



Ships UPS

### Wire and Terminal Storage Cabinet

- Features a 21 hole removable compartment box. 20 compartments for storing small parts and components and 1 compartment for storing tools
- 16 Rubberized grommets provided to keep wires free from tangling
- Grommets accommodate up to 10 gauge wire
- Accommodates (24) 3-1/2" spools
- 6 rods for wire spools, perfect for maximizing your small wire storage
- Ships fully assembled, ready for use
- Modular with Durham Small Bearing Slide Rack Cabinets
- Compatible with base 315-95 (see page 36)
- Durable, gray, powder coat finish



**Model  
297B-95**

| Model   | Overall Dim: WxDxH (in.)  | Carton | Ship Wt. (lbs.) |
|---------|---------------------------|--------|-----------------|
| 297B-95 | 15-9/16 x 11-7/8 x 16-3/8 | 1      | 25              |



Ships UPS

### Wire Spool Racks

- Prime cold-rolled steel construction
- Includes polished steel rods (5/8" Dia.)
- Easy to store different sized spools on the same rod
- 368-95 Can accommodate up to 10" diameter spools
- Punched side panels allow quick spool changes
- 383-95 has handle for easy transport
- 368-95 includes a ruled decal is making it easy to cut wire or tubing to the proper length
- Keyhole slots are provided for wall mounting
- Easy to assemble using fasteners provided
- Durable, gray, powder coat finish



**Model  
368-95**

**Model  
384-95**

**Model  
383-95**

| Model  | Overall Dim: WxDxH (in.) | Rods | Carton | Ship Wt (lbs.) |
|--------|--------------------------|------|--------|----------------|
| 368-95 | 26 x 5-7/8 x 36-9/16     | 4    | 1      | 17             |
| 384-95 | 26 x 5-7/8 x 21-9/16     | 2    | 1      | 13             |
| 383-95 | 26 x 5-7/8 x 14-1/16     | 1    | 1      | 11             |



Ships UPS



# SPECIALTY STORAGE

## HOSE STORAGE RACKS



**Model  
580-95**

### Wire, Hose & Tubing Dispenser

- Prime cold-rolled steel construction
- Holds up to 6 reels of wire, hose or tubing
- 1" diameter grommets in front assure smooth, tangle free dispensing
- Sloped cover provides ideal space for signage
- Interior shelves keep enclosed reels organized
- Keyhole slots in back allow unit to be hung on walls or panels
- Ships fully assembled ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)                             | Reel Capacity | Carton | Ship Wt. (lbs.) |
|--------|------------------------------------------------------|---------------|--------|-----------------|
| 580-95 | 19-9/16 x 7-1/2 x 14-3/32 (back)<br>11-15/16 (front) | 6             | 50     | 16              |



Ships UPS

**Note:** This product has a minimum order of 50 pieces



**Model  
303-2S-95**

### Hose Cabinet (Fixed dividers)

- Heavy duty all steel construction
- Used for low pressure hydraulic and shop air hose.
- Mounting holes on top and bottom
- 2 durable steel dividers are welded into place
- Ships fully assembled ready for use
- Durable, gray, powder coat finish

| Model     | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.)  | Carton | Ship Wt. (lbs.) |
|-----------|--------------------------|---------------------------|--------|-----------------|
| 303-2S-95 | 20 x 15-7/8 x 15         | 19-1/8 x 15-3/4 x 4-11/32 | 1      | 31              |



Ships UPS

**Note:** This product has a minimum order of 50 pieces



# SPECIALTY STORAGE

## HYDRAULIC HOSE CABINETS



**Model  
581-95**




**Model  
582-95**



**Model  
583-95**



**Model  
579-95**



Add model 359-95 to boost your storage capacity. Bin can be found on page 14

### Hydraulic Hose Cabinets

- Heavy duty cold-rolled steel construction
- Used for low pressure hydraulic and shop air hose.
- Mounting holes on sides to bolt units together securely
- Durable, gray, powder coat finish


#### Base:

- Made of 18 Gauge steel
- Unit is adjustable and has 4 size optional configurations
- Durable, gray, powder coat finish

| Letter | Model  | Overall Dim: WxDxH (in.)                            | Carton | Ship Wt. (lbs.) |
|--------|--------|-----------------------------------------------------|--------|-----------------|
| A      | 581-95 | 8-7/16 x 24-3/16 x 34-7/8                           | 1      | 40              |
| B      | 582-95 | 13-13/16 x 24-3/16 x 24                             | 1      | 44              |
| C      | 583-95 | 24-3/16 x 24-3/16 x 24                              | 1      | 69              |
| D      | 579-95 | Adjustable Base, Up to 61-3/16 x 24-13/16 x 7-15/16 | 1      | 43              |

# SPECIALTY STORAGE

## KEY, ROD AND BAR RACKS



**Model  
921-95**

### Welding Rod Cabinet

- All steel construction
- (6) compartments;  
5-1/4"W x 18-3/8"D x 4"H
- Holds welding rod up to 18" long
- Openings are 5-1/4 x 2-3/4
- Ships fully assembled
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Compartments | Carton | Ship Wt. (lbs.) |
|--------|---------------------------|--------------|--------|-----------------|
| 921-95 | 16-1/8 x 18-9/16 x 8-1/16 | 6            | 1      | 18              |



Ships UPS



**Model  
367-95**

### Threaded Rod Rack

- Sturdy all steel construction
- Separates and protects threaded rods
- (18) 2-1/16" diameter openings accommodate different sizes
- Ships fully assembled ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Compartments | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|--------------|--------|-----------------|
| 367-95 | 24-3/16 x 6-15/16 x 24   | 18           | 1      | 18              |



Ships UPS



**Model  
VBR-8436-95**

### Vertical Bar Rack

- All-welded construction with 3000 Lbs. capacity
- Heavy duty angle iron frame and arms
- 14 gauge steel shelves
- 3 Shelves are 36"W x 8"D
- Pan base is 36 x 24 and has retaining lip to hold parts in place
- Perfect for storing long parts like threaded rod, pipes or strut
- Ships fully assembled ready for use
- Durable gray textured powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|-------------|--------------------------|--------|-----------------|
| VBR-8436-95 | 39-1/4 x 24 x 84         | 1      | 113             |



**Model  
HSR-303085-95**

### Horizontal Storage Racks

- Heavy duty 14 gauge steel construction
- Use in pairs for ideal storage and access of long parts
- 2600 Lbs. overall capacity, evenly distributed
- 10 storage levels per side
- 1-1/2" Angle iron arms
- Arms provide 9-1/2" of storage space on each side of frame
- Assembles easily with hardware provided
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (in.) | capacity (lbs.) | Ship Wt (lbs.) |
|---------------|--------------------------|-----------------|----------------|
| HSR-303085-95 | 30 x 30-9/16 x 83-3/4    | 2600            | 144            |

# SPECIALITY STORAGE

## CABLE TIE, KEY STOCK AND HOSE CLAMP RACKS

### Cable Tie Rack

- All steel construction
- Each compartment is supplied with a removable divider to create from 5 to 10 compartments.
- 4 different compartment heights allow for the storage of different length cable ties
- Keyhole slots make unit wall mountable
- Ships fully assembled
- Durable, gray, powder coat finish



**Model  
298-95**

| Model  | Overall Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|--------|-----------------|
| 298-95 | 18-3/16 x 3 x 12-5/16    | 1      | 9               |



Ships UPS

### Keystock Rack

- Sturdy all steel body with high impact polystyrene inside
- Hold keystock up to 3/4" square
- Ten compartments
- Keyhole slots allow for wall mounting
- Ships fully assembled ready for use
- Durable, gray, powder coat finish



**Model  
381-95**

| Model  | Overall Dim: WxDxH (in.)   | Compartments | Carton | Ship Wt. (lbs.) |
|--------|----------------------------|--------------|--------|-----------------|
| 381-95 | 12-9/32 x 6-3/16 x 11-1/16 | 10           | 1      | 7               |



Ships UPS

### 5 Loop Hose Clamp Rack

- Holds 5 sizes of clamp diameters:  
#40 (2-1/16" to 3")  
#48 (2-9/16" to 3 1/2")  
#52 (2-13/16" to 3 3/4")  
#56 (3-1/16" to 4")  
#72 (4-1/16" to 5")
- Sign panel lists clamp diameters and hose I.D.s
- Space is provided on sign panel for label or company logo
- Clamps not included
- Can be set on counter tops or hung on walls and panels using built-in hanger loops
- Ships fully assembled
- Durable black powder coat gloss finish with black & white sign panel



**Model  
904-08-S702**

| Model       | Overall Dim: WxDxH (in.)  | Loops | Carton | Ship Wt. (lbs.) |
|-------------|---------------------------|-------|--------|-----------------|
| 904-08-S702 | 23-5/16 x 5-1/2 x 14-5/16 | 5     | 1      | 9               |



Ships UPS

### 10 Loop Hose Clamp Rack

- Holds 10 different clamp diameters:  
Mini-clamp (7/32" to 5/8")  
Mini-clamp (5/16" to 7/8")  
#6 (3/8" to 7/8")  
#10 (9/16" to 1-1/16")  
#12 (9/16" to 1-1/4")  
#16 (11/16" to 1-1/2")  
#20 (3/4" to 1-3/4")  
#28 (1-5/16" to 2-1/4")  
#32 (1-9/16" to 2-1/2")  
#36 (1-13/16" to 2-1/4")
- Sign panel lists clamp diameters and hose I.D.s
- Space is provided on sign panel for label or company logo
- Clamps not included
- Can be set on counter tops or hung on walls and panels using built-in hanger loops
- Ships fully assembled
- Durable black powder coat gloss finish with black & white sign panel



**Model  
906-08-S129**

| Model       | Overall Dim: WxDxH (in.)  | Loops | Carton | Ship Wt. (lbs.) |
|-------------|---------------------------|-------|--------|-----------------|
| 906-08-S129 | 23-5/16 x 5-1/2 x 14-5/16 | 10    | 1      | 9               |



Ships UPS

# SPECIALTY STORAGE

## TRUCK AND VAN STORAGE



**Model  
005-95**

### 18 Drawer Cabinet (with 2-3/4" H Drawers)

- Prime cold-rolled steel construction
- Drawers feature interlocking design for superior strength
- Drawers have full width handles and easy glide runners
- Drawers includes 2 easy to label dividers
- Dividers are adjustable on 1" centers
- Units can be stacked using mounting holes
- Modular with other 33-3/4" wide drawer cabinets and bins
- Ships fully assembled
- Other Drawer Cabinets are available; see pages 16-18)
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)    | Drawers | Carton | Ship Wt. (lbs.) |
|--------|-----------------------------|---------|--------|-----------------|
| 005-95 | 33-13/16 x 12-5/16 x 10-7/8 | 18      | 1      | 45              |



Ships UPS



**Model  
611-95**

### 4 or 9 Drawer Cabinet

- All-welded steel construction
- Drawers include high impact plastic inserts
- 611-95 has (9) dividers with each drawer; adjustable on 1" centers
- 610-95 has 4 spacious drawers that are ideal for storing tools and bulky items
- Locking hinge is included and keeps drawers securely in place even in moving vehicles
- Ships fully assembled ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Trays | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|-------|--------|-----------------|
| 610-95 | 12-5/8 x 12-7/8 x 24-1/2 | 4     | 1      | 32              |
| 611-95 | 12-5/8 x 12-7/8 x 24-1/2 | 9     | 1      | 53              |



Ships UPS



**Model  
806-95**

### 3 Row Door Tray

- Durable all steel construction
- (9) movable plastic dividers are included and can be inserted on 1" centers
- Attaches easily to van doors or sides using sheet metal screws or pop rivets (fasteners not supplied)
- Positive pull-down latches prevent parts from falling out or migrating during transport
- Ships fully assembled ready for use
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Trays | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|-------|--------|-----------------|
| 806-95 | 21 x 4-3/4 x 21          | 3     | 1      | 19              |



Ships UPS



**Model 307-95**  
(Shown with optional base)

### 4 Compartment Small Slide Rack

- Sturdy construction using prime cold-rolled steel
- Accommodates 4 small compartment boxes
- Easy glide slides allow boxes to move in and out smoothly
- Center braces on cradles provide extra rigidity
- Reinforced slides keeps boxes level
- Boxes can be easily removed for transport to work areas
- Base, compartment boxes, locking hinge and other slide racks are available as accessories(see page 33-35)
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.)   | Compartments Boxes | Carton | Ship Wt. (lbs.) |
|--------|----------------------------|--------------------|--------|-----------------|
| 307-95 | 15-3/16 x 11-7/8 x 11-5/16 | Holds 4            | 1      | 22              |
| 313    | 10 x 1-7/16                | Locking Hinge      | 1      | 1               |
| 315-95 | 15-1/2 x 12-1/4 x 15       | Optional Base      | 1      | 13              |



Ships UPS



# SPECIALTY STORAGE

## HEAVY DUTY SHELVING / ENCLOSED SHELVING



**Model HDS-184872-95**



**Model HDS-244872-95**



**Model HDS-246072-95**

### Extra Heavy-Duty Shelving

- 12 gauge galvanized steel corner posts
- 14 gauge steel shelves with stiffeners welded to bottoms
- Shelves are adjustable on 1" centers
- Each shelf fastens to corner posts using 16 nuts and 16 bolts which are supplied
- Standard units include 5 shelves
- 2,500 Lbs. capacity per shelf (evenly distributed weight)
- Additional shelves and uprights are available as accessories
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (In.)                   | Ship Wt. (Lbs.) |
|---------------|--------------------------------------------|-----------------|
| HDS-183660-95 | 36 x 18 x 60                               | 183             |
| HDS-183672-95 | 36 x 18 x 72                               | 183             |
| HDS-183696-95 | 36 x 18 x 96                               | 193             |
| HDS-184860-95 | 48 x 18 x 60                               | 209             |
| HDS-184872-95 | 48 x 18 x 72                               | 212             |
| HDS-184896-95 | 48 x 18 x 96                               | 228             |
| HDS-186060-95 | 60 x 18 x 60                               | 276             |
| HDS-186072-95 | 60 x 18 x 72                               | 276             |
| HDS-186096-95 | 60 x 18 x 96                               | 286             |
| HDS-243660-95 | 36 x 24 x 60                               | 244             |
| HDS-243672-95 | 36 x 24 x 72                               | 244             |
| HDS-243696-95 | 36 x 24 x 96                               | 253             |
| HDS-244860-95 | 48 x 24 x 60                               | 246             |
| HDS-244872-95 | 48 x 24 x 72                               | 242             |
| HDS-244896-95 | 48 x 24 x 96                               | 258             |
| HDS-246060-95 | 60 x 24 x 60                               | 311             |
| HDS-246072-95 | 60 x 24 x 72                               | 282             |
| HDS-246096-95 | 60 x 24 x 96                               | 298             |
| HDS-247260-95 | 72 x 24 x 60                               | 338             |
| HDS-247272-95 | 72 x 24 x 72                               | 383             |
| HDS-247296-95 | 72 x 24 x 96                               | 392             |
| HDS-1836-95   | Additional Shelves for 36 x 18 units       | 24              |
| HDS-1848-95   | Additional Shelves for 48 x 18 units       | 31              |
| HDS-1860-95   | Additional Shelves for 60 x 18 units       | 37              |
| HDS-2436-95   | Additional Shelves for 36 x 24 units       | 29              |
| HDS-2448-95   | Additional Shelves for 48 x 24 units       | 38              |
| HDS-2460-95   | Additional Shelves for 60 x 24 units       | 48              |
| HDS-2472-95   | Additional Shelves for 72 x 24 units       | 53              |
| HDS-HUP-60    | Additional Uprights for all 60" high units | 7               |
| HDS-HUP-72    | Additional Uprights for all 72" high units | 8               |
| HDS-HUP-96    | Additional Uprights for all 96" high units | 14              |

# SPECIALTY STORAGE

## HEAVY DUTY SHELVING / ENCLOSED SHELVING



**Model HDS-183672-4S-95**



**Model HDS-244872-4S-95**



**Model HDS-246072-4S-95**

### Extra Heavy-Duty Shelving

- 12 gauge galvanized steel corner posts
- 14 gauge steel shelves with stiffeners welded to bottoms
- Shelves are adjustable on 1" centers
- Each shelf fastens to corner posts using 16 nuts and 16 bolts which are supplied
- 2,500 Lbs. capacity per shelf (evenly distributed weight)
- Additional shelves and uprights are available as accessories
- Durable, gray, textured powder coat finish

| Model            | Overall Dim: WxDxH (In.)                   | Ship Wt. (Lbs.) |
|------------------|--------------------------------------------|-----------------|
| HDS-183660-4S-95 | 36 x 18 x 60                               | 157             |
| HDS-183672-4S-95 | 36 x 18 x 72                               | 157             |
| HDS-183696-4S-95 | 36 x 18 x 96                               | 167             |
| HDS-184860-4S-95 | 48 x 18 x 60                               | 178             |
| HDS-184872-4S-95 | 48 x 18 x 72                               | 178             |
| HDS-184896-4S-95 | 48 x 18 x 96                               | 178             |
| HDS-186060-4S-95 | 60 x 18 x 60                               | 236             |
| HDS-186072-4S-95 | 60 x 18 x 72                               | 236             |
| HDS-186096-4S-95 | 60 x 18 x 96                               | 246             |
| HDS-243660-4S-95 | 36 x 24 x 60                               | 213             |
| HDS-243672-4S-95 | 36 x 24 x 72                               | 213             |
| HDS-243696-4S-95 | 36 x 24 x 96                               | 222             |
| HDS-244860-4S-95 | 48 x 24 x 60                               | 207             |
| HDS-244872-4S-95 | 48 x 24 x 72                               | 207             |
| HDS-244896-4S-95 | 48 x 24 x 96                               | 217             |
| HDS-246060-4S-95 | 60 x 24 x 60                               | 285             |
| HDS-246072-4S-95 | 60 x 24 x 72                               | 264             |
| HDS-246096-4S-95 | 60 x 24 x 96                               | 274             |
| HDS-247260-4S-95 | 72 x 24 x 60                               | 289             |
| HDS-247272-4S-95 | 72 x 24 x 72                               | 325             |
| HDS-247296-4S-95 | 72 x 24 x 96                               | 335             |
| HDS-1836-95      | Additional Shelves for 36 x 18 units       | 24              |
| HDS-1848-95      | Additional Shelves for 48 x 18 units       | 31              |
| HDS-1860-95      | Additional Shelves for 60 x 18 units       | 37              |
| HDS-2436-95      | Additional Shelves for 36 x 24 units       | 29              |
| HDS-2448-95      | Additional Shelves for 48 x 24 units       | 38              |
| HDS-2460-95      | Additional Shelves for 60 x 24 units       | 48              |
| HDS-2472-95      | Additional Shelves for 72 x 24 units       | 53              |
| HDS-HUP-60       | Additional Uprights for all 60" high units | 7               |
| HDS-HUP-72       | Additional Uprights for all 72" high units | 8               |
| HDS-HUP-96       | Additional Uprights for all 96" high units | 14              |



# SPECIALTY STORAGE

## ENCLOSED SHELVING WITH HOOK-ON-BINS®

### Heavy Duty 12 Gauge Enclosed Shelving

- Extra heavy duty, all-welded, 12 gauge, steel construction
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 14 gauge heavy duty shelves
- Full louvered back panel can accommodate Durham Hook-On-Bins®
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model      | Overall Dim: WxDxH (in.) | No. of Shelves (included) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|------------|--------------------------|---------------------------|-----------------------|-----------------|
| 5002-3S-95 | 36 x 18-5/16 x 60        | (3) 33-15/16 x 15-7/8     | 1750                  | 230             |
| 5003-4S-95 | 36 x 18-5/16 x 72        | (4) 33-15/16 x 15-7/8     | 1750                  | 268             |
| 5006-3S-95 | 48 x 18-5/16 x 60        | (3) 45-15/16 x 15-7/8     | 1000                  | 286             |
| 5007-4S-95 | 48 x 18-5/16 x 72        | (4) 45-15/16 x 15-7/8     | 1000                  | 331             |
| 5010-3S-95 | 36 x 24-5/16 x 60        | (3) 33-15/16 x 20-7/8     | 1900                  | 282             |
| 5011-4S-95 | 36 x 24-5/16 x 72        | (4) 33-15/16 x 20-7/8     | 1900                  | 328             |
| 5014-3S-95 | 48 x 24-5/16 x 60        | (3) 45-15/16 x 20-7/8     | 1200                  | 336             |
| 5015-4S-95 | 48 x 24-5/16 x 72        | (4) 45-15/16 x 20-7/8     | 1200                  | 390             |
| 5018-3S-95 | 60 x 24-5/16 x 60        | (3) 57-15/16 x 20-7/8     | 1650                  | 433             |
| 5019-4S-95 | 60 x 24-5/16 x 72        | (4) 57-15/16 x 20-7/8     | 1650                  | 506             |
| 5023-4S-95 | 72 x 24-5/16 x 72        | (4) 69-15/16 x 20-7/8     | 1525                  | 569             |

#### Optional Shelves

|                |                   |   |      |    |
|----------------|-------------------|---|------|----|
| HDC-SH-1836-95 | 33-15/16 x 15-7/8 | 1 | 1750 | 19 |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8 | 1 | 1000 | 24 |
| HDC-SH-2436-95 | 33-15/16 x 20-7/8 | 1 | 1900 | 21 |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8 | 1 | 1200 | 28 |
| HDC-SH-2460-95 | 57-15/16 x 20-7/8 | 1 | 1650 | 39 |
| HDC-SH-2472-95 | 69-15/16 x 20-7/8 | 1 | 1522 | 54 |



**Model  
5002-3S-95**



**Model  
5007-4S-95**

### Heavy Duty 12 Gauge Enclosed Shelving with Hook-On-Bins®

- Extra heavy duty, all-welded, 12 gauge, steel construction
- Hook-On-Bins® rest easily on full back louvered panel
- Provisions for shelves allow you to add optional shelves
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model   | Overall Dim: WxDxH (in.) | # Of Bins | No. Of Bins                                            | Ship Wt. (lbs.) |
|---------|--------------------------|-----------|--------------------------------------------------------|-----------------|
| 5014-30 | 48 x 24-5/16 x 60        | 30        | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 351             |
| 5019-54 | 60 x 24-5/16 x 72        | 54        | (36) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 475             |
| 5023-72 | 72 x 24-5/16 x 72        | 72        | (36) 6 x 11 x 5<br>(24) 8 x 15 x 7<br>(12) 16 x 15 x 7 | 555             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Optional Shelves**



**Optional Hook-On-Bins®**



**Model  
5014-30-1795**



**Model  
5019-54-95**

# SPECIALTY STORAGE

## ENCLOSED SHELVING WITH HOOK-ON-BINS®



**Model**  
**5002-18-95**

**Model**  
**5003-30-5295**

**Model**  
**5006-30-5295**

**Model**  
**5007-42-1795**

### Heavy Duty 12 Gauge Enclosed Shelving with Hook-On-Bins®

- Extra heavy duty, all-welded, 12 gauge, steel construction
- Hook-On-Bins® rest easily on full back louvered panel
- Provisions for shelves allow you to add shelving
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model      | Overall Dim: WxDxH (in.) | # Of Bins | No. Of Bins                                           | Ship Wt. (lbs.) |
|------------|--------------------------|-----------|-------------------------------------------------------|-----------------|
| 5002-18-95 | 36 x 18-5/16 x 60        | 18        | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7                    | 262             |
| 5003-30-95 | 36 x 18-5/16 x 72        | 30        | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 293             |
| 5006-30-95 | 48 x 18-5/16 x 60        | 30        | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 315             |
| 5007-42-95 | 48 x 18-5/16 x 72        | 42        | (24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 361             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

### Heavy Duty Open Front Cabinet with Dividers

- All-welded, 14 gauge, steel construction
- Open front cabinet for easy access
- 20 Galvanized dividers included
- Dividers have openings in the back to rest on louvered panels. They can be easily installed with no tools required
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, textured, powder coat finish



**Model**  
**3702-5S-ND-95**

| Model         | Overall Dim: WxDxH (in.) | Shelves                | Shelf capacity (lbs.) | Dividers | Ship Wt. (lbs.) |
|---------------|--------------------------|------------------------|-----------------------|----------|-----------------|
| 3702-5S-ND-95 | 36 x 24 x 78             | (5) 33-15/16 x 22-1/16 | 1900                  | 20       | 20              |

# Job Site Storage

**DURHAM MFG®**  
Est. 1922



| Job site Storage       |         |                         |    |
|------------------------|---------|-------------------------|----|
| Slope Lid Cabinet      | 57      | Job site Boxes          | 57 |
| Job site Cabinets      | 58 - 59 | Welder Box              | 58 |
| Job site Piano Box     | 58      | Mobile Job site Cabinet | 59 |
| Outdoor Shelf Cabinets | 59      |                         |    |



# JOB SITE STORAGE

## SLOPE LID AND JOB SITE BOX



**Model**  
**JSCSL-306040-94T**

### Slope Lid Job Site Box

- All-welded, 14 gauge, steel construction
- Heavy duty, secure storage for outside applications
- Cover has three locking points for secure storage (pad-lock not included)
- 7 gauge legs allow access for forklift trucks
- Recessed side handles are included in the overall width
- Cover stiffener gives support to avoid any sinking
- Included bracket to convert top to horizontal work surface
- Ships fully assembled ready for use
- Architecture Paint - For outdoor, UV protection. Durable gray, textured powder coat finish

| Model                | Overall Dims: WxDxH (in.) | Capacity (cu. ft.) | Ship Wt. (lbs.) |
|----------------------|---------------------------|--------------------|-----------------|
| JCSL-306040-94T-D720 | 60-1/8 x 30-1/16 x 39-3/8 | 31                 | 299             |



**Model**  
**JSC-193218-94T**



**Model**  
**JSC-244828-94T**



**Model**  
**JSC-246023-94T**

### Job Site Box

- All-welded, 14 gauge, steel construction
- Heavy duty, secure storage for outside applications
- Cover has three locking points for secure storage (pad-lock not included)
- 7 gauge legs allow access for forklift trucks
- Door supports keep the lid open while in working
- Recessed side handles are included in the overall width
- Cover stiffener gives support to avoid any sinking
- Ships fully assembled ready for use
- Architecture Paint - For outdoor, UV protection. Durable gray, textured powder coat finish

| Model               | Overall Dims: WxDxH (in.) | Capacity (cu. ft.) | Ship Wt. (lbs.) |
|---------------------|---------------------------|--------------------|-----------------|
| JSC-193218-94T-D719 | 32 x 19 x 17-13/16        | 5                  | 129             |
| JSC-244828-94T-D720 | 48 x 24 x 27-13/16        | 16                 | 174             |
| JSC-246023-94T-D720 | 60 x 24 x 22-13/16        | 20                 | 189             |

# JOB SITE STORAGE

## CABINET, WELDER BOX AND PIANO BOX STORAGE



**Model**  
**JSC-246061-94T-D719**

Foot latch added, one push with your foot and the cabinet doors will open

### Job Site Storage Cabinet

- All-welded, 14 gauge, steel construction
- Heavy duty, secure storage for outside applications
- Doors has three locking points for secure storage (pad-lock not included)
- 7 gauge legs allow access for forklift trucks
- Recessed side handles are included in the overall width
- 6 fixed door shelves: 25-3/16" W x 3" D x 1-5/8" H, with retaining lips
- Left side has 3 shelves: 28-1/2" W x 20-7/16" D with 14-3/16" shelf clearance. Shelves tip up to accommodate larger items
- Ships fully assembled ready for use
- Architecture Paint - For outdoor, UV protection. Durable gray, textured powder coat finish

| Model               | Overall Dim: WxDxH (in.)  | Capacity (cu. ft.) | Ship Wt. (lbs.) |
|---------------------|---------------------------|--------------------|-----------------|
| JSC-246061-94T-D719 | 60-1/16 x 27-1/8 x 60-3/4 | 47.5               | 478             |



### Welder Box

- All-welded, 14 gauge, steel construction
- Secure storage for outside applications
- Cover has padlock hasp for secure storage (pad-lock not included)
- Side handles for easy movement
- Ships fully assembled ready for use
- Architecture Paint - For outdoor, UV protection, durable gray, textured powder coat finish

| Model                 | Overall Dim: WxDxH (in.)    | Capacity (cu. ft.) | Ship Wt. (lbs.) |
|-----------------------|-----------------------------|--------------------|-----------------|
| JSCWB-163012-94T-D719 | 30-11/16 x 16-5/8 x 12-3/16 | 3.3                | 53              |

**Model**  
**JSCWB-163012-94T-D719**



### Job Site Piano Box

- All-welded, 14 gauge, steel construction
- Heavy duty, secure storage for outside applications
- Cover has three locking points for secure storage (pad-lock not included)
- 7 gauge legs allow access for forklift trucks
- Recessed side handles are included in the overall width
- Folding cover gives access to all contents
- 2 fixed shelves on each end: 18-3/4" W x 3-9/16" D x 2-3/8" H
- Top shelf: 59-13/16" W x 13-1/4" D x 2-9/16" H
- Lower shelf tips up for additional space: 59-1/2" W x 12-1/2" D x 2-5/16" H
- Ships fully assembled ready for use
- Architecture Paint - For outdoor, UV protection. Durable gray, textured powder coat finish

| Model                 | Overall Dim: WxDxH (in.) | Capacity (cu. ft.) | Ship Wt. (lbs.) |
|-----------------------|--------------------------|--------------------|-----------------|
| JSCPB-316050-94T-D720 | 60-1/2 x 34-3/4 x 49-3/8 | 47.8               | 441             |

**Model**  
**JSCPB-316050-94T-D720**

# JOB SITE STORAGE

## MOBILE AND OUTDOOR STORAGE

### Mobile Job Site Storage Cabinet (1,200 Lbs. Capacity)

- All-welded, 14 gauge, steel construction
- (2) Tubular push handle allows easy mobility
- Drawers load capacity 100 Lbs.
- Unit with 5 shelves, 1 adjustable in the cabinet & 4 door shelves
- Work surface is 26-3/4" W x 43-7/8" L
- Doors has four locking points for secure storage (pad-lock not included)
- Right side has 1 adjustable shelf 15-5/32" W x 20- 7/8"L
- Casters: 2 rigid, 2 swivel
- All-welded, fully assembled, ready to use
- Architecture Paint - For outdoor, UV protection, durable gray, textured powder coat finish



**Model**  
**JSCM-274440-94T-D719**

| Model                | Overall Dim: WxDxH (in.) | Drawers (in)               | Casters Material | Ship Wt. (lbs.) |
|----------------------|--------------------------|----------------------------|------------------|-----------------|
| JSCM-274440-94T-D719 | 26-7/8 x 55-3/4 x 39-7/8 | (4) 14-1/16 x 20 x 6-11/16 | 5" x 2" Phenolic | 373             |

### Job Site Storage Cabinet

- All-welded, 14 gauge steel with 16 gauge steel back
- Heavy duty, secure storage for outside applications
- 3 full width shelves are welded in place
- Double doors have protected pad-lock attachment (Pad-lock not included)
- Skid plates allow access for forklift trucks
- Welded corners with drip shield to deflect rain provide protection from the elements
- Side handles are included
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



**Model**  
**JSC-602460-95**

| Model         | Dim: WxDxH (in.)          | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|---------------|---------------------------|-----------------------|-----------------|
| JSC-602460-95 | 64-1/8 x 28-1/16 x 62-7/8 | 1450                  | 481             |

### Extra Heavy Duty Outdoor Shelf Cabinet (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- Weather resistant, includes sloped top, a rain guard, gasket sealed door frames and filtered vents to keep out moisture and dust.
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor.
- Durable, gray, textured powder coat finish



**Model**  
**HDC0244878-4S95**

| Model           | Overall Dim: WxDxH (in.)    | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|-----------------------------|-----------------------|-----------------|
| HDC0243678-4S95 | 36-3/8 x 26-11/16 x 80-5/16 | (4) 1900              | 448             |
| HDC-SH-2436-95  | 33-15/16 x 20-7/8           | Extra Shelf - 1900    | 21              |
| HDC0244878-4S95 | 48-3/8 x 26-11/16 x 80-5/16 | (4) 1200              | 533             |
| HDC-SH-2448-95  | 45-15/16 x 20-7/8           | Extra Shelf - 1200    | 28              |
| HDC0246078-4S95 | 60-3/8 x 26-11/16 x 80-5/16 | (4) 1650              | 681             |
| HDC-SH-2460-95  | 57-15/16 x 20-7/8           | Extra Shelf - 1650    | 39              |

# Heavy Duty Storage Cabinets

**DURHAM MFG®**  
Est. 1922



| Heavy Duty Storage Cabinets & Hook-On-Bins® |             |                                |         |
|---------------------------------------------|-------------|--------------------------------|---------|
| Access Control Cabinets                     | 62 - 63     | Mobile Cabinets                | 64 - 66 |
| Specialty Cabinets                          | 67 - 70     |                                |         |
| 16 Gauge Cabinets                           |             |                                |         |
| With Hook-On-Bins®                          | 71 - 72     | With Hook-On-Bins® & Shelves   | 72      |
| Shelf Cabinets                              | 73          | Tool Charging Cabinets         | 73      |
| 14 Gauge Cabinets                           |             |                                |         |
| With Hook-On-Bins®                          | 74 - 75     | With Hook-On-Bins® & Shelves   | 76 - 78 |
| Shelf Cabinets                              | 79          | Empty Cabinets                 | 80      |
| Ventilated Cabinets                         |             |                                |         |
| With Hook-On-Bins                           | 83          | With Hook-On-Bins® & Shelves   | 83      |
| Shelf Cabinets                              | 84          | Lockers                        | 84      |
| 12/14 Gauge Cabinets - Extra Heavy Duty     |             |                                |         |
| Shelf Cabinets - Solid & Ventilated         | 84 - 85     | Clearview Cabinets             | 85      |
| Double-Shift & Maintenance                  | 86          | Wardrobe Cabinets              | 87 - 88 |
| Drawer Cabinets                             | 88 - 89, 94 | Tilt-Bin Cabinets              | 89 - 91 |
| Pegboard and Shelf Cabinets                 | 91 - 94     | With Hook-On-Bins®             | 95      |
| With Hook-On-Bins® & Shelves                | 96 - 99     | Ventilated with Bins & Shelves | 100     |
| Ventilated with Hook-On-Bins®               | 101         | Hook-On-Bins®                  | 102     |



## Heavy Duty, All-Welded & Ready For Use



For use in:

- Schools
- Automotive Shops
- Manufacturing Facilities
- Warehouses
- Job Shops
- Tool Cribs
- Stock Rooms
- Home Garage
- Any location where storage, security, or organization is a priority





# 14 GAUGE CABINETS

## ELECTRONIC ACCESS WITH HOOK-ON-BINS®



The electronic access controlled lock allows for 250 users. Access is via personal identification numbers and or HID proximity cards. The lock operates with 6 AA batteries. The lock records 1500 access attempts (i.e. who entered, date and time). The Data from the lock can be downloaded to a computer with the provided software.

**Model**  
**3702CXC-30B-1795**

- Heavy duty, all-welded, 14 gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Available with solid door on right and a windowed door on the left, or with both solid doors
- Electronic lock has the ability to store audit trails
- Traceability has helped some users reduce inventory consumption by 30%
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- 6"H legs, provide access for forklifts and have predrilled holes allowing for lagging to the floor
- Durable, gray, textured powder coat finish


| Model       | Overall Dim: WxDxH (in.) | Hook-On-Bins® (in.)                               | Door Style | Ship Wt. (lbs.) |
|-------------|--------------------------|---------------------------------------------------|------------|-----------------|
| 3702CXC-30B | 36 x 24 x 78             | (12) 6 x 11 x 5, (12) 8 x 15 x 5, (6) 16 x 15 x 7 | 1 Clear    | 385             |
| 3703CXC-42B | 48 x 24 x 78             | (24) 6 x 11 x 5, (12) 8 x 15 x 5, (6) 16 x 15 x 7 | 1 Clear    | 461             |
| 3704CXC-54B | 60 x 24 x 78             | (36) 6 x 11 x 5, (12) 8 x 15 x 5, (6) 16 x 15 x 7 | 1 Clear    | 554             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

# ELECTRONIC ACCESS CONTROL

## CABINETS WITH SHELVES

The electronic access controlled lock allows for 250 users. Access is via personal identification numbers and or HID proximity cards. The lock operates with 6 AA batteries. The lock records 1500 access attempts (i.e. who entered, date and time). The Data from the lock can be downloaded to a computer with the provided software.



**Model**  
**3702CXC-BLP4S-95**

**Model**  
**3702CX-BLP4S-95**

- Heavy duty all-welded, 14 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Shelves bolt easily into place with the hardware that is provided
- Heavy duty hinges prevent doors from sagging or warping
- Available with solid door on right and a windowed door on the left, or with both solid doors
- Electronic lock has the ability to store audit trails
- Traceability has helped some users reduce inventory consumption by 30%
- 6"H legs, provide access for forklifts and have predrilled holes allowing for lagging to the floor
- Durable, gray, textured powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Shelf capacity (lbs.) | Door Style       | No. of shelves | Ship Wt. (lbs.) |
|------------------|--------------------------|-----------------------|------------------|----------------|-----------------|
| 3702CXC-BLP4S-95 | 36 x 24 x 78             | 1900                  | 1 Clear, 1 Solid | 4              | 411             |
| 3703CXC-BLP4S-95 | 48 x 24 x 78             | 1200                  | 1 Clear, 1 Solid | 4              | 499             |
| 3704CXC-BLP4S-95 | 60 x 24 x 78             | 1650                  | 1 Clear, 1 Solid | 4              | 645             |

### Models with both Solid Doors

|                 |              |      |         |   |     |
|-----------------|--------------|------|---------|---|-----|
| 3702CX-BLP4S-95 | 36 x 24 x 78 | 1900 | 2 Solid | 4 | 410 |
| 3703CX-BLP4S-95 | 48 x 24 x 78 | 1200 | 2 Solid | 4 | 496 |
| 3704CX-BLP4S-95 | 60 x 24 x 78 | 1650 | 2 Solid | 4 | 642 |

- Enter your 6 digit code and turn the safe handle
- OLED Menu system guides the user through access and programming procedures
- View Audit trail records on screen. (no additional software required)
- 30 Codes: 2 Manager Codes and 28 User Codes
- 200 Time/Date stamped Audit capability viewable on screen
- 5,000+ openings on a 9 Volt battery
- Single or Dual Control mode



**Model**  
**3703PL-4S-95**

- Heavy duty all-welded, 14 gauge steel construction. (\*12 gauge models)
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Shelves bolt easily into place with the hardware that is provided
- Heavy duty hinges prevent doors from sagging or warping
- Electronic lock has the ability to store audit trails
- Traceability has helped some users reduce inventory consumption by 30%
- 6"H legs, provide access for forklifts and have predrilled holes allowing for lagging to the floor
- Durable, textured, gray powder coat finish

| Model               | Overall Dim: WxDxH (in.) | # Shelves | Shelf Capacity (lbs.) | Door Style | Ship Wt. (lbs.) |
|---------------------|--------------------------|-----------|-----------------------|------------|-----------------|
| 3702PL-4S-95        | 36 x 24 x 78             | 4         | 1900                  | Recessed   | 365             |
| 3703PL-4S-95        | 48 x 24 x 78             | 4         | 1200                  | Recessed   | 442             |
| 3704PL-4S-95        | 60 x 24 x 78             | 4         | 1650                  | Recessed   | 573             |
| *HDCPL-243678-4S-95 | 36 x 24 x 78             | 4         | 1900                  | Recessed   |                 |
| *HDCPL-244878-4S-95 | 48 x 24 x 78             | 4         | 1200                  | Recessed   |                 |
| *HDCPL-246078-4S-95 | 60 x 24 x 78             | 4         | 1650                  | Recessed   |                 |

# MOBILE CABINETS

## SHELF CABINETS



**Model**  
**2501M-BLP-4S-95**

### 16 Gauge Mobile Cabinet with 4 Shelves

- Industrial duty, all-welded, 16-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves | Shelf Capacity | Overall Capacity | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|----------------|------------------|-----------------|
| 2501M-BLP-4S-95 | 36 x 24 x 81             | 4       | 1000 lbs.      | 4000 lbs.        | 373             |
| 2502M-BLP-4S-95 | 48 x 24 x 81             | 4       | 750 lbs.       | 3000 lbs.        | 464             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**3502M-BLP-4S-95**

### 14 Gauge Mobile Cabinet with 4 Shelves

- Industrial duty, all-welded, 14-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves | Shelf Capacity | Overall Capacity | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|----------------|------------------|-----------------|
| 3501M-BLP-4S-95 | 36 x 24 x 81             | 4       | 1000 lbs.      | 4000 lbs.        | 413             |
| 3502M-BLP-4S-95 | 48 x 24 x 81             | 4       | 750 lbs.       | 3000 lbs.        | 511             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**HDCM48-4S-95**

### 12 Gauge Mobile Cabinet with 4 Shelves

- Industrial duty, all-welded, 12-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model        | Overall Dim: WxDxH (in.) | Shelves | Shelf Capacity | Overall Capacity | Ship Wt. (lbs.) |
|--------------|--------------------------|---------|----------------|------------------|-----------------|
| HDCM36-4S-95 | 36 x 24 x 81             | 4       | 1900 lbs.      | 4800 lbs.        | 491             |
| HDCM48-4S-95 | 48 x 24 x 81             | 4       | 1200 lbs.      | 4800 lbs.        | 598             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



# MOBILE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

### 16 Gauge Mobile Cabinet with Bins & 2 Shelves

- Industrial duty, all-welded, 16-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Shelf capacity: 750 lbs. and 1000 lbs.
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**2501M-BLP-12-2S-1795**

| Model           | Overall Dim: WxDxH (in.) | Shelves | Bins Dim WxDxH (in.)               | Overall Capacity | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|------------------------------------|------------------|-----------------|
| 2501M-BLP-12-2S | 36 x 24 x 81             | 2       | (12) 8 x 15 x 7                    | 4800 lbs.        | 355             |
| 2502M-BLP-18-2S | 48 x 24 x 81             | 2       | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 451             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### 14 Gauge Mobile Cabinet with Bins & 2 Shelves

- Industrial duty, all-welded, 16-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Shelf capacity: 750 lbs. and 1000 lbs.
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**3502M-BLP-18-2S-5295**

| Model           | Overall Dim: WxDxH (in.) | Shelves | Bins Dim WxDxH (in.)               | Overall Capacity | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|------------------------------------|------------------|-----------------|
| 3501M-BLP-12-2S | 36 x 24 x 81             | 2       | (12) 8 x 15 x 7                    | 4800 lbs.        | 395             |
| 3502M-BLP-18-2S | 48 x 24 x 81             | 2       | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 498             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### 12 Gauge Mobile Cabinet with Bins & 2 Shelves

- Industrial duty, all-welded, 16-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Shelf capacity: 1200 lbs. and 1900 lbs.
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**HDCM36-12-2S95**

| Model        | Overall Dim: WxDxH (in.) | Shelves | Bins Dim WxDxH (in.)               | Overall Capacity | Ship Wt. (lbs.) |
|--------------|--------------------------|---------|------------------------------------|------------------|-----------------|
| HDCM36-12-2S | 36 x 24 x 81             | 2       | (12) 8 x 15 x 7                    | 4800 lbs.        | 474             |
| HDCM48-18-2S | 48 x 24 x 81             | 2       | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 587             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

For additional bin colors and dividers please see page 101



# MOBILE CABINETS

## WITH HOOK-ON-BINS®



**Model**  
**2502M-BLP-42-1795**

### 16 Gauge Mobile Cabinet with Bins

- Industrial duty, all-welded, 16-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model        | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                | Overall Capacity | Ship Wt. (lbs.) |
|--------------|--------------------------|-----------------------------------------------------|------------------|-----------------|
| 2501M-BLP-30 | 36 x 24 x 81             | (12) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 376             |
| 2502M-BLP-42 | 48 x 24 x 81             | (24) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 457             |

Use suffix **-95** for Yellow Bins, **-1795** for Red Bins and **-5295** for Blue Bins



**Model**  
**3501M-BLP-30-95**

### 14 Gauge Mobile Cabinet with Bins

- Industrial duty, all-welded, 14-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model        | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                | Overall Capacity | Ship Wt. (lbs.) |
|--------------|--------------------------|-----------------------------------------------------|------------------|-----------------|
| 3501M-BLP-30 | 36 x 24 x 81             | (12) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 385             |
| 3502M-BLP-42 | 48 x 24 x 81             | (24) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 470             |

Use suffix **-95** for Yellow Bins, **-1795** for Red Bins and **-5295** for Blue Bins



**Model**  
**HDCM48-42-95**

### 12 Gauge Mobile Cabinet with Bins

- Industrial duty, all-welded, 12-gauge steel
- 6" x 2" phenolic casters, 2 rigid, 2 locking swivel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Side handle for easy maneuvering
- Fully welded louvered panels reinforce back and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included, installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model     | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                | Overall Capacity | Ship Wt. (lbs.) |
|-----------|--------------------------|-----------------------------------------------------|------------------|-----------------|
| HDCM36-30 | 36 x 24 x 81             | (12) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 465             |
| HDCM48-42 | 48 x 24 x 81             | (24) 6 x 11 x 5, (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 4800 lbs.        | 560             |

Use suffix **-95** for Yellow Bins, **-1795** for Red Bins and **-5295** for Blue Bins





# SPECIALITY CABINETS

## WITH DRAWERS, SHELVES AND HOOK-ON-BINS®



**Model**  
**DCBDLP724RDR-1795**



**Model**  
**3501524RDR-95**



**Model**  
**JCBDL694RDR-5295**

### Cabinets with Hook-On-Bins, Shelves, Door Shelves & Drawers

- Heavy duty, all-welded, 14 gauge steel
- Drawers move in and out easily on ball bearing slides; 250 Lbs. capacity
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and can be installed easily with no tools required
- Durable, gray, textured powder coat finish

| Model                                                                                                                                                | Overall Dim: WxDxH (in.)                              | Bins Dim: WxDxH (in.)                                                  | Drawer Dim: WxDxH (in.)                                                                   | Shelf Dim: WxDxH (in.)                                       | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------------|
| <b>4" Deep Box Style Door - Main cabinet is 20"D; box style 4"D doors makes full cabinet depth 24"</b>                                               |                                                       |                                                                        |                                                                                           |                                                              |                 |
| DCBDLP524RDR                                                                                                                                         | 36 x 24 x 72                                          | (36) 4 x 5 x 3<br>(12) 6 x 11 x 5<br>(4) 8 x 15 x 7                    | (2) 28-13/16 X 14-11/16 X 2<br>(1) 28-13/14 X 14-11/16 X 4<br>(1) 28-13/14 X 14-11/16 X 5 | (1) 35-3/4 x 16-3/8<br>(12) 12 x 4 door shelves              | 472             |
| DCBDLP584RDR                                                                                                                                         | 36 x 24 x 72                                          | (36) 4 x 5 x 3<br>(18) 6 x 11 x 5<br>(4) 8 x 15 x 7                    | (2) 28-13/16 X 14-11/16 X 2<br>(1) 28-13/14 X 14-11/16 X 4<br>(1) 28-13/14 X 14-11/16 X 5 | (1) 35-3/4 x 16-3/8<br>(12) 12 x 4 door shelves              | 477             |
| DCBDLP694RDR                                                                                                                                         | 48 x 24 x 72                                          | (48) 4 x 5 x 3<br>(8) 6 x 11 x 5<br>(11) 8 x 15 x 7<br>(2) 16 x 15 x 7 | (2) 40-13/16 X 14 11/16 X 3<br>(1) 40-13/16 X 14 11/16 X 5<br>(1) 40-13/16 X 14 11/16 X 6 | (1) 47-3/4 x 16-3/8<br>(12) 18 x 4 door shelves              | 591             |
| DCBDLP724RDR                                                                                                                                         | 48 x 24 x 72                                          | (56) 4 x 5 x 3<br>(8) 6 x 11 x 5<br>(6) 8 x 15 x 7<br>(2) 16 x 15 x 7  | (2) 40-13/16 X 14 11/16 X 3<br>(1) 40-13/16 X 14 11/16 X 5<br>(1) 40-13/16 X 14 11/16 X 6 | (2) 47-3/4 x 16-3/8<br>*(12) 11-1/2 x 3-3/4<br>*door shelves | 558             |
| <b>Flush Doors - Louvered Panel on Back and Doors</b>                                                                                                |                                                       |                                                                        |                                                                                           |                                                              |                 |
| 3501524RDR                                                                                                                                           | 36 x 24 x 72                                          | (36) 4 x 5 x 3<br>(12) 6 x 11 x 5<br>(4) 8 x 15 x 7                    | (2) 28-13/16 X 14-11/16 X 2<br>(1) 28-13/14 X 14-11/16 X 4<br>(1) 28-13/14 X 14-11/16 X 5 | (1) 35-3/4 x 16-3/8<br>(12) 12 x 4 door shelves              | 429             |
| 3501584RDR                                                                                                                                           | 36 x 24 x 72                                          | (36) 4 x 5 x 3<br>(18) 6 x 11 x 5<br>(4) 8 x 15 x 7                    | (2) 28-13/16 X 14-11/16 X 2<br>(1) 28-13/14 X 14-11/16 X 4<br>(1) 28-13/14 X 14-11/16 X 5 | (1) 35-3/4 x 16-3/8<br>(12) 12 x 4 door shelves              | 434             |
| <b>Flush Doors - Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor</b> |                                                       |                                                                        |                                                                                           |                                                              |                 |
| JCBDL694RDR                                                                                                                                          | 48 x 24 x 78                                          | (48) 4 x 5 x 3<br>(8) 6 x 11 x 5<br>(11) 8 x 15 x 7<br>(2) 16 x 15 x 7 | (2) 40-13/16 X 14 11/16 X 3<br>(1) 40-13/16 X 14 11/16 X 5<br>(1) 40-13/16 X 14 11/16 X 6 | (1) 47-3/4 x 16-3/8<br>(12) 18 x 4 door shelves              | 547             |
| JCBDL724RDR                                                                                                                                          | 48 x 24 x 78                                          | (56) 4 x 5 x 3<br>(8) 6 x 11 x 5<br>(6) 8 x 15 x 7<br>(2) 16 x 15 x 7  | (2) 40-13/16 X 14-11/16 X 3<br>(1) 40-13/16 X 14-11/16 X 5<br>(1) 40-13/16 X 14-11/16 X 6 | (1) 447-3/4 x 16-3/8<br>(12) 18 x 4 door shelves             | 546             |
| <b>Accessories</b>                                                                                                                                   |                                                       |                                                                        |                                                                                           |                                                              |                 |
| FDC-SH-3618-95                                                                                                                                       | Extra Shelf for 36" wide cabinet - 1250 Lbs. capacity |                                                                        |                                                                                           | 35-3/4 x 16-3/8 x 1-7/16                                     | 19              |
| DSH-124-95                                                                                                                                           | Extra Door Shelf for 36" wide cabinet                 |                                                                        |                                                                                           | 11-1/2 x 3-3/4 (6 per pkg.)                                  | 9               |
| FDC-SH-4818-95                                                                                                                                       | Extra Shelf for 48" wide cabinet - 750 Lbs. capacity  |                                                                        |                                                                                           | 47-3/4 x 16-3/8 x 1-7/16                                     | 25              |
| DSH-184-95                                                                                                                                           | Extra Door Shelf for 48" wide cabinet                 |                                                                        |                                                                                           | 17-1/4 x 3-3/4 (6 per pkg.)                                  | 13              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

For additional bin colors and dividers please see page 101



# SPECIALTY CABINETS



## Table High Cabinet with 48 Bins & 2 Shelves (4" Deep Box Door Style)



**Model**  
**DC-243636-48-2S-1795**

- Heavy duty, all-welded 14 construction
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.)         | Bins Dim: WxDxH (in.) | Shelf Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|-----------------|----------------------------------|-----------------------|------------------------|-----------------|
| DC-243636-48-2S | 36 x 24 x 36                     | (48) 4 x 5 x 3        | (4) 35-3/4 x 16-3/8    | 260             |
| FDC-SH-3618-95  | Extra Shelf - 1250 Lbs. capacity |                       | 35-3/4 x 16-3/8        | 19              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**



**Model**  
**HDCWM143648-2S95**

## Extra Heavy Duty Wall Mountable Cabinet (1,750 Lbs. capacity)

- All-welded, 12 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Shelves               | Ship Wt. (lbs.) |
|------------------|--------------------------|-----------------------|-----------------|
| HDCWM143648-2S95 | 36-3/16 x 14-1/16 x 48   | (2) 33-15/16 x 10-7/8 | 232             |



**Model**  
**3000-95**

## Table High Heavy Duty Secure Storage Cabinets

- Industrial duty, all-welded 16 gauge steel
- Table height creates convenient work surface
- 1 fixed shelf is welded into place
- 6" legs make units fork liftable
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Back and end stops to prevent product from falling off
- Narrow 24"D x 24"W unit fits into tighter spaces
- Ships fully assembled, ready for use
- Durable, gray, textured powder coat finish

| Model   | Dim: WxDxH (in.)         | Ship Wt. (lbs.) |
|---------|--------------------------|-----------------|
| 3010-95 | 24-1/8 x 24-1/4 x 33-5/8 | 125             |
| 3000-95 | 36-1/8 x 24-1/4 x 33-5/8 | 159             |



# SPECIALTY CABINETS

## 36" Wide Heavy Duty, Space saving, High Security, Bi-Fold Door Cabinets

- Heavy duty, all-welded 14 construction
- Space-saving bi-fold doors
- Standard doors on a 36" cabinet swing out 18" while the Durham bi-fold door swings out a maximum of 9"
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Perfect for tight areas where most cabinets would not fit
- Magnets are included to keep doors in the open folded position
- Ultimate security features 8-point locking system
- Two pad-lockable handles with four lock rods each ensure safety and security of items inside the cabinet
- Durable, gray, textured powder coat finish




**Model  
3950-3S-95**

| Model          | Dim: WxDxH (in.) | No. Shelves | Shelf capacity (lbs.) | Gauge | Ship Wt. (lbs.) |
|----------------|------------------|-------------|-----------------------|-------|-----------------|
| 3950-3S-95     | 36 x 18 x 72     | 3           | 1250                  | 14    | 291             |
| 3952-4S-95     | 36 x 18 x 84     | 4           | 1250                  | 14    | 323             |
| FDC-SH-3618-95 | 35-3/4 x 16-3/8  | Extra Shelf | 1250                  | 14    | 19              |
| 3951-3S-95     | 36 x 24 x 72     | 3           | 1000                  | 14    | 331             |
| 3953-4S-95     | 36 x 24 x 84     | 4           | 1000                  | 14    | 382             |
| FDC-SH-3624-95 | 35-3/4 x 21-3/8  | Extra Shelf | 1000                  | 14    | 24              |

## Small Parts Storage & Security Cabinet with 112 Steel Pigeon Hole Bins & 96 Hook-On-Bins® (Flush Door Style)

- Heavy duty, all-welded 14 gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Doors open at full 180° for full access to product
- Fully welded louvered panels reinforce door and accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included
- (112) 12" deep pigeon hole bins enclosed, perfect for storage of fasteners, high value small parts, etc.
- Durable, gray, textured powder coat finish



**Model  
3501-DLP-72/40B-96-5295**

| Model                 | Dim: WxDxH (in.) | Hook-On Bins® (in.) | Pigeon Hole Bins | Ship Wt. (lbs.) |
|-----------------------|------------------|---------------------|------------------|-----------------|
| 3501-DLP-72/40B-96-95 | 36 x 24 x 72     | (96) 4 x 5 x 3      | (112) 12 Depth   | 411             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

## 36"W Small Parts Storage & Security Cabinet with 60 Jumbo Drawers & 96 Hook-On-Bins® (Flush Door Style)

- Heavy duty, all-welded, 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- 60 Jumbo, 3.5"H drawers each with 2 dividers adjustable on 1" centers (extra dividers are available)
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Durable, gray, textured powder coat finish



**Model  
3501-DLP-60DR11-96-2S-95**

| Model                    | Dim: WxDxH (in.) | Shelves | Shelf Cap. (lbs.) | Hook-On-Bins® (in.) | Drawers WxDxH (in.)            | Ship Wt. (lbs.) |
|--------------------------|------------------|---------|-------------------|---------------------|--------------------------------|-----------------|
| 3501-DLP-60DR11-96-2S-95 | 36 x 24 x 72     | 2       | 900               | (96) 4 x 5 x 3      | (60) 5-7/16 x 11-11/32 x 3-1/4 | 498             |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**

For additional bin colors and dividers please see page 101



# SPECIALITY CABINETS



**Model  
3500-HDL-95**

## Janitorial Cabinets with Wardrobe/Broom Storage, 1 Fixed Shelf & 4 Adjustable Shelves

- Heavy duty, all-welded, 14-gauge steel
- EMDC model doors and sides feature punched diamond pattern allowing for quick visibility and ventilation of contents
- Model 3500 has solid doors and sides
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Ample space for broom storage
- Hanger bar for uniforms, jackets, etc...
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model              | Dim: WxDxH (in.) | Shelves            | Shelf Cap. (lbs.) | Ship Wt. (lbs.) |
|--------------------|------------------|--------------------|-------------------|-----------------|
| EMDC-362484-HDL-95 | 36 x 24 x 84     | 5 (4 adj, 1 fixed) | 300 (4), 1000 (1) | 346             |
| 3500-HDL-95        | 36 x 24 x 84     | 5 (4 adj, 1 fixed) | 300 (4), 1000 (1) | 379             |



**Model  
3501-DLP-PB-96-2S-95**

## 5-S Storage Cabinet with Steel Pegboard, 96 Bins & 2 Adjustable Shelves (Shelf capacity of 1,250 Lbs.)

- Heavy duty, all-welded, 14 gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Pegboard holes are 1/4" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Durable, gray, textured powder coat finish

| Model                | Dim: WxDxH (in.) | Shelves | Hook-On Bins®       | Peg Board Dim: WxH (in.) | Ship Wt. (lbs.) |
|----------------------|------------------|---------|---------------------|--------------------------|-----------------|
| 3501-DLP-PB-96-2S-95 | 36 x 24 x 72     | 2       | (96) 4 x 5 x 3      | 36 x 24                  | 344             |
| FDC-SH-3618-95       | 35-3/4 x 16-3/8  |         | 1,250 Lbs. capacity |                          | 19              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**



**Model  
EMDC-482472-PB-2S-95**

## Ventilated 5-S Storage Cabinet with Steel Pegboard & 2 Adjustable Shelves (Shelf capacity 750 Lbs.)

- Heavy duty, all-welded, 14 gauge steel
- Flush doors feature punched diamond pattern allowing for quick visibility and ventilation of contents
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Double doors open at 180° for full access to product
- Heavy duty hinges prevent doors from sagging or warping
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Pegboard holes are 1/4" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Durable, gray, textured powder coat finish

| Model                | Dim: WxDxH (in.) | Shelves | Peg Board Dim: WxH (in.) | Ship Wt. (lbs.) |
|----------------------|------------------|---------|--------------------------|-----------------|
| EMDC-482472-PB-2S-95 | 48 x 24 x 72     | 2       | 48 x 24                  | 371             |
| FDC-SH-4824-95       | 47-3/4 x 21-3/8  | Extra   | 750 Lbs. capacity        | 32              |





# 16 GAUGE CABINETS WITH HOOK-ON-BINS®

## Cabinet with 126 Bins (Flush Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**2501-BDLP-126-1795**

| Model         | Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                                      | Ship Wt. (lbs.) |
|---------------|------------------|-------------------------------------------------------------------------------------------|-----------------|
| 2501-BDLP-126 | 36 x 24 x 72     | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 362             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

## Cabinet with 156 Bins (Flush Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and accommodate Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**2603-156B-95**

| Model     | Dim: WxDxH (in.) | Bins Dim WxDxH (in.)              | Ship Wt. (lbs.) |
|-----------|------------------|-----------------------------------|-----------------|
| 2603-156B | 36 x 18 x 84     | (96) 4 x 5 x 3<br>(60) 6 x 11 x 5 | 366             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

## Cabinet with 138 Bins (Flush Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**2500-138B-5295**

| Model     | Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                                      | Ship Wt. (lbs.) |
|-----------|------------------|-------------------------------------------------------------------------------------------|-----------------|
| 2500-138B | 36 x 24 x 84     | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 404             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

For additional bin colors and dividers please see page 101





# 16 GAUGE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**2501-BDLP-102-3S-5295**

### Cabinet with 102 Bins & 3 Shelves (Flush Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model            | Dim: WxDxH (in.) | Shelves             | Shelf Cap. (lbs.) | Bins Dim WxDxH (in.)                                | Ship Wt. (lbs.) |
|------------------|------------------|---------------------|-------------------|-----------------------------------------------------|-----------------|
| 2501-BDLP-102-3S | 36 x 24 x 72     | (3) 35-3/4 x 16-3/8 | 1250              | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(6) 16 x 15 x 7 | 376             |
| FDC-SH-3618-95   | 35-3/4 x 16-3/8  | Extra               | 1250              |                                                     | 19              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**2502-186-1795**

### Cabinet with 186 Bins (Flush Door Style)

- Industrial duty, all-welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model    | Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                                      | Ship Wt. (lbs.) |
|----------|------------------|-------------------------------------------------------------------------------------------|-----------------|
| 2502-186 | 48 x 24 x 72     | (48) 4 x 5 x 3<br>(96) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 455             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**2502-138-3S-95**

### Cabinet with 138 Bins & 3 Shelves (Flush Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model          | Dim: WxDxH (in.)                | Bins Dim WxDxH (in.)                                                   | Shelf Dims: WxDxH (in.) | Ship Wt. (lbs.) |
|----------------|---------------------------------|------------------------------------------------------------------------|-------------------------|-----------------|
| 2502-138-3S    | 48 x 24 x 72                    | (48) 4 x 5 x 3<br>(72) 4 x 7 x 3<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | (3) 47-3/4 x 16-3/8     | 485             |
| FDC-SH-4818-95 | Extra Shelf - 750 Lbs. capacity |                                                                        | 47-3/4 x 16-3/8         | 25              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

# 16 GAUGE CABINETS

## WITH ADJUSTABLE SHELVES

### Cabinets with Adjustable Shelves (Recessed Door Style)

- Industrial duty, all-welded, 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Double doors open at 180° for full access to product
- 2505 & 2506 models have 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model  
2501-4S-95**

| Model          | Overall Dim: WxDxH (in.) | Shelves     | Shelf Cap. (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------|-------------------|-----------------|
| 2600-2S-95     | 36 x 18 x 48             | 2           | 700               | 196             |
| 2601-3S-95     | 36 x 18 x 60             | 3           | 700               | 243             |
| 2602-4S-95     | 36 x 18 x 72             | 4           | 700               | 282             |
| 2603-4S-95     | 36 x 18 x 84             | 4           | 700               | 308             |
| FDC-SH-3618-95 | 35-3/4 x 16-3/8          | Extra Shelf | 700               | 19              |
| 2503-2S-95     | 36 x 24 x 42             | 2           | 1000              | 211             |
| 2501-4S-95     | 36 x 24 x 72             | 4           | 700               | 324             |
| 2500-4S-95     | 36 x 24 x 84             | 4           | 700               | 352             |
| FDC-SH-3624-95 | 35-3/4 x 21-3/8          | Extra Shelf | 700               | 24              |
| 2502-4S-95     | 48 x 24 x 72             | 4           | 500               | 393             |
| 2505-4S-95     | 48 x 24 x 78             | 4           | 500               | 406             |
| 2504-4S-95     | 48 x 24 x 84             | 4           | 500               | 425             |
| FDC-SH-4824-95 | 47-3/4 x 21-3/8          | Extra Shelf | 500               | 32              |
| 2506-4S-95     | 60 x 24 x 84             | 4           | 300               | 515             |
| FDC-SH-6024-95 | 59-3/4 x 21-3/8          | Extra Shelf | 300.              | 38              |



**Model  
2502CS-12S-95**



**Model  
2502MCS-12S-95**


### Secure, Tool Charging Cabinets with 12 Shelves (Overall Capacity of 2,800 Lbs.)

- Heavy-duty, all-welded 16-gauge steel construction
- Keyed handle with 3-point locking system
- Reinforced hinges prevent door sagging or warping
- (2) smooth-glide drawers with 250 lb. capacity
- (6) shelves lips up to contain items; (6) lips down for flat, stackable storage—offering versatile organization
- (2) 16-outlet power strips
- (4) 3" x 1-13/16" phenolic swivel casters with brakes (\*mobile units only) Overall Capacity of 2,800 lbs evenly distributed
- Diamond-punched panels allow airflow and visibility
- Clear, impact-resistant doors open 180° for easy access
- Ships fully assembled
- Durable, textured, gray, powder coat finish

| Model          | Product Type       | Overall Dim: WxDxH (in.) | Shelves | Shelf Capacity. (lbs.) | Drawers Dim: WxDxH (in.)       | Ship Wt. (lbs.) |
|----------------|--------------------|--------------------------|---------|------------------------|--------------------------------|-----------------|
| 2501CS-12S-95  | Stationary Cabinet | 36 x 24 x 72             | 12      | 300                    | (2) 12-1/2 x 14-1/16 x 5-3/8   | 330             |
| 2502CS-12S-95  | Stationary Cabinet | 48 x 24 x 72             | 12      | 300                    | (2) 18-19/32 x 14-1/16 x 5-3/8 | 396             |
| 2501MCS-12S-95 | Mobile Cabinet     | 36 x 24 x 78             | 12      | 300                    | (2) 12-1/2 x 14-1/16 x 5-3/8   | 366             |
| 2502MCS-12S-95 | Mobile Cabinet     | 48 x 24 x 78             | 12      | 300                    | (2) 18-19/32 x 14-1/16 x 5-3/8 | 423             |

# 14 GAUGE CABINETS

## WITH HOOK-ON-BINS®



**Model**  
**3602-BLP-36-1795**



**Model**  
**3603-156B-5295**



**Model**  
**DC-BDLP-132-95\***



**Model**  
**JC-171-95**

### Cabinet with Hook-On-Bins®

- All-welded, 14 gauge, steel construction
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                                                                                | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                                                                     | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------------------------------------------------------------------------------------|-----------------|
| <b>Flush Doors - Louvered Panel on Back</b>                                                                                                          |                          |                                                                                           |                 |
| 3602-BLP-36-95                                                                                                                                       | 36 x 18 x 72             | (18) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7                                     | 332             |
| <b>Flush Doors - Louvered Panel on Back and Doors</b>                                                                                                |                          |                                                                                           |                 |
| 3501-BDLP-132-95                                                                                                                                     | 36 x 24 x 72             | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(18) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 390             |
| 3500-138B-95                                                                                                                                         | 36 x 24 x 84             | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 434             |
| 3603-156B-1795                                                                                                                                       | 36 x 18 x 84             | (96) 4 x 5 x 3<br>(60) 6 x 11 x 5                                                         | 386             |
| <b>4" Deep Box Style Door - Main cabinet is 20"D; box style 4"D doors makes full cabinet depth 24"</b>                                               |                          |                                                                                           |                 |
| DC-BDLP-132-95                                                                                                                                       | 36 x 24 x 72             | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(18) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 434             |
| <b>Flush Doors - Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor</b> |                          |                                                                                           |                 |
| JC-171-95                                                                                                                                            | 48 x 24 x 78             | (64) 4 x 5 x 3<br>(64) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(13) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 490             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**



# 14 GAUGE CABINETS

## WITH HOOK-ON-BINS®



**Model**  
**3502-186-5295**



**Model**  
**DC48-176-1795**



**Model**  
**SSC-722484-BDLP-264-95**

### Cabinet with Hook-On-Bins®

- All-welded, 14 gauge, steel construction
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a pad-lockable hasp
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                                                                                | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                                                                      | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------|-----------------|
| <b>Flush Doors - Louvered Panel on Back and Doors</b>                                                                                                |                          |                                                                                            |                 |
| 3502-186                                                                                                                                             | 48 x 24 x 72             | (48) 4 x 5 x 3<br>(96) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 482             |
| <b>Flush Doors - Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor</b> |                          |                                                                                            |                 |
| SSC-227                                                                                                                                              | 60 x 24 x 84             | (80) 4 x 5 x 3<br>(90) 4 x 7 x 3<br>(30) 6 x 11 x 5<br>(18) 8 x 15 x 7<br>(9) 16 x 15 x 7  | 641             |
| SSC-227-NL (no legs)                                                                                                                                 | 60 x 24 x 78             | (96) 4 x 5 x 3<br>(96) 4 x 7 x 3<br>(36) 6 x 11 x 5<br>(24) 8 x 15 x 7<br>(12) 16 x 15 x 7 | 622             |
| SSC-722484-BDLP-264                                                                                                                                  | 72 x 24 x 84             | (96) 4 x 5 x 3<br>(96) 4 x 7 x 3<br>(36) 6 x 11 x 5<br>(24) 8 x 15 x 7<br>(12) 16 x 15 x 7 | 751             |
| <b>4" Deep Box Style Door - Main cabinet is 20"D; box style 4"D doors makes full cabinet depth 24"</b>                                               |                          |                                                                                            |                 |
| DC48-176                                                                                                                                             | 48 x 24 x 72             | (64) 4 x 5 x 3<br>(64) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(18) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 536             |
| SJC-BDLP-192                                                                                                                                         | 48 x 24 x 84             | (72) 4 x 5 x 3<br>(72) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(18) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 581             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**



# 14 GAUGE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**DC36-642S6DS-5295**



**Model**  
**DC48-128-4S-95**



**Model**  
**DC-DLP-96-4S-1795**



**Model**  
**DC48-842S6DS-95**

### Cabinets with Hook-On-Bins®, Shelves & Door Shelves (4" Deep Box Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with keyed handle and lock rods, 4 keys included. SSC cabinet is pad-lockable
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model                 | Overall Dim: WxDxH (in.)                              | Bins Dim: WxDxH (in.)                                                   | Shelves                                   | Ship Wt. (lbs.) |
|-----------------------|-------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------|-----------------|
| DC-DLP-96-4S-95       | 36 x 24 x 72                                          | (96) 4 x 5 x 3                                                          | (4) 35-3/4 x 16-3/8                       | 401             |
| DC36-642S6DS-95       | 36 x 24 x 72                                          | (48) 4 x 7 x 3<br>(16) 8 x 15 x 7                                       | (2) 35-3/4 x 16-3/8<br>(6) 11-1/2 x 3-3/4 | 439             |
| DC36-78-6DS-95        | 36 x 24 x 72                                          | (48) 4 x 7 x 3<br>(18) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | (6) 11-1/2 x 3-3/4                        | 422             |
| DC36-48-4S6DS-95      | 36 x 24 x 72                                          | (48) 4 x 5 x 3                                                          | (4) 47-3/4 x 16-3/8<br>(6) 11-1/2 x 3-3/4 | 402             |
| DC48-128-4S-95        | 48 x 24 x 72                                          | (128) 4 x 5 x 3                                                         | (4) 47-3/4 x 16-3/8                       | 494             |
| DC48-842S6DS-95       | 48 x 24 x 72                                          | (64) 4 x 7 x 3<br>(20) 8 x 15 x 7                                       | (2) 47-3/4 x 16-3/8<br>(6) 17-1/4 x 3-3/4 | 544             |
| DC48-114-6DS-95       | 48 x 24 x 72                                          | (72) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | (6) 17-1/4 x 3-3/4                        | 570             |
| DC48-724S6DS-95       | 48 x 24 x 72                                          | (72) 4 x 5 x 3                                                          | (4) 47-3/4 x 16-3/8<br>(6) 17-1/4 x 3-3/4 | 497             |
| SJC-DLP-144-4S-95     | 48 x 24 x 84                                          | (144) 4 x 5 x 3                                                         | (4) 47-3/4 x 16-3/8                       | 538             |
| SSC-602484-BDLP-3S-95 | 60 x 24 x 84                                          | Sold separately                                                         | (4) 59-3/4 x 16-3/8                       | 600             |
| <b>Accessories</b>    |                                                       |                                                                         |                                           |                 |
| FDC-SH-3618-95        | Extra Shelf for 36" wide cabinet - 1250 Lbs. capacity |                                                                         | 35-3/4 x 16-3/8                           | 19              |
| DSH-124-95            | Extra Door Shelf for 36" wide cabinet                 |                                                                         | 11-1/2 x 3-3/4 (6 per pkg.)               | 9               |
| FDC-SH-4818-95        | Extra Shelf for 48" wide cabinet - 750 Lbs. capacity  |                                                                         | 47-3/4 x 16-3/8                           | 25              |
| DSH-184-95            | Extra Door Shelf for 48" wide cabinet                 |                                                                         | 17-1/4 x 3-3/4 (6 per pkg.)               | 13              |
| FDC-SH-6018-95        | Extra Shelf for 60" wide cabinet - 500 Lbs capacity   |                                                                         | 59-3/4 x 16-3/8                           | 33              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins





# 14 GAUGE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**3501-BDLP-102-3S-1795**

**Model**  
**JC-137-3S-95**

**Model**  
**SSC-185-3S-5295\***

**Model**  
**SSC-722484-BDLP-212-3S-95**

### Cabinets with Hook-On-Bins® & Shelves (Flush Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a pad-lockable hasp
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Hook-On-Bins® by Durham are included
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                                                                  | Overall Dim: WxDxH (in.)                              | Bins Dim WxDxH (in.)                                                   | Shelves             | Ship Wt. (lbs.) |
|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------------------------|---------------------|-----------------|
| <b>Louvered Panel on Back</b>                                                                                                          |                                                       |                                                                        |                     |                 |
| 3602-BLP-14-2S-95                                                                                                                      | 36 x 18 x 72                                          | (12) 8 x 15 x 7<br>(2) 16 x 15 x 7                                     | (2) 35-3/4 x 16-3/8 | 336             |
| <b>Louvered Panel on Back and Doors</b>                                                                                                |                                                       |                                                                        |                     |                 |
| 3501-BDLP-102-3S-95                                                                                                                    | 36 x 24 x 72                                          | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(6) 16 x 15 x 7                    | (3) 35-3/4 x 16-3/8 | 400             |
| 3502-138-3S-95                                                                                                                         | 48 x 24 x 72                                          | (48) 4 x 5 x 3<br>(72) 4 x 7 x 3<br>(12) 8 x 15 x 7<br>(6) 8 x 15 x 7  | (3) 47-3/4 x 16-3/8 | 512             |
| <b>Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor</b> |                                                       |                                                                        |                     |                 |
| JC-137-3S-95                                                                                                                           | 48 x 24 x 78                                          | (64) 4 x 5 x 3<br>(64) 4 x 7 x 3<br>(3) 8 x 15 x 7<br>(6) 16 x 15 x 7  | (3) 47-3/4 x 16-3/8 | 512             |
| SSC-185-3S-95<br>SSC-185-3S-NL-95 (no legs)                                                                                            | 60 x 24 x 84<br>60 x 24 x 78                          | (80) 4 x 5 x 3<br>(90) 4 x 7 x 3<br>(9) 8 x 15 x 7<br>(6) 16 x 15 x 7  | (3) 59-3/4 x 16-3/8 | 668<br>649      |
| SSC-722484-BDLP-212-3S-95                                                                                                              | 72 x 24 x 84                                          | (96) 4 x 5 x 3<br>(96) 4 x 7 x 3<br>(8) 8 x 15 x 7<br>(12) 16 x 15 x 7 | (3) 71-3/4 x 16-3/8 | 786             |
| <b>Accessories</b>                                                                                                                     |                                                       |                                                                        |                     |                 |
| FDC-SH-3618-95                                                                                                                         | Extra Shelf for 36" wide cabinet - 1250 Lbs. capacity |                                                                        | 35-3/4 x 16-3/8     | 19              |
| FDC-SH-4818-95                                                                                                                         | Extra Shelf for 48" wide cabinet - 750 Lbs. capacity  |                                                                        | 47-3/4 x 16-3/8     | 25              |
| FDC-SH-6018-95                                                                                                                         | Extra Shelf for 60" wide cabinet - 500 Lbs capacity   |                                                                        | 59-3/4 x 16-3/8     | 33              |
| FDC-SH-7218-95                                                                                                                         | Extra Shelf for 72" wide cabinet - 500 Lbs capacity   |                                                                        | 71-3/4 x 16-3/8     | 36              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

For additional bin colors and dividers please see page 101



# 14 GAUGE CABINETS

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model  
3702-16-3S-95**

## Cabinet with 16 Hook-On-Bins® & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded 14-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor.
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.) | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------|-----------------------|-----------------------|-----------------|
| 3702-16-3S     | 36 x 24 x 78             | (16) 8 x 15 x 7       | (3) 33-15/16 x 15-7/8 | 1750                  | 403             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | -                     | Extra Shelf           | 1750                  | 19              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model  
3702-132-95**

## Cabinet with 132 Hook-On-Bins® (Recessed Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor

| Model    | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)             | Ship Wt. (lbs.) |
|----------|--------------------------|-----------------------------------|-----------------|
| 3702-132 | 36 x 24 x 78             | (96) 4 x 5 x 3<br>(36) 8 x 15 x 7 | 419             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customization Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **Email Orders: orders@durhammfg.com**
- **Other Information: info@durhammfg.com**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**

# 14 GAUGE CABINETS

## WITH ADJUSTABLE SHELVES

### Cabinets with Adjustable Shelves (Flush Door Style)

- All-welded, 14 gauge, steel construction
- Heavy duty hinges prevent doors from sagging or warping
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a pad-lockable hasp
- Choose from 42", 72" or 84" high cabinets
- Choose from units with 2, 3 or 4 shelves
- Adjustable shelves rest on louver uprights and adjust on 4" centers (no tools required)
- Doors open at 180° for full access
- Durable, gray, textured powder coat finish



**Model  
3501-4S-95**



**Model  
JC-482478-5S-95**

| Model                                   | Overall Dim: WxDxH (in.) | Shelves             | Shelf Cap. (lbs.) | Ship Wt. (lbs.) |
|-----------------------------------------|--------------------------|---------------------|-------------------|-----------------|
| 3600-95                                 | 36 x 18 x 48             | (2) 35-3/4 x 16-3/8 | 1250              | 209             |
| 3601-95                                 | 36 x 18 x 60             | (3) 35-3/4 x 16-3/8 | 1250              | 261             |
| 3602-95                                 | 36 x 18 x 72             | (4) 35-3/4 x 16-3/8 | 1250              | 304             |
| 3603-95                                 | 36 x 18 x 84             | (4) 35-3/4 x 16-3/8 | 1250              | 328             |
| FDC-SH-3618-95                          | 35-3/4 x 16-3/8          | Extra Shelf         | 1250              | 19              |
| 3500-95                                 | 36 x 24 x 84             | (3) 35-3/4 x 21-3/8 | 1000              | 363             |
| 3501-95                                 | 36 x 24 x 72             | (3) 35-3/4 x 21-3/8 | 1000              | 329             |
| 3501-4S-95                              | 36 x 24 x 72             | (4) 35-3/4 x 21-3/8 | 1000              | 348             |
| 3503-95                                 | 36 x 24 x 42             | (2) 35-3/4 x 21-3/8 | 1000              | 225             |
| FDC-SH-3624-95                          | 35-3/4 x 21-3/8          | Extra Shelf         | 1000              | 24              |
| 3502-95                                 | 48 x 24 x 72             | (3) 47-1/2 x 21-3/8 | 750               | 395             |
| 3502-4S-95                              | 48 x 24 x 72             | (4) 47-1/2 x 21-3/8 | 750               | 420             |
| FDC-SH-4824-95                          | 47-1/2 x 21-3/8          | Extra Shelf         | 750               | 32              |
| <b>Units with 6" High Box Legs/Base</b> |                          |                     |                   |                 |
| JC-482478-3S-95                         | 48 x 24 x 78             | (3) 47-1/2 x 21-3/8 | 750               | 409             |
| JC-482478-4S-95                         | 48 x 24 x 78             | (4) 47-1/2 x 21-3/8 | 750               | 433             |
| JC-482478-5S-95                         | 48 x 24 x 78             | (5) 47-1/2 x 21-3/8 | 750               | 458             |
| FDC-SH-4824-95                          | 47-3/4 x 21-3/8          | Extra Shelf         | 750               | 32              |
| SSC-602484-3S-95                        | 60 x 24 x 84             | (3) 59-1/2 x 21-3/8 | 500               | 504             |
| SSC-602484-4S-95                        | 60 x 24 x 84             | (4) 59-1/2 x 21-3/8 | 500               | 534             |
| SSC-602484-5S-95                        | 60 x 24 x 84             | (5) 59-1/2 x 21-3/8 | 500               | 564             |
| FDC-SH-6024-95                          | 59-3/4 x 21-3/8          | Extra Shelf         | 500               | 38              |

### Cabinet with Shelves and Door Shelves (4" Deep Box Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Fully welded louvered panels reinforce door and hold door shelves or Hook-On-Bins®
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model  
SJC-DLP-4S-14DS-95**


| Model              | Overall Dim: WxDxH (in.) | Shelves                                                  | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|--------------------------|----------------------------------------------------------|-----------------------|-----------------|
| DC36-4S12DS-95     | 36 x 24 x 72             | (4) 35-3/4 x 16-3/8<br>Door Shelves: (12) 11-1/2 x 3-3/4 | 1250                  | 403             |
| FDC-SH-3618-95     | 35-3/4 x 16-3/8          | Extra Shelf                                              | 1250                  | 19              |
| DSH-124-95         | 11-1/2 x 3-3/4           | Extra Door Shelf - 6 pack                                | 10                    | 9               |
| DC48-4S12DS-95     | 48 x 24 x 72             | (4) 47-3/4 x 16-3/8<br>Door Shelves: (12) 17-1/2 x 3-3/4 | 750                   | 491             |
| DC48-4S14DS-95     | 48 x 24 x 72             | (4) 47-3/4 x 16-3/8<br>Door Shelves: (14) 17-1/2 x 3-3/4 | 750                   | 498             |
| SJC-DLP-4S-14DS-95 | 48 x 24 x 84             | (4) 47-3/4 x 16-3/8<br>Door Shelves: (14) 17-1/2 x 3-3/4 | 750                   | 544             |
| FDC-SH-4818-95     | 47-3/4 x 16-3/8          | Extra Shelf                                              | 750                   | 25              |
| DSH-184-95         | 17-1/2 x 3-3/4           | Extra Door Shelf - 6 pack                                | 10                    | 13              |

# 14 GAUGE CABINETS


## CUSTOMIZABLE WITH NO BINS OR SHELVES



**Model**  
**3501-BDLP-95**



**Model**  
**JC-482478-BDLP-95**



**Model**  
**3602-BLP-95**



**Model**  
**SSC-602484-BDLP-95**

### Customizable Cabinet with No Bins or Shelves (Flush Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a pad-lockable hasp
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce doors and hold Hook-On-Bin® (accessory)
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- Optional Shelves or Hook-On-Bins® available as accessory
- Durable, gray, textured powder coat finish

| Model                                                                                                                                                | Overall Dim: WxDxH (in.) | Shelf capacity (lbs.) | Shelves       | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------------|---------------|-----------------|
| <b>Flush Doors - Louvered Panel on Back and Doors</b>                                                                                                |                          |                       |               |                 |
| 3501-BDLP-95                                                                                                                                         | 36 x 24 x 72             | -                     | Empty Cabinet | 320             |
| 3602-BLP-95                                                                                                                                          | 36 x 18 x 72             | -                     | Empty Cabinet | 282             |
| FDC-SH-3618-95                                                                                                                                       | 35-3/4 x 16-3/8          | 1250                  | Extra Shelf   | 19              |
| <b>Flush Doors - Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor</b> |                          |                       |               |                 |
| JC-482478-BDLP-95                                                                                                                                    | 48 x 24 x 78             | -                     | Empty Cabinet | 407             |
| FDC-SH-4818-95                                                                                                                                       | 47-3/4 x 16-3/8          | 750                   | Extra Shelf   | 25              |
| SSC-602484-BDLP-95                                                                                                                                   | 60 x 24 x 84             | -                     | Empty Cabinet | 529             |
| FDC-SH-6018-95                                                                                                                                       | 59-3/4 x 16-3/8          | 500                   | Extra Shelf   | 33              |
| <b>4" Deep Box Style Door - Main cabinet is 20"D; box style 4"D doors makes full cabinet depth 24"</b>                                               |                          |                       |               |                 |
| DC-482472-BDLP-95                                                                                                                                    | 48 x 24 x 72             | -                     | Empty Cabinet | 445             |
| SJC-BDLP-95*                                                                                                                                         | 48 x 24 x 84             | -                     | Empty Cabinet | 487             |
| FDC-SH-4818-95                                                                                                                                       | 47-3/4 x 16-3/8          | 750                   | Extra Shelf   | 25              |



**Model**  
**DCM36-BDLP-95**

### Customizable, Empty Mobile Cabinets

- All-welded, 14 gauge steel construction
- 3-point locking system with chrome handle and keys (2 keys are included)
- 4" Deep doors open at 180° for full access to product
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and back, also hold Hook-On-Bins® and Shelves\*
- (6) 3" phenolic casters with side brakes (all swivel)
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------|--------------------------|-----------------|
| DCM36-BDLP-95 | 36 x 24 x 76             | 382             |
| DCM48-BDLP-95 | 48 x 24 x 76             | 490             |

\* Hook-On-Bins® and shelves sold separately



# 14 GAUGE CABINETS


## WITH HOOK-ON-BINS® AND SHELVES



**Model**  
**DCM36-BDLP-96-4S-95**



**Model**  
**DCM36-BDLP-132-1795**



**Model**  
**DCM48-BDLP-168-5295**

### Ventilated Cabinets with Bins (Flush Door Style)

- All-welded, 14 gauge, steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Fully welded louvered panels accommodate Hook-On-Bins®
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                                                               | Shelf Capacity (lbs.) | Ship Wt. (lbs.) |
|-------------------|--------------------------|-------------------------------------------------------------------------------------|-----------------------|-----------------|
| DCM36-BDLP-96-4S  | 36 x 24 x 76             | (96) 4 x 5 x 3                                                                      | 1,250                 | 468             |
| DCM36-BDLP-102-3S | 36 x 24 x 76             | (48) 4 x 5 x 3, (48) 4 x 7 x 3<br>(6) 16 x 15 x 7                                   | 1,250                 | 474             |
| DCM36-BDLP-132    | 36 x 24 x 76             | (48) 4 x 5 x 3, (48) 4 x 7 x 3, (18) 6 x 11 x 5<br>(12) 8 x 15 x 7, (6) 16 x 15 x 7 | -                     | 464             |
| DCM48-BDLP-126-3S | 48 x 24 x 76             | (72) 4 x 5 x 3 (48) 4 x 7 x 3 (6) 16 x 15 x 7                                       | 750                   | 587             |
| DCM48-BDLP-168    | 48 x 24 x 76             | (72) 4 x 5 x 3 (48) 4 x 7 x 3 (24) 6 x 11 x 5<br>(18) 8 x 15 x 7 (6) 16 x 15 x 7    | -                     | 578             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### Ventilated Cabinets with Bins & Shelves (Flush Door Style)


- All-welded, 14 gauge, steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Fully welded back louvered panels accommodate Hook-On-Bins®
- Shelves and bins hook easily into place
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves | Shelf cap (lbs.) | Bins Dim WxDxH (in.)                                  | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|------------------|-------------------------------------------------------|-----------------|
| EMDC361845B     | 36 x 18 x 72             | -       | -                | (45) 6 x 11 x 5                                       | 303             |
| EMDC-361872-30B | 36 x 18 x 72             | -       | -                | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 310             |
| EMDC-362472-30B | 36 x 24 x 72             | -       | -                | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 339             |

#### Units with Bins & Shelves

|                    |                 |                     |          |                                    |     |
|--------------------|-----------------|---------------------|----------|------------------------------------|-----|
| EMDC36182S15B      | 36 x 18 x 72    | (2) 35-3/4 x 16-3/8 | (2) 1250 | 15 - 6 x 11 x 7                    | 307 |
| EMDC-361872-18B-2S | 36 x 18 x 72    | (2) 35-3/4 x 16-3/8 | (2) 1250 | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 329 |
| FDC-SH-3618-95     | 35-3/4 x 16-3/8 | Extra Shelf         | 1250     | -                                  | 19  |
| EMDC36242S15B      | 36 x 24 x 72    | (2) 35-3/4 x 21-3/8 | (2) 1000 | 15 - 6 x 11 x 7                    | 343 |
| FDC-SH-3624-95     | 35-3/4 x 21-3/8 | Extra Shelf         | 1000     | -                                  | 24  |
| EMDC-482472-6B-3S  | 48 x 24 x 72    | (3) 47-3/4 x 21-3/8 | 750      | (6) 16 x 15 x 7                    | 439 |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**



**Model**  
**EMDC-361872-30B-95**




**Model**  
**EMDC-482472-6B-3S-95**

For additional bin colors and dividers please see page 101



# VENTILATED CABINETS

## SHELF CABINETS, LOCKER, JANITORIAL



**Model**  
**EMDC-361872-2S-95**

### Heavy duty Ventilated Cabinets with Adjustable Shelves (Flush Door Style)

- All-welded, 14 gauge, steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Cabinets ship full assembled
- Durable, gray, textured powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Shelves             | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-------------------|--------------------------|---------------------|-----------------------|-----------------|
| EMDC-361848-95    | 36 x 18 x 48             | (2) 35-3/4 x 16-3/8 | 1250                  | 198             |
| EMDC-361860-95    | 36 x 18 x 60             | (3) 35-3/4 x 16-3/8 | 1250                  | 244             |
| EMDC-361872-95    | 36 x 18 x 72             | (4) 35-3/4 x 16-3/8 | 1250                  | 287             |
| EMDC-361872-2S-95 | 36 x 18 x 72             | (35-3/4 x 16-3/8    | 1250                  | 294             |
| EMDC-361884-95    | 36 x 18 x 84             | (4) 35-3/4 x 16-3/8 | 1250                  | 307             |
| FDC-SH-3618-95    | 35-3/4 x 16-3/8          | Extra shelf         | 1250                  | 19              |
| EMDC-362442-95    | 36 x 24 x 42             | (2) 35-3/4 x 21-3/8 | 1000                  | 215             |
| EMDC-362472-95    | 36 x 24 x 72             | (3) 35-3/4 x 21-3/8 | 1000                  | 311             |
| EMDC-362472-4S-95 | 36 x 24 x 72             | (4) 35-3/4 x 21-3/8 | 1000                  | 331             |
| EMDC-362484-95    | 36 x 24 x 84             | (3) 35-3/4 x 21-3/8 | 1000                  | 342             |
| FDC-SH-3624-95    | 35-3/4 x 21-3/8          | Extra shelf         | 1000                  | 24              |
| EMDC-481872-95    | 48 x 18 x 72             | (3) 47-3/4 x 16-3/8 | 750                   | 330             |
| FDC-SH-4818-95    | 47-3/4 x 16-3/8          | Extra shelf         | 750                   | 25              |
| EMDC-482472-95    | 48 x 24 x 72             | (3) 47-3/4 x 21-3/8 | 750                   | 374             |
| FDC-SH-4824-95    | 47-3/4 x 21-3/8          | Extra shelf         | 750                   | 32              |




**Model**  
**HDCL-242478-4S-95**

### 16 Gauge, Visible Locker with 4 Adjustable Shelves

- All-welded, 16 gauge, steel construction
- Adjustable shelves rest on louver uprights and adjust on 4" centers
- Punched diamond pattern in door allows ventilation and content visibility
- Shelves install easily with no tools required
- 3-point locking system with pad lockable handle (padlock not included)
- Gray, textured, powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Shelves             | Ship Wt. (lbs.) |
|-------------------|--------------------------|---------------------|-----------------|
| HDCL-242478-4S-95 | 24 x 24-1/8 x 78         | (4) 21-3/8 x 23-3/4 | 249             |



**Model**  
**EMDCJC-361872-4S-95**

### Janitorial Cabinet with Wardrobe/Broom Storage, 1 Fixed Shelf & 4 Adjustable Shelves (Flush Door Style)

- All-welded, 14 gauge, steel construction
- Punched diamond pattern in doors allows content visibility
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Adjustable shelves have 300 Lbs capacity, fixed shelf has 1250 Lbs. capacity (all weights evenly distributed)
- Hanger bar for uniforms, jackets, etc...
- Durable, gray, textured powder coat finish

| Model               | Overall Dim: WxDxH (in.) | Shelves                                          | Shelf Cap. (lbs.)   | Ship Wt. (lbs.) |
|---------------------|--------------------------|--------------------------------------------------|---------------------|-----------------|
| EMDCJC-361872-4S-95 | 36 x 18 x 72             | (1) Fixed 35-3/4 x 16-3/8<br>(4) 17-5/8 x 16-3/8 | (1) 1250<br>(4) 300 | 287             |

# 14 GAUGE CABINETS

## HEAVY DUTY WITH ADJUSTABLE SHELVES

### Heavy Duty Lockable Storage Cabinets (Recessed Door Style)

- All-welded, 14 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model  
3702-4S-95**

| Model          | Overall Dim: WxDxH (in.) | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------|-----------------------|-----------------|
| 2702-4S-95     | 36 x 18 x 78             | (4) 33-15/16 x 15-7/8 | 1750                  | 316             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | Extra Shelf           | 1750                  | 19              |
| 2703-4S-95     | 48 x 18 x 78             | (4) 45-15/16 x 15-7/8 | 1000                  | 383             |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8        | Extra Shelf           | 1000                  | 24              |
| 2704-4S-95     | 60 x 18 x 78             | (4) 57-15/16 x 15-7/8 | 750                   | 489             |
| HDC-SH-1860-95 | 57-15/16 x 15-7/8        | Extra Shelf           | 750                   | 33              |
| 3700-2S-95     | 36 x 24 x 42             | (2) 33-15/16 x 20-7/8 | 1900                  | 222             |
| 3701-3S-95     | 36 x 24 x 60             | (3) 33-15/16 x 20-7/8 | 1900                  | 293             |
| 3702-4S-95     | 36 x 24 x 78             | (4) 33-15/16 x 20-7/8 | 1900                  | 359             |
| HDC-SH-2436-95 | 33-15/16 x 20-7/8        | Extra Shelf           | 1900                  | 21              |
| 3703-4S-95     | 48 x 24 x 78             | (4) 45-15/16 x 20-7/8 | 1200                  | 436             |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8        | Extra Shelf           | 1200                  | 28              |
| 3704-4S-95     | 60 x 24 x 78             | (4) 57-15/16 x 20-7/8 | 1650                  | 567             |
| HDC-SH-2460-95 | 57-15/16 x 20-7/8        | Extra Shelf           | 1650                  | 39              |

## 12 GAUGE, EXTRA HEAVY DUTY

### Extra Heavy Duty Lockable Storage Cabinets (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model  
HDC-244878-4S95**

| Model           | Overall Dim: WxDxH (in.) | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------|-----------------------|-----------------|
| HDC-183678-4S95 | 36 x 18 x 78             | (4) 33-15/16 x 15-7/8 | 1750                  | 368             |
| HDC-SH-1836-95  | 33-15/16 x 15-7/8        | Extra Shelf           | 1750                  | 19              |
| HDC-203678-4S95 | 36 x 20 x 78             | (4) 33-15/16 x 16-7/8 | 1900                  | 388             |
| HDC-SH-2036-95  | 33-15/16 x 16-7/8        | Extra Shelf           | 1900                  | 19              |
| HDC-243666-3S95 | 36 x 24 x 66             | (3) 20-7/8 x 33-15/16 | 1900                  | 365             |
| HDC-243678-4S95 | 36 x 24 x 78             | (4) 20-7/8 x 33-15/16 | 1900                  | 424             |
| HDC-SH-2436-95  | 20-7/8 x 33-15/16        | Extra Shelf           | 1900                  | 21              |
| HDC-244866-3S95 | 48 x 24 x 66             | (3) 20-7/8 x 45-15/16 | 1200                  | 455             |
| HDC-244878-4S95 | 48 x 24 x 78             | (4) 20-7/8 x 45-15/16 | 1200                  | 501             |
| HDC-SH-2448-95  | 20-7/8 x 45-15/16        | Extra Shelf           | 1200                  | 28              |
| HDC-246066-3S95 | 60 x 24 x 66             | (3) 20-7/8 x 57-15/16 | 1650                  | 559             |
| HDC-246078-4S95 | 60 x 24 x 78             | (4) 20-7/8 x 57-15/16 | 1650                  | 652             |
| HDC-SH-2460-95  | 20-7/8 x 57-15/16        | Extra Shelf           | 1650                  | 39              |
| HDC-247266-3S95 | 72 x 24 x 66             | (3) 20-7/8 x 69-15/16 | 1525                  | 639             |
| HDC-247278-4S95 | 72 x 24 x 78             | (4) 20-7/8 x 69-15/16 | 1525                  | 746             |
| HDC-SH-2472-95  | 20-7/8 x 69-15/16        | Extra Shelf           | 1525                  | 54              |
| HDC-363678-4S95 | 36 x 36 x 78             | (4) 33-15/16 x 32-7/8 | 1900                  | 508             |
| HDC-367266-4S95 | 72 x 36 x 66             | (4) 69-15/16 x 32-7/8 | 1525                  | 830             |

# 12 GAUGE CABINETS

## EXTRA HEAVY DUTY COUNTER TOP

### Heavy Duty Counter Top Height Cabinets (Recessed Door Style)



**Model**  
**HDC-203636-2S95**

- Heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- 24" wide model only has one door
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------|-----------------------|-----------------|
| HDC-202436-2S95 | 24 x 20 x 36             | (2) 21-15/16 x 16-7/8 | 1900                  | 182             |
| HDC-SH-2024-95  | 21-15/16 x 16-7/8        | Extra Shelf           | 1900                  | 14              |
| HDC-203636-2S95 | 36 x 20 x 36             | (2) 33-15/16 x 16-7/8 | 1900                  | 227             |
| HDC-203642-2S95 | 36 x 20 x 42             | (2) 33-15/16 x 16-7/8 | 1900                  | 248             |
| HDC-SH-2036-95  | 33-15/16 x 16-7/8        | Extra Shelf           | 1900                  | 19              |
| HDC-243636-2S95 | 36 x 24 x 36             | (2) 33-15/16 x 20-7/8 | 1900                  | 248             |
| HDC-243642-2S95 | 36 x 24 x 42             | (2) 33-15/16 x 20-7/8 | 1900                  | 271             |
| HDC-SH-2436-95  | 33-15/16 x 20-7/8        | Extra Shelf           | 1900                  | 21              |
| HDC-244842-2S95 | 48 x 24 x 42             | (2) 45-15/16 x 20-7/8 | 1200                  | 319             |
| HDC-SH-2448-95  | 45-15/16 x 20-7/8        | Extra Shelf           | 1200                  | 28              |

# EXTRA HEAVY DUTY CABINETS

## VENTILATED SHELF CABINETS

### Extra Heavy Duty Lockable Ventilated Storage Cabinets (Recessed Door Style)



**Model**  
**HDCV243678-4S95**

- Extra heavy duty, all-welded, 12-gauge steel
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves               | Shelf Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------|-----------------------|-----------------|
| HDCV243678-4S95 | 36 x 24 x 78             | (4) 33-15/16 x 20-7/8 | 1900                  | 470             |
| HDC-SH-2436-95  | 33-15/16 x 20-7/8        | Extra Shelf           | 1900                  | 21              |
| HDCV244878-4S95 | 48 x 24 x 78             | (4) 45-15/16 x 20-7/8 | 1200                  | 492             |
| HDC-SH-2448-95  | 45-15/16 x 20-7/8        | Extra Shelf           | 1200                  | 28              |
| HDCV246078-4S95 | 60 x 24 x 78             | (4) 57-15/16 x 20-7/8 | 1650                  | 633             |
| HDC-SH-2460-95  | 57-15/16 x 20-7/8        | Extra Shelf           | 1650                  | 39              |

# 12 GAUGE CABINETS

## EXTRA HEAVY DUTY CLEARVIEW W/ LEXAN DOORS

### Extra Heavy Duty Clearview Lockable Storage Cabinets

(Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- Lexan doors allows content to be visible while protecting products from dust and the environment
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**HDCC244878-4S95**

| Model           | Overall Dim: WxDxH (in.) | Shelves                 | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-------------------------|-----------------------|-----------------|
| HDCC244866-3S95 | 48 x 24 x 66             | (3) 45-15/16 x 20-7/8   | 1200                  | 487             |
| HDCC244878-4S95 | 48 x 24 x 78             | (4) 45-15/16 x 20-7/8   | 1200                  | 571             |
| HDC-SH-2448-95  | 45-15/16 x 20-27/32      | Extra Shelf             | 1200                  | 26              |
| HDCC246078-4S95 | 60 x 24 x 78             | (4) 57-15/16 x 20-27/32 | 1650                  | 699             |
| HDC-SH-2460-95  | 57-15/16 x 20-27/32      | Extra Shelf             | 1650                  | 37              |

# 12 GAUGE CABINETS

## CLEARVIEW COUNTER TOP CABINET W/ LEXAN

### Extra Heavy Duty Clearview Counter Top Lockable Storage Cabinets

(Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- Lexan doors allows content to be visible while protecting products from dust and the environment
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**HDCC202436-2S95**

| Model           | Overall Dim: WxDxH (in.) | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------|-----------------------|-----------------|
| HDCC202436-2S95 | 24 x 20 x 36             | (2) 21-15/16 x 16-7/8 | 1900                  | 182             |
| HDC-SH-2024-95  | 21-15/16 x 16-7/8        | Extra Shelf           | 1900                  | 14              |
| HDCC203636-2S95 | 36 x 20 x 36             | (2) 33-15/16 x 16-7/8 | 1900                  | 226             |
| HDCC203642-2S95 | 36 x 20 x 42             | (2) 33-15/16 x 16-7/8 | 1900                  | 256             |
| HDC-SH-2036-95  | 33-15/16 x 16-7/8        | Extra Shelf           | 1900                  | 19              |
| HDCC243636-2S95 | 36 x 24 x 36             | (2) 33-15/16 x 20-7/8 | 1900                  | 247             |
| HDCC243642-2S95 | 36 x 24 x 42             | (2) 33-15/16 x 20-7/8 | 1900                  | 278             |
| HDC-SH-2436-95  | 33-15/16 x 20-7/8        | Extra Shelf           | 1900                  | 21              |
| HDCC244842-2S95 | 48 x 24 x 42             | (2) 45-15/16 x 20-7/8 | 1200                  | 319             |
| HDC-SH-2448-95  | 45-15/16 x 20-7/8        | Extra Shelf           | 1200                  | 28              |

# 12 GAUGE CABINETS

## EXTRA HEAVY DUTY DOUBLE SHIFT



**Model**  
**HDDS243678-8S95**

### Extra Heavy Duty Lockable Double Shift Storage Cabinets (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- Double shift cabinet allows one shifts valuables to be stored while another is on duty
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Cabinets ship fully assembled

| Model           | Overall Dim: WxDxH (in.) | Shelves               | Shelf Cap. (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------|-------------------|-----------------|
| HDDS243666-6S95 | 36 x 24 x 66             | (6) 15-9/16 x 20-7/8  | 950               | 429             |
| HDDS243678-8S95 | 36 x 24 x 78             | (8) 15-9/16 x 20-7/8  | 950               | 499             |
| HDC-SH-2418-95  | 15-9/16 x 20-7/8         | Extra Shelf           | 950               | 15              |
| HDDS244866-6S95 | 48 x 24 x 66             | (6) 22-1/16 x 20-7/8  | 950               | 500             |
| HDDS244878-8S95 | 48 x 24 x 78             | (8) 22-1/16 x 20-7/8  | 600               | 582             |
| HDC-SH-2424-95  | 22-1/16 x 20-7/8         | Extra Shelf           | 600               | 19              |
| HDDS246066-6S95 | 60 x 24 x 66             | (6) 27-9/16 x 20-7/8  | 2000              | 591             |
| HDDS246078-8S95 | 60 x 24 x 78             | (8) 27-9/16 x 20-7/8  | 2000              | 686             |
| HDC-SH-2430-95  | 27-9/16 x 20-7/8         | Extra Shelf           | 2000              | 21              |
| HDDS247266-6S95 | 72 x 24 x 66             | (6) 33-15/16 x 20-7/8 | 1900              | 668             |
| HDDS247278-8S95 | 72 x 24 x 78             | (8) 33-15/16 x 20-7/8 | 1900              | 773             |
| HDC-SH-2436-95  | 33-15/16 x 20-7/8        | Extra Shelf           | 1900              | 21              |

# 12 GAUGE CABINETS

## MAINTENANCE CABINET



**Model**  
**HDJC243678-4S95**

### Extra Heavy Duty Lockable Maintenance Cabinets (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Maintenance cabinets include 4 adjustable 1/2 shelves.
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Shelves              | Shelf capacity (lbs.)  | Ship Wt. (lbs.) |
|-----------------|--------------------------|----------------------|------------------------|-----------------|
| HDJC243678-4S95 | 36 x 24 x 78             | (4) 15-9/16 x 20-7/8 | (4) 950 Lbs.           | 421             |
| HDC-SH-2418-95  | 15-9/16 x 20-7/8         | Extra Shelf          | Extra Shelf - 950 Lbs. | 15              |
| HDJC244878-4S95 | 48 x 24 x 78             | (4) 27-9/16 x 20-7/8 | (4) 2000               | 504             |
| HDC-SH-2430-95  | 27-9/16 x 20-7/8         | Extra Shelf          | Extra Shelf - 2000     | 21              |
| HDJC246078-4S95 | 60 x 24 x 78             | (4) 39-9/16 x 20-7/8 | (4) 1250               | 609             |
| HDC-SH-2442-95  | 39-9/16 x 20-7/8         | Extra Shelf          | Extra Shelf - 1250     | 26              |



# 12 GAUGE CABINETS

## MAINTENANCE CABINET WITH HOOK-ON-BINS®

### Maintenance Cabinets with Hook-On-Bins & Shelves

(Recessed Door Style)

- Extra heavy duty, all-welded, 12 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDJC243678-60-4S95**

| Model               | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)              | Shelf dims (in.)                                               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|---------------------|--------------------------|------------------------------------|----------------------------------------------------------------|-----------------------|-----------------|
| HDJC243678-60-4S95  | 36 x 24 x 78             | (48) 4 x 5 x 3<br>(12) 8 x 15 x 7  | (1) Fixed: 35-3/4 x 21-3/8<br>(3) Adjustable: 20-7/8 x 15-9/16 | 1000<br>950           | 414             |
| HDJC244878-165-4S95 | 48 x 24 x 78             | (144) 4 x 7 x 3<br>(24) 8 x 15 x 7 | (1) Fixed: 47-3/4 x 16-3/8<br>(3) Adjustable: 17-5/8 x 16-3/8  | 750<br>950            | 599             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

# 12 GAUGE CABINETS

## WARDROBE CABINET

### Extra Heavy Duty Wardrobe Cabinets with Shelves

(Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Doors open at 180° for full access to product
- Includes 4 adjustable shelves, 1 storage compartment and a rod for hanging apparel
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDWC244878-5S95**

| Model           | Overall Dim: WxDxH (in.) | Shelves                                                         | Shelf Cap. (lbs.)   | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------------------------------------------------------|---------------------|-----------------|
| HDWC243678-5S95 | 36 x 24 x 78             | (4) Adjustable: 20-7/8 x 15-9/16<br>(1) Fixed: 19-3/16 x 18     | (1) 300<br>(4) 950  | 431             |
| HDC-SH-2418-95  | 20-7/8 x 15-9/16         | Extra Shelf                                                     | 950                 | 15              |
| HDWC244878-5S95 | 48 x 24 x 78             | (4) Adjustable: 27-9/16 x 20-7/8<br>(1) Fixed: (1) 19-3/16 x 18 | (1) 300<br>(4) 2000 | 514             |
| HDC-SH-2430-95  | 27-9/16 x 20-7/8         | Extra Shelf                                                     | 2000                | 21              |
| HDWC246078-5S95 | 60 x 24 x 78             | (4) Adjustable: 39-3/16 x 20-7/8<br>(1) Fixed: (1) 19-3/16 x 18 | (1) 300<br>(4) 1250 | 620             |
| HDC-SH-2442-95  | 39-9/16 x 20-7/8         | Extra Shelf                                                     | 1250                | 26              |

# 12 GAUGE CABINETS

## WARDROBE CABINET WITH SHELVES & DRAWERS



**Model**  
**HDWC244878-7M95**

### Extra Heavy Duty Wardrobe Cabinets with Shelves & Drawers (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Doors open at 180° for full access to product
- Bearing slide drawers glide smoothly and have a 400 lb. capacity
- Cabinets include 3 shelves, 2 fixed, one adjustable, one storage compartment and a rod for hanging apparel
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Drawers (in.)            | Shelves                                                                              | Shelf Cap. (lbs.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|--------------------------|--------------------------------------------------------------------------------------|-------------------|-----------------|
| HDWC243678-7M95 | 36 x 24 x 78             | (7) 12-5/16 x 20-1/8 x 4 | 1 Fixed: 19-3/8 x 18<br>1 Adjustable: 15-9/16 x 20-7/8                               | 950               | 550             |
| HDC-SH-2418-95  | 15-9/16 x 20-7/8         | -                        | Extra shelf                                                                          | 950               | 15              |
| HDWC244878-7M95 | 48 x 24 x 78             | (7) 24-5/16 x 20-1/8 x 4 | 1 Fixed: 19-3/8 x 18<br>1 Adjustable: 27-9/16 x 20-7/8                               | 2000              | 668             |
| HDC-SH-2430-95  | 27-9/16 x 20-7/8         | -                        | Extra shelf                                                                          | 2000              | 21              |
| HDWC246078-7M95 | 60 x 24 x 78             | (7) 36-5/16 x 20-1/8 x 4 | 1 Fixed: 19-3/8 x 18,<br>1 Fixed: 39-9/16 x 20-7/8<br>1 Adjustable: 39-9/16 x 20-7/8 | 1250              | 814             |

# 12 GAUGE CABINETS

## WITH HOOK-ON-BINS®, 1 SHELF & DRAWERS



**Model**  
**HDCCD243678-120-4M95**

### Cabinet with 120 Hook-On-Bins®, 1 Shelf & 4 Drawers (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model                | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                                | Shelf capacity (lbs.) | Drawers Dim: WxDxH (in.)                             | Ship Wt. (lbs.) |
|----------------------|--------------------------|------------------------------------------------------|-----------------------|------------------------------------------------------|-----------------|
| HDCCD243678-120-4M95 | 36 x 24 x 78             | (96) 4 x 7 x 3<br>(12) 6 x 11 x 5<br>(12) 8 x 15 x 7 | 1750                  | (2) 29-3/4 x 14-1/16 x 4<br>(2) 29-3/4 x 14-1/16 x 6 | 607             |
| HDC-SH-1836-95       | 33-15/16 x 15-7/8        |                                                      | Extra Shelf           |                                                      | 19              |

# 12 GAUGE CABINETS WITH TILT-BINS

## WITH SHELVES, DRAWERS AND HOOK-ON BINS®



**Model**  
**HDC60-72DC18TB5B95**

### 12 Gauge Tilt-Bin Cabinet with Shelves, Drawers & Hook-On Bins®

(4" Deep Box Door Style)

- Extra heavy duty, all-welded, 12 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Heavy duty hinges prevent doors from sagging or warping
- 5" x 1-1/4" rigid polyurethane casters under each door to prevent sagging
- Drawers have a 400 lb. capacity
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Shelves have 500 lb. capacity
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- The tilt-out bins open at a 50 degree angle
- Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                                         | Shelves Dimensions (in.)                   | Drawers (in.)                                          | Ship Wt. (lbs.) |
|--------------------|--------------------------|---------------------------------------------------------------|--------------------------------------------|--------------------------------------------------------|-----------------|
| HDC60-72DC18TB5B95 | 60 x 36 x 60             | (18 Tilt bins) 15 x 5-3/4 x 6-1/2<br>(60 Door Bins) 4 x 5 x 3 | (1) 59-3/4 x 21-3/8<br>(1) 35-3/8 x 20-1/8 | (2) 36-5/16 x 21-1/16 x 4<br>(2) 36-5/16 x 21-1/16 x 6 | 762             |

For additional bin colors and dividers please see page 101

# 12 GAUGE CABINETS WITH TILT-BINS

## WITH SHELVES AND HOOK-ON BINS®



**Model**  
**HDC36-24DC24TB2S95**



**Model**  
**HDC36-DC12TB4S95**



**Model**  
**HDC36-DC24TB4S95**

### 12 Gauge Tilt-Bin Cabinet with Shelves & Hook-On Bins® (4" Deep Box Door Style)

- Extra heavy duty, all-welded, 12-gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Heavy duty hinges prevent doors from sagging or warping
- 5" x 1-1/4" rigid polyurethane casters under each door to prevent sagging
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- The tilt-out bins open at a 50° degree angle
- Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                      | Shelves Dimensions                                       | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|--------------------------|--------------------------------------------|----------------------------------------------------------|-----------------------|-----------------|
| HDC36-24DC24TB2S95 | 36 x 36 x 78             | (12) 8 x 15 x 7<br>(24) 15 x 5-3/4 x 6-1/2 | (2) 33-15/16 x 20-7/8                                    | 1900                  | 549             |
| HDC36-DC12TB4S95   | 36 x 36 x 78             | (12) 15 x 5-3/4 x 6-1/2                    | (4) 33-15/16 x 20-7/8<br>(6) 11-1/2 x 3-3/4 Door Shelves | 1900                  | 546             |
| HDC36-DC24TB4S95   | 36 x 36 x 78             | (24) 15 x 5-3/4 x 6-1/2                    | (4) 33-15/16 x 20-7/8                                    | 1900                  | 527             |



**Model**  
**HDJ36-12DC24TB4S95**

### 12 Gauge Tilt-Bin Cabinet with Shelves & Hook-On-Bins® (4" Deep Box Door Style)


- Extra heavy duty, all-welded, 12 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Heavy duty hinges prevent doors from sagging or warping
- 5" x 1-1/4" rigid polyurethane casters under each door to prevent sagging
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- The tilt-out bins open at a 50 degree angle
- Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Bins Dim: WxDxH (in.)                      | Shelves Dimensions (in.)                    | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|--------------------------|--------------------------------------------|---------------------------------------------|-----------------------|-----------------|
| HDJ36-12DC24TB4S95 | 36 x 36 x 78             | (12) 8 x 15 x 7<br>(24) 15 x 5-3/4 x 6-1/2 | (1) 35-3/4 x 21-3/8<br>(3) 15-9/16 x 20-7/8 | 1000<br>950           | 564             |




# 12 GAUGE CABINETS

## WITH PEGBOARD DOORS AND SHELVES




**Model**  
**HDCP244878-2S95**



**Model**  
**HDCP244878-3S95**



**Model**  
**HDCP244878-4S95**



**Model**  
**HDCP246078-4S95**

### Extra Heavy Duty Cabinet with Pegboard Doors & Shelves

- Extra heavy duty, all-welded, 12 gauge steel construction
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Heavy duty hinges prevent doors from sagging or warping
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 16 gauge steel pegboard are welded to both doors
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Doors open at 180° for full access to product
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                              | Overall Dim: WxDxH (in.) | Shelves               | Shelf Capacity (lbs.) | Ship Wt. (lbs.) |
|------------------------------------|--------------------------|-----------------------|-----------------------|-----------------|
| HDCP243678-4S95                    | 36 x 24 x 78             | (4) 33-15/16 x 20-7/8 | 1,900                 | 461             |
| HDCP244878-2S95                    | 48 x 24 x 78             | (2) 45-15/16 x 15-7/8 | 1,000                 | 504             |
| HDCP244878-3S95                    | 48 x 24 x 78             | (3) 45-15/16 x 15-7/8 | 1,000                 | 522             |
| HDCP244878-4S95                    | 48 x 24 x 78             | (4) 45-15/16 x 20-7/8 | 1,000                 | 560             |
| HDCP246078-4S95                    | 60 x 24 x 78             | (4) 57-15/16 x 20-7/8 | 750                   | 721             |
| HDCP304878-2S95                    | 48 x 30 x 78             | (2) 45-15/16 x 20-7/8 | 1,000                 | 555             |
| HDCP306078-3S95                    | 60 x 30 x 78             | (3) 57-15/16 x 20-7/8 | 750                   | 740             |
| <b>32 Peg Hook pieces included</b> |                          |                       |                       |                 |
| HDCP243678-PB32-4S95               | 36 x 24 x 78             | (4) 33-15/16 x 15-7/8 | 1,900                 | 448             |
| HDCP244878-PB32-4S95               | 48 x 24 x 78             | (4) 45-15/16 x 15-7/8 | 1,000                 | 543             |
| HDCP246078-PB32-4S95               | 60 x 24 x 78             | (4) 57-15/16 x 15-7/8 | 750                   | 700             |

### Extra Heavy Duty Cabinet with Pegboard doors & Pullout Shelves

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Pullout shelves come installed and have a weight capacity of 400 Lbs. each
- Distance between shelves is 11-5/8"
- Heavy duty hinges prevent doors from sagging or warping
- Bearing slide drawers glide smoothly and have a capacity of 400 Lbs. each
- Doors open at 180° for full access to product
- 16 gauge steel pegboard are welded to both doors
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 6"H base/legs provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDCDP244878-4SS6B95**

| Manufacturer Model # | Overall Dim: WxDxH (in.) | Drawers WxDxH (in.)       | Shelf Dimensions WxD (in.)       | Ship Wt. (lbs.) |
|----------------------|--------------------------|---------------------------|----------------------------------|-----------------|
| HDCDP244878-4SS6B95  | 48 x 24 x 78             | (6) 19-9/16 x 14-1/16 x 6 | (4) 41-3/16 x 15-7/8 - Slide Out | 799             |



# 12 GAUGE CABINETS

## PEGBOARD DOOR CABINETS WITH SHELVES



**Model**  
**HDCDB243678-4M95**

### Heavy Duty Cabinets with Pegboard Doors, Drawers, Shelves and Utility Storage Hangar

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Drawers glide smoothly on bearing slides and have a 400 lb. capacity each
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Shelf Capacity: 1,750 Lbs per shelf
- Utility storage hanger is included and comes installed
- Doors open at 180° for full access to product
- 16 gauge steel pegboard are welded to both doors
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 6"H base/legs provide access for forklifts; pre-punched holes allow for lagging to the floor.
- Durable, gray, textured powder coat finish

| Manufacturer Model # | Overall Dim: WxDxH (in.) | Drawers WxDxH (in.)                                      | Shelves                                             | Ship Wt. (lbs.) |
|----------------------|--------------------------|----------------------------------------------------------|-----------------------------------------------------|-----------------|
| HDCDB243678-4M95     | 36 x 24 x 78             | (2) 30-11/16 x 14-1/16 x 4<br>(2) 30-11/16 x 14-1/16 x 6 | (3) 33-15/16 x 15-7/8<br>(2) Adjustable - (1) fixed | 561             |



**Model**  
**HDCDPWT243678-3M95**

### Heavy Duty Cabinets with Pegboard Doors, Drawers, 1 Shelf and Butcherblock Work surface

- Extra heavy duty, all-welded, 12 gauge, steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Shelf bolt into place easily using fasteners provided and adjust on 2-1/2" centers
- 16 gauge steel pegboard are welded to both doors
- 1-1/2" centers and accommodate standard peg hooks (not included)
- 6"H base/legs which provide access for forklifts; pre-drilled holes allow for lagging to the floor
- (3) Bearing slide drawers: 400 lb. capacity (30-11/16 x 14-1/16 x 4)
- (1) 60 piece toolholder set (tools not included)
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Shelves                                                                       | Shelf Capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|--------------------------|-------------------------------------------------------------------------------|-----------------------|-----------------|
| HDCDPWT243678-3M95 | 36 x 24 x 78             | 1 (adjustable) 33-15/16 x 15-7/8<br>1 (Fixed Butcher block) 33-15/16 x 15-7/8 | 1,750                 | 571             |

# 12 GAUGE CABINETS

## PEGBOARD DOOR CABINETS WITH DRAWERS



**Model**  
**HDWCP244878-4M95**



**Model**  
**HDWCP246078-7M95**

### Heavy Duty Wardrobe Cabinets with Pegboard Doors

- Extra heavy duty, all-welded, 12 gauge steel construction
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 14 gauge steel pegboard are welded to both doors
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Doors open at 180° for full access to product
- Bearing slide drawers glide smoothly and have a 400 lb. capacity
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Shelves                                                   | Shelf Capacity (lbs.) | Drawers                   | Ship Wt. (lbs.) |
|------------------|--------------------------|-----------------------------------------------------------|-----------------------|---------------------------|-----------------|
| HDWCP244878-4M95 | 48 x 24 x 78             | (3) Adjustable 27-9/16 x 15-7/8<br>(1) Fixed 19-3/16 x 18 | 1000                  | (4) 24-5/16 x 14-1/16 x 4 | 642             |
| HDWCP246078-7M95 | 60 x 24 x 78             | (2) Adjustable 39-9/16 x 15-7/8<br>(1) Fixed 19-3/16 x 18 | 750                   | (7) 36-5/16 x 14-1/16 x 4 | 856             |

### Optional Shelving for Pegboard Cabinets

- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 14 gauge heavy duty shelves
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------|-----------------|
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | 1,750                 | 19              |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8        | 1,000                 | 24              |
| HDC-SH-1860-95 | 57-15/16 x 15-7/8        | 750                   | 33              |
| HDC-SH-2436-95 | 33-15/16 x 20-7/8        | 1,900                 | 21              |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8        | 1,200                 | 28              |
| HDC-SH-2460-95 | 57-15/16 x 20-7/8        | 1,650                 | 39              |



**Model**  
**HDC-SH-1848-95**

# 12 GAUGE CABINETS WITH SHELVES AND DRAWERS



**Model**  
**HDCD243678-3B95**




**Model**  
**HDCD243678-3M95**



**Model**  
**HDCD243678-7B95**



**Model**  
**HDCD246078-6B95**




**Model**  
**HDCD243678-8M95**

## Extra Heavy Duty Cabinet with Drawers, Pegboard & Shelf Cabinet

- Extra heavy duty, all-welded, 12 gauge steel construction
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Heavy duty hinges prevent doors from sagging or warping
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Doors open at 180° for full access to product
- Bearing slide drawers glide smoothly and have a 400 lb. capacity
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Drawers                                          | Shelves               | Ship Wt. (lbs.) |
|-----------------|--------------------------|--------------------------------------------------|-----------------------|-----------------|
| HDCD243678-3B95 | 36 x 24 x 78             | (3) 29-3/4 x 20-1/8 x 6                          | (4) 33-15/16 x 20-7/8 | 531             |
| HDCD243678-3M95 | 36 x 24 x 78             | (1) 29-3/4 x 20-1/8 x 4, (2) 29-3/4 x 20-1/8 x 6 | (3) 33-15/16 x 20-7/8 | 507             |
| HDCD244878-6B95 | 48 x 24 x 78             | (6) 17-3/4 x 20-1/8 x 6                          | (4) 45-15/16 x 20-7/8 | 678             |
| HDCD246078-6B95 | 60 x 24 x 78             | (6) 23-3/4 x 20-1/8 x 6                          | (4) 57-15/16 x 20-7/8 | 851             |
| HDCD247278-6B95 | 72 x 24 x 78             | (6) 29-3/4 x 20-1/8 x 6                          | (4) 69-15/16 x 20-7/8 | 965             |
| HDCD243678-7B95 | 36 x 24 x 78             | (4) 29-3/4 x 20-1/8 x 4, (3) 29-3/4 x 20-1/8 x 6 | (2) 33-15/16 x 20-7/8 | 615             |
| HDCD243678-8M95 | 36 x 24 x 78             | (4) 29-3/4 x 20-1/8 x 4, (4) 29-3/4 x 20-1/8 x 6 | (2) 33-15/16 x 20-7/8 | 637             |

## Optional Shelves



**Model**  
**HDC-SH-2436-95**


- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 14 gauge heavy duty shelves
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------|-----------------|
| HDC-SH-2436-95 | 33-15/16 x 20-7/8        | 1,900                 | 21              |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8        | 1,200                 | 28              |
| HDC-SH-2460-95 | 57-15/16 x 20-7/8        | 1,650                 | 39              |
| HDC-SH-2472-95 | 69-15/16 x 20-7/8        | 1525                  | 53              |



# 12 GAUGE CABINETS

WITH HOOK-ON-BINS®



**Model**  
**HDC36-126-1795**



**Model**  
**HDC48-162-5295**



**Model**  
**HDC60-198-95**



**Model**  
**HDC72-240-1795**

## Cabinet with Hook-On-Bins® (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model        | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                                       | Ship Wt. (lbs.) |
|--------------|--------------------------|--------------------------------------------------------------------------------------------|-----------------|
| HDC36-126    | 36 x 24 x 78             | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 476             |
| HDC48-162    | 48 x 24 x 78             | (60) 4 x 5 x 3<br>(60) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 576             |
| HDC48-192-95 | 48 x 24 x 78             | (60) 4 x 5 x 3<br>(84) 4 x 7 x 3<br>(24) 6 x 11 x 5<br>(24) 8 x 15 x 7                     | 585             |
| HDC60-198    | 60 x 24 x 78             | (72) 4 x 5 x 3<br>(72) 4 x 7 x 3<br>(36) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7  | 696             |
| HDC72-240    | 72 x 24 x 78             | (84) 4 x 5 x 3<br>(84) 4 x 7 x 3<br>(36) 6 x 11 x 5<br>(24) 8 x 15 x 7<br>(12) 16 x 15 x 7 | 823             |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

# 12 GAUGE CABINETS

## WITH HOOK-ON-BINS®



**Model**  
**HDC36-60-2S6D5295**



**Model**  
**HDC48-84-2S6D95**

### Cabinet with Hook-On-Bins®, 2 Shelves & 6 Door Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)              | Shelves                                     | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------------------|---------------------------------------------|-----------------------|-----------------|
| HDC36-60-2S6D  | 36 x 24 x 78             | (48) 4 x 7 x 3<br>(12) 8 x 15 x 7 | (2) 33-15/16 x 15-7/8<br>(6) 11-1/2 x 3-3/4 | 1750<br>10            | 479             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | -                                 | Extra Shelf                                 | 1750                  | 19              |
| DSH-124-95     | 11-1/2 x 3-3/4           |                                   | Extra Door Shelf (6 per pkg.)               | 10                    | 9               |
| HDC48-84-2S6D  | 48 x 24 x 78             | (60) 4 x 7 x 3<br>(24) 8 x 15 x 7 | (2) 45-15/16 x 15-7/8<br>(6) 11-1/2 x 3-3/4 | 1000<br>10            | 621             |
| FDC-SH-4818-95 | 45-15/16 x 15-7/8        |                                   | Extra Shelf                                 | 1000                  | 25              |
| DSH-184-95     | 17-1/4 x 3-3/4           |                                   | Extra Door Shelf (6 per pkg.)               | 10                    | 13              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**






# 12 GAUGE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**HDC36-108-3S95**



**Model**  
**HDC48-184-95**



**Model**  
**HDC48-144-4S95**

### Cabinet with Hook-On-Bins® & Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)               | Shelves               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|------------------------------------|-----------------------|-----------------------|-----------------|
| HDC36-108-3S   | 36 x 24 x 78             | (48) 4 x 7 x 3<br>(16) 8 x 15 x 7  | (3) 33-15/16 x 15-7/8 | 1750                  | 497             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | -                                  | Extra Shelf           | 1750                  | 19              |
| HDC48-144-4S95 | 48 x 24 x 78             | (120) 4 x 5 x 3<br>(24) 4 x 7 x 3  | (4) 45-15/16 x 15-7/8 | 1000                  | 606             |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8        | -                                  | Extra Shelf           | 1000                  | 25              |
| HDC48-184-95   | 48 x 24 x 78             | (144) 4 x 7 x 3<br>(48) 8 x 15 x 7 | -                     | -                     | 609             |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customization Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **Email Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**

# 12 GAUGE CABINETS

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**HDC36-96-4S1795**

## Cabinet with 96 Bins & 4 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|----------------------|-----------------------|-----------------|
| HDC36-96-4S    | 36 x 24 x 78             | (96) 4 x 5 x 3       | (4) 1750              | 483             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | -                    | Extra Shelf - 1750    | 19              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**HDC36-102-3S5295**

## Cabinet with 102 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------------------------------------|-----------------------|-----------------|
| HDC36-102-3S   | 36 x 24 x 78             | (48) 4 x 5 x 3<br>(48) 4 x 7 x 3<br>(6) 16 x 15 x 7 | (3) 1750              | 490             |
| HDC-SH-1836-95 | 33-15/16 x 15-7/8        | -                                                   | Extra Shelf - 1750    | 19              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



**Model**  
**HDC48-120-4S95**

## Cabinet with 120 Bins & 4 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|----------------------|-----------------------|-----------------|
| HDC48-120-4S   | 48 x 24 x 78             | (120) 4 x 5 x 3      | (4) 1000              | 589             |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8        | -                    | Extra Shelf - 1000    | 24              |

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



# 12 GAUGE CABINETS

## WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

### Cabinet with 134 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDC48-134-3S1795**

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                  | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------------------------------------------------------|-----------------------|-----------------|
| HDC48-134-3S   | 48 x 24 x 78             | (60) 4 x 5 x 3<br>(60) 4 x 7 x 3<br>(8) 8 x 15 x 7<br>(6) 16 x 15 x 7 | (3) 1000              | 605             |
| HDC-SH-1848-95 | 45-15/16 x 15-7/8        | -                                                                     | Extra Shelf - 1000    | 24              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### Cabinet with 156 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDC60-156-3S5295**

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------------------------------------|-----------------------|-----------------|
| HDC60-156-3S   | 60 x 24 x 78             | (72) 4 x 5 x 3<br>(72) 4 x 7 x 3<br>(12) 8 x 15 x 7 | (3) 750               | 747             |
| HDC-SH-1860-95 | 57-15/16 x 15-7/8        | -                                                   | Extra Shelf - 750     | 33              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

### Cabinet with 192 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels reinforce doors and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDC72-192-3S95**

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)                                                    | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------------------------------------------------------------------|-----------------------|-----------------|
| HDC72-192-3S   | 72 x 24 x 78             | (84) 4 x 5 x 3<br>(84) 4 x 7 x 3<br>(12) 8 x 15 x 7<br>(12) 16 x 15 x 7 | (3) 750               | 874             |
| HDC-SH-1872-95 | 69-15/16 x 15-7/8        | -                                                                       | Extra Shelf - 750     | 42              |

**Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins**

For additional bin colors and dividers please see page 101



# 12 GAUGE CABINETS

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



**Model**  
**HDCV36-6B-3S1795**

## Cabinet with 6 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|----------------------|-----------------------|-----------------|
| HDCV36-6B-3S   | 36 x 24 x 78             | (6) 16 x 15 x 7      | (3) 1900              | 448             |
| HDC-SH-2436-95 | 33-15/16 x 20-7/8        | -                    | Extra Shelf - 1900    | 21              |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**



**Model**  
**HDCV48-24B-2S5295**

## Cabinet with 24 Bins & 2 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|----------------------|-----------------------|-----------------|
| HDCV48-24B-2S  | 48 x 24 x 78             | (24) 8 x 15 x 7      | (2) 1200              | 533             |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8        | -                    | Extra Shelf - 1200    | 28              |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**



**Model**  
**HDCV48-18B-3S95**

## Cabinet with 18 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Bins Dim WxDxH (in.)               | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|------------------------------------|-----------------------|-----------------|
| HDCV48-18B-3S  | 48 x 24 x 78             | (12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | (3) 1200              | 552             |
| HDC-SH-2448-95 | 45-15/16 x 20-7/8        | -                                  | Extra Shelf - 1200    | 28              |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**





# 12 GAUGE CABINETS

## WITH HOOK-ON-BINS®

### Cabinet with 30 Bins (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDCV36-30B-1795**

| Model      | Overall Dimensions: WxDxH (in.) | Bins Dimensions: WxDxH (in.)                          | Ship Wt. (lbs.) |
|------------|---------------------------------|-------------------------------------------------------|-----------------|
| HDCV36-30B | 36 x 24 x 78                    | (12) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 424             |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**

### Cabinet with 42 Bins (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDCV48-42B-5295**

| Model      | Overall Dimensions: WxDxH (in.) | Bins Dimensions: WxDxH (in.)                          | Ship Wt. (lbs.) |
|------------|---------------------------------|-------------------------------------------------------|-----------------|
| HDCV48-42B | 48 x 24 x 78                    | (24) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 504             |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**

### Cabinet with 54 Bins (Recessed Door Style)

- Extra heavy duty, all-welded, 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Heavy duty hinges prevent doors from sagging or warping
- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor
- Durable, gray, textured powder coat finish



**Model**  
**HDCV60-54B-95**

| Model      | Overall Dimensions: WxDxH (in.) | Bins Dimensions: WxDxH (in.)                          | Ship Wt. (lbs.) |
|------------|---------------------------------|-------------------------------------------------------|-----------------|
| HDCV60-54B | 60 x 24 x 78                    | (36) 6 x 11 x 5<br>(12) 8 x 15 x 7<br>(6) 16 x 15 x 7 | 602             |

**Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins**



# HOOK-ON-BINS®

## BY DURHAM MFG



- **Manufactured by Durham MFG.**
- **Available in 3 Colors, 5 Sizes**
- **Dividers can be placed horizontally or vertically**
- **Made of durable polypropylene**

### Hook-On Bins®

- Molded using durable polypropylene plastic
- Back tabs allow Hook-On-Bins® to hang from louvered panels
- Specially molded top edges allow stacking on any shelf
- Angled front edge makes it easy to see contents and to pick parts
- Additional ribbing and double wall front is incorporated in the design for increased rigidity and to prevent warping
- Front slots hold identification tags, cards or labels
- Molded finger grips make handling easy and comfortable
- Model PB30250 has slots for 3 dividers; all other models can accommodate 1 divider
- Dividers can be placed horizontally or vertically
- Divider break away features allow sizing of the dividers so you can access all products when bins are stacked
- Fit neatly on other cabinet and shelving brands
- Optional lengthwise dividers are available

| Model      | Overall Dimensions: WxDxH (in.)                                 | Weight Capacity (lbs.) | Carton | Color  | Ship Wt. (lbs.) |
|------------|-----------------------------------------------------------------|------------------------|--------|--------|-----------------|
| PB30210-21 | 4 x 5 x 3                                                       | 10                     | 24     | Yellow | 5               |
| PB30220-21 | 4 x 7 x 3                                                       | 10                     | 24     | Yellow | 7               |
| PB30230-21 | 6 x 11 x 5                                                      | 30                     | 12     | Yellow | 12              |
| PB30240-21 | 8 x 15 x 7                                                      | 60                     | 12     | Yellow | 22              |
| PB30250-21 | 16 x 15 x 7                                                     | 75                     | 6      | Yellow | 19              |
| PB30210-17 | 4 x 5 x 3                                                       | 10                     | 24     | Red    | 5               |
| PB30220-17 | 4 x 7 x 3                                                       | 10                     | 24     | Red    | 7               |
| PB30230-17 | 6 x 11 x 5                                                      | 30                     | 12     | Red    | 12              |
| PB30240-17 | 8 x 15 x 7                                                      | 60                     | 12     | Red    | 22              |
| PB30250-17 | 16 x 15 x 7                                                     | 75                     | 6      | Red    | 19              |
| PB30210-52 | 4 x 5 x 3                                                       | 10                     | 24     | Blue   | 5               |
| PB30220-52 | 4 x 7 x 3                                                       | 10                     | 24     | Blue   | 7               |
| PB30230-52 | 6 x 11 x 5                                                      | 30                     | 12     | Blue   | 12              |
| PB30240-52 | 8 x 15 x 7                                                      | 60                     | 12     | Blue   | 22              |
| PB30250-52 | 16 x 15 x 7                                                     | 75                     | 6      | Blue   | 19              |
| PB30161-08 | 4-7/8 x 2-1/2 - Vertical divider for PB30210-21                 | -                      | 6      | Black  | 1               |
| PB30166-08 | 6-13/16 x 2-1/2 - Vertical divider for PB30220-21               | -                      | 6      | Black  | 1               |
| PB30171-08 | 10-1/4 x 4-3/8 - Vertical divider for PB30230-21                | -                      | 6      | Black  | 1               |
| PB30176-08 | 13-1/2 x 6-1/4 - Vertical divider for PB30240-21 & PB30250-21   | -                      | 6      | Black  | 2               |
| PB30162-08 | 2-1/2 x 3-7/16 - Horizontal divider for PB30210-21 & PB30220-21 | -                      | 6      | Black  | 2               |
| PB30172-08 | 4-5/16 x 4-1/2 - Horizontal divider for PB30230-21              | -                      | 6      | Black  | 1               |
| PB30177-08 | 6-5/8 x 6-1/4 - Horizontal divider for PB30240-21               | -                      | 6      | Black  | 2               |
| PB30178-08 | 14-7/8 x 6-1/4 - Horizontal divider for PB30250-21              | -                      | 6      | Black  | 2               |

# DURHAM MFG®

Est. 1922



## Workbenches, Workstations & Mobile Cabinets

|                               |               |                              |         |
|-------------------------------|---------------|------------------------------|---------|
| Folding Leg Workbenches       | 104           | Work Tables/Machine Tables   | 105-107 |
| Knockdown Machine Tables      | 107           | Specialty Workbenches        | 108-109 |
| Mobile Heavy Duty Workbenches | 110           | Extra Heavy Duty Workbenches | 111-112 |
| Stationary Workstations       | 113           | Mobile Workstations          | 114-116 |
| Optional Drawer               | 104, 108, 112 |                              |         |

**Workbenches & Workstations**

**Save Time • Save Space • Save Money**

# ERGONOMIC WORKBENCHES

## FOLDING LEG STYLE



**Model**  
**WBF-3696-95**



**Model**  
**WBF-TH-3696-95**



**Model**  
**177-DRAWER-95**  
Optional drawer

### Adjustable Height, Folding Leg Work Bench (2,000 Lbs. capacity)

- 14 gauge steel top with formed channel
- WBF-TH models are 14 gauge steel top covered with a durable tempered hard board
- Legs are adjustable on 1" centers
- Provisions for optional drawer Model # 177-DRAWER-95
- Easy to assemble
- Bench height adjustable from 26-5/16" to 42-5/16"
- Hinged legs are welded to the top using full length piano hinges
- Legs can be easily folded allowing benches to be stored in less space
- 7 gauge steel corner gussets for added strength
- Easy assembly using fasteners provided
- Durable, gray, textured powder coat finish

| Model                                                      | Overall Dimensions WxD (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------|------------------------------|-----------------|
| WBF-3060-95                                                | 60 x 30-1/4                  | 113             |
| WBF-3660-95                                                | 60 x 36-1/4                  | 120             |
| WBF-3072-95                                                | 72 x 30-1/4                  | 121             |
| WBF-3672-95                                                | 72 x 36-1/4                  | 134             |
| WBF-3096-95                                                | 96 x 30-1/4                  | 147             |
| WBF-3696-95                                                | 96 x 36-1/4                  | 163             |
| WBF-4896-95                                                | 96 x 48-1/4                  | 199             |
| WBF-30120-95                                               | 120 x 30-1/4                 | 192             |
| WBF-36120-95                                               | 120 x 36-1/4                 | 212             |
| WBF-48120-95                                               | 120 x 48-1/4                 | 259             |
| <b>Models Including Tempered Hard Board over Steel Top</b> |                              |                 |
| WBF-TH-3060-95                                             | 60 x 30-1/4                  | 123             |
| WBF-TH-3660-95                                             | 60 x 36-1/4                  | 136             |
| WBF-TH-3072-95                                             | 72 x 30-1/4                  | 135             |
| WBF-TH-3672-95                                             | 72 x 36-1/4                  | 154             |
| WBF-TH-3096-95                                             | 96 x 30-1/4                  | 166             |
| WBF-TH-3696-95                                             | 96 x 36-1/4                  | 186             |
| WBF-TH-4896-95                                             | 96 x 48-1/4                  | 229             |
| <b>Optional Drawer</b>                                     |                              |                 |
| 177-DRAWER-95                                              | 12-3/16 x 19-3/16 x 5-3/8    | 21              |

Drawer has 100 Lbs. capacity.

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# WORK TABLE

## STATIONARY - MEDIUM DUTY

### Medium Duty Machine Tables - Top Shelf Only (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- MTD Models Include drawer
- Foot pad is pre-punched with 5/16" and 3/8" holes for lagging to the floor
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model                                                            | Overall Dim: WxDxH (in.)  | Shelf Dimensions (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------------|---------------------------|------------------------|-----------------|
| MT182418-2K195                                                   | 27-1/4 x 20-3/4 x 18-3/16 | 18 x 24                | 46              |
| MT182424-2K195                                                   | 27-1/4 x 20-3/4 x 24-3/16 | 18 x 24                | 49              |
| MT182430-2K195                                                   | 27-1/4 x 20-3/4 x 30-3/16 | 18 x 24                | 51              |
| MT182436-2K195                                                   | 27-1/4 x 20-3/4 x 36-3/16 | 18 x 24                | 53              |
| MT182442-2K195                                                   | 27-1/4 x 20-3/4 x 42-3/16 | 18 x 24                | 56              |
| MT243618-2K195                                                   | 39-1/4 x 26-3/4 x 18-3/16 | 24 x 36                | 59              |
| MT243624-2K195                                                   | 39-1/4 x 26-3/4 x 24-3/16 | 24 x 36                | 67              |
| MT243630-2K195                                                   | 39-1/4 x 26-3/4 x 30-3/16 | 24 x 36                | 70              |
| MT243636-2K195                                                   | 39-1/4 x 26-3/4 x 36-3/16 | 24 x 36                | 79              |
| MT243642-2K195                                                   | 39-1/4 x 26-3/4 x 42-3/16 | 24 x 36                | 81              |
| MT244818-2K195                                                   | 51-1/4 x 26-3/4 x 18-3/16 | 24 x 48                | 74              |
| MT244824-2K195                                                   | 51-1/4 x 26-3/4 x 24-3/16 | 24 x 48                | 76              |
| MT244830-2K195                                                   | 51-1/4 x 26-3/4 x 30-3/16 | 24 x 48                | 79              |
| MT244836-2K195                                                   | 51-1/4 x 26-3/4 x 36-3/16 | 24 x 48                | 87              |
| MT244842-2K195                                                   | 51-1/4 x 26-3/4 x 42-3/16 | 24 x 48                | 90              |
| <b>Models including drawer • (1) 13-5/16 x 19-7/16 x 4-15/16</b> |                           |                        |                 |
| MTD182418-2K195                                                  | 20-3/4 x 27-1/4 x 18-3/16 | 18 x 24                | 66              |
| MTD182424-2K195                                                  | 20-3/4 x 27-1/4 x 24-3/16 | 18 x 24                | 68              |
| MTD182430-2K195                                                  | 20-3/4 x 27-1/4 x 30-3/16 | 18 x 24                | 71              |
| MTD182436-2K195                                                  | 20-3/4 x 27-1/4 x 36-3/16 | 18 x 24                | 73              |
| MTD182442-2K195                                                  | 20-3/4 x 27-1/4 x 42-3/16 | 18 x 24                | 75              |
| MTD243618-2K195                                                  | 26-3/4 x 39-1/4 x 18-3/16 | 24 x 36                | 79              |
| MTD243624-2K195                                                  | 26-3/4 x 39-1/4 x 24-3/16 | 24 x 36                | 87              |
| MTD243630-2K195                                                  | 26-3/4 x 39-1/4 x 30-3/16 | 24 x 36                | 89              |
| MTD243636-2K195                                                  | 26-3/4 x 39-1/4 x 36-3/16 | 24 x 36                | 98              |
| MTD243642-2K195                                                  | 26-3/4 x 39-1/4 x 42-3/16 | 24 x 36                | 101             |
| MTD244818-2K195                                                  | 26-3/4 x 51-1/4 x 18-3/16 | 24 x 48                | 93              |
| MTD244824-2K195                                                  | 26-3/4 x 51-1/4 x 24-3/16 | 24 x 48                | 96              |
| MTD244830-2K195                                                  | 26-3/4 x 51-1/4 x 30-3/16 | 24 x 48                | 98              |
| MTD244836-2K195                                                  | 26-3/4 x 51-1/4 x 36-3/16 | 24 x 48                | 107             |
| MTD244842-2K195                                                  | 26-3/4 x 51-1/4 x 42-3/16 | 24 x 48                | 110             |



**Model  
MT243624-2K195**



**Model  
MTD243624-2K195**

### Medium Duty Machine Tables - Multi Shelf (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- Foot pad is pre-punched with 5/16" and 3/8" holes for lagging to the floor
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model                | Overall Dim: WxDxH (in.)  | Shelf Dimensions (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|----------------------|---------------------------|------------------------|-----------------------|-----------------|
| <b>2 Shelf Units</b> |                           |                        |                       |                 |
| MT183630-2K295       | 39-1/4 x 20-3/4 x 30-3/16 | 18 x 36                | 22-1/4                | 73              |
| MT243630-2K295       | 39-1/4 x 26-3/4 x 30-3/16 | 24 x 36                | 22-1/4                | 86              |
| MT244830-2K295       | 51-1/4 x 26-3/4 x 30-3/16 | 24 x 48                | 22-1/4                | 101             |
| MT246030-2K295       | 63-1/4 x 26-3/4 x 30-3/16 | 24 x 60                | 22-1/4                | 116             |
| <b>3 shelf units</b> |                           |                        |                       |                 |
| MT183630-2K395       | 39-1/4 x 20-3/4 x 30-3/16 | 18 x 36                | 10-5/16               | 93              |
| MT243630-2K395       | 39-1/4 x 26-3/4 x 30-3/16 | 24 x 36                | 10-5/16               | 110             |



**Model  
MT243630-2K395**

# WORK TABLES

## MOBILE - MEDIUM DUTY

### Mobile Medium Duty Machine Tables - Top Shelf Only (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- MTD Models include drawer
- (4) 3" Locking phenolic swivel casters
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish



**Model**  
**MTM243624-2K195**



**Model**  
**MTDM243630-2K195**

| Model                                                            | Overall Dim: WxDxH (in.) | Shelf Dimensions (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------------|--------------------------|------------------------|-----------------|
| MTM182418-2K195                                                  | 27-1/4 x 20-3/4 x 18-1/4 | 18 x 24                | 59              |
| MTM182424-2K195                                                  | 27-1/4 x 20-3/4 x 24-1/4 | 18 x 24                | 62              |
| MTM182430-2K195                                                  | 27-1/4 x 20-3/4 x 30-1/4 | 18 x 24                | 64              |
| MTM182436-2K195                                                  | 27-1/4 x 20-3/4 x 36-1/4 | 18 x 24                | 75              |
| MTM182442-2K195                                                  | 27-1/4 x 20-3/4 x 42-1/4 | 18 x 24                | 78              |
| MTM243618-2K195                                                  | 39-1/4 x 26-3/4 x 18-1/4 | 24 x 36                | 72              |
| MTM243624-2K195                                                  | 39-1/4 x 26-3/4 x 24-1/4 | 24 x 36                | 80              |
| MTM243630-2K195                                                  | 39-1/4 x 26-3/4 x 30-1/4 | 24 x 36                | 82              |
| MTM243636-2K195                                                  | 39-1/4 x 26-1/4 x 36-3/4 | 24 x 36                | 88              |
| MTM243642-2K195                                                  | 39-1/4 x 26-3/4 x 42-1/4 | 24 x 36                | 91              |
| MTM244818-2K195                                                  | 51-1/4 x 26-3/4 x 18-1/4 | 24 x 48                | 87              |
| MTM244824-2K195                                                  | 51-1/4 x 26-3/4 x 24-1/4 | 24 x 48                | 89              |
| MTM244830-2K195                                                  | 51-1/4 x 26-3/4 x 30-1/4 | 24 x 48                | 91              |
| MTM244836-2K195                                                  | 51-1/4 x 26-3/4 x 36-1/4 | 24 x 48                | 97              |
| MTM244842-2K195                                                  | 51-1/4 x 26-3/4 x 42-1/4 | 24 x 48                | 100             |
| <b>Models including drawer • (1) 13-5/16 x 19-7/16 x 4-15/16</b> |                          |                        |                 |
| MTDM182418-2K195                                                 | 20-3/4 x 27-1/4 x 18-1/4 | 18 x 24                | 80              |
| MTDM182424-2K195                                                 | 20-3/4 x 27-1/4 x 24-1/4 | 18 x 24                | 82              |
| MTDM182430-2K195                                                 | 20-3/4 x 27-1/4 x 30-1/4 | 18 x 24                | 84              |
| MTDM182436-2K195                                                 | 20-3/4 x 27-1/4 x 36-1/4 | 18 x 24                | 95              |
| MTDM182442-2K195                                                 | 20-3/4 x 27-1/4 x 42-1/4 | 18 x 24                | 97              |
| MTDM243618-2K195                                                 | 26-3/4 x 39-1/4 x 18-1/4 | 24 x 36                | 92              |
| MTDM243624-2K195                                                 | 26-3/4 x 39-1/4 x 24-1/4 | 24 x 36                | 99              |
| MTDM243630-2K195                                                 | 26-3/4 x 39-1/4 x 30-1/4 | 24 x 36                | 102             |
| MTDM243636-2K195                                                 | 26-3/4 x 39-1/4 x 36-1/4 | 24 x 36                | 107             |
| MTDM243642-2K195                                                 | 26-3/4 x 39-1/4 x 42-1/4 | 24 x 36                | 110             |
| MTDM244818-2K195                                                 | 26-3/4 x 51-1/4 x 18-1/4 | 24 x 48                | 106             |
| MTDM244824-2K195                                                 | 26-3/4 x 51-1/4 x 24-1/4 | 24 x 48                | 108             |
| MTDM244830-2K195                                                 | 26-3/4 x 51-1/4 x 30-1/4 | 24 x 48                | 110             |
| MTDM244836-2K195                                                 | 26-3/4 x 51-1/4 x 36-1/4 | 24 x 48                | 117             |
| MTDM244842-2K195                                                 | 26-3/4 x 51-1/4 x 42-1/4 | 24 x 48                | 119             |

### Mobile Medium Duty Machine Tables - Multi Shelf (2,000 Lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- (4) 3" Locking phenolic swivel casters
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish



**Model**  
**MTM243630-2K395**

| Model                | Overall Dim: WxDxH (in.) | Shelf Dimensions (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|----------------------|--------------------------|------------------------|-----------------------|-----------------|
| <b>2 Shelf Units</b> |                          |                        |                       |                 |
| MTM183630-2K295      | 39-1/4 x 20-3/4 x 30-1/4 | 18 x 36                | 18-1/8                | 84              |
| MTM243630-2K295      | 39-1/4 x 26-3/4 x 30-1/4 | 24 x 36                | 18-1/8                | 98              |
| MTM244830-2K295      | 51-1/4 x 26-3/4 x 30-1/4 | 24 x 48                | 18-1/8                | 114             |
| MTM246030-2K295      | 63-1/4 x 26-3/4 x 30-1/4 | 24 x 60                | 18-1/8                | 128             |
| <b>3 Shelf Units</b> |                          |                        |                       |                 |
| MTM183630-2K395      | 39-1/4 x 20-3/4 x 30-1/4 | 18 x 36                | 8-1/4                 | 104             |
| MTM243630-2K395      | 39-1/4 x 26-3/4 x 30-1/4 | 24 x 36                | 8-1/4                 | 123             |



# WORK TABLE

## HEAVY DUTY

### Heavy Duty Machine Tables - 2 Shelves (3,000 Lbs. capacity)

- 1-1/2" x 3/16" angle iron frame
- 12 gauge shelves with stiffeners
- All-welded construction
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model                                                                        | Overall Dim: WxDxH (in.)  | Shelf Dimensions (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------|---------------------------|------------------------|-----------------------|-----------------|
| <b>STATIONARY • Foot pads with prepunched holes for lagging to the floor</b> |                           |                        |                       |                 |
| MT12G182430-3K295                                                            | 26-3/8 x 20-3/8 x 30      | 18 x 24                | 17-5/8                | 76              |
| MT12G183630-3K295                                                            | 38-3/8 x 20-3/8 x 30      | 18 x 36                | 17-5/8                | 92              |
| MT12G243630-3K295                                                            | 38-3/8 x 26-3/8 x 30      | 24 x 36                | 17-5/8                | 110             |
| MT12G244830-3K295                                                            | 50-3/8 x 26-3/8 x 30      | 24 x 48                | 17-5/8                | 128             |
| MT244836-3K295                                                               | 51-1/4 x 26-3/4 x 36-3/16 | 24 x 48                | 28-1/4                | 136             |
| MT304836-3K295                                                               | 51-1/4 x 32-3/4 x 36-3/16 | 30 x 48                | 28-1/4                | 152             |
| MT364836-3K295                                                               | 51-1/4 x 38-3/4 x 36-3/16 | 36 x 48                | 28-1/4                | 167             |
| MT367236-3K295                                                               | 75-1/4 x 38-3/4 x 36-3/16 | 36 x 72                | 28-1/4                | 222             |
| <b>MOBILE • 3" x 1-13/16" Phenolic, swivel casters with side brakes</b>      |                           |                        |                       |                 |
| MTM244836-3K295                                                              | 51-1/4 x 26-3/4 x 36-1/4  | 24 x 48                | 24-1/8                | 145             |
| MTM304836-3K295                                                              | 51-1/4 x 32-3/4 x 36-1/4  | 30 x 48                | 24-1/8                | 161             |
| MTM364836-3K295                                                              | 51-1/4 x 38-3/4 x 36-1/4  | 36 x 48                | 24-1/8                | 178             |
| MTM367236-3K295                                                              | 75-1/4 x 38-3/4 x 36-1/4  | 36 x 72                | 24-1/8                | 234             |



**Model**  
**MT244836-3K295**



**Model**  
**MTM304836-3K295**

## WORK TABLES

### ADJUSTABLE / KNOCK DOWN

#### Adjustable Machine Tables

- 16 gauge steel
- Shelves adjust on 3" centers
- Shelves can be installed flush or with 2" lips up
- Adjustable to ensure users comfort
- Easy to assemble and adjust with the hardware provided
- Gray powder coat finish

| Model                                                                                         | Overall Dim: W x D x H (in.)           | Shelf Dimensions (in.) | Ship Wt. (lbs.) |
|-----------------------------------------------------------------------------------------------|----------------------------------------|------------------------|-----------------|
| <b>STATIONARY • 1,500 Lbs. capacity</b>                                                       |                                        |                        |                 |
| MTA182424-1.5K295                                                                             | 24-1/8 x 18-1/8 x 18-1/8 to 24-1/8     | (2) 18 x 24            | 30              |
| MTA182436-1.5K295                                                                             | 24-1/8 x 18-1/8 x 30-1/8 to 36-1/8     | (2) 18 x 24            | 36              |
| MTA243024-1.5K295                                                                             | 30-1/8 x 24-1/8 x 18-1/8 to 24-1/8     | (2) 24 x 30            | 44              |
| MTA243036-1.5K295                                                                             | 30-1/8 x 24-1/8 x 30-1/8 to 36-1/8     | (2) 24 x 30            | 46              |
| MTA243624-1.5K295                                                                             | 36-1/8 x 24-1/8 x 18-1/8 to 24-1/8     | (2) 24 x 36            | 50              |
| MTA243636-1.5K295                                                                             | 36-1/8 x 24-1/8 x 30-1/8 to 36-1/8     | (2) 24 x 36            | 53              |
| MTA244824-1.5K295                                                                             | 48-1/8 x 24-1/8 x 18-1/8 to 24-1/8     | (2) 24 x 48            | 63              |
| MTA244836-1.5K295                                                                             | 48-1/8 x 24-1/8 x 30-1/8 to 36-1/8     | (2) 24 x 48            | 66              |
| <b>MOBILE • 3" x 1-1/4" polyolefin, swivel casters with side brakes • 1,000 Lbs. capacity</b> |                                        |                        |                 |
| MTMA182428-1K23P095                                                                           | 24-1/8 x 18-1/8 x 21-13/16 to 27-13/16 | (2) 18 x 24            | 35              |
| MTMA182440-1K23P095                                                                           | 24-1/8 x 18-1/8 x 33-13/16 to 39-13/16 | (2) 18 x 24            | 41              |
| MTMA243028-1K23P095                                                                           | 30-1/8 x 24-1/8 x 21-13/16 to 27-13/16 | (2) 24 x 30            | 48              |
| MTMA243040-1K23P095                                                                           | 30-1/8 x 24-1/8 x 33-13/16 to 39-13/16 | (2) 24 x 30            | 51              |
| MTMA243628-1K23P095                                                                           | 36-1/8 x 24-1/8 x 21-13/16 to 27-13/16 | (2) 24 x 36            | 54              |
| MTMA243640-1K23P095                                                                           | 36-1/8 x 24-1/8 x 33-13/16 to 39-13/16 | (2) 24 x 36            | 57              |
| MTMA244828-1K23P095                                                                           | 48-1/8 x 24-1/8 x 21-13/16 to 27-13/16 | (2) 24 x 48            | 68              |
| MTMA244840-1K23P095                                                                           | 48-1/8 x 24-1/8 x 33-13/16 to 39-13/16 | (2) 24 x 48            | 70              |



**Model**  
**MTA-243636-1.5K295**



**Model**  
**MTMA243640-1K23P095**

# SPECIALTY WORKBENCHES

## SPECIALTY WORKBENCHES - MOBILE & STATIONARY



**Model**  
**DWB-3672-177-95**  
(shown with optional drawer)



**Model**  
**DWBM-3060-BE-95**

### Heavy Duty Workbenches (4,000 Lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2" x 1/4" angle iron legs
- Mobile units include (4) 3" phenolic, locking swivel casters
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- -BE- units include back and end stops on work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor (stationary models)
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

| Model                                                                   | Overall Dim: WxDxH (in.) | Includes                                      | Ship Wt. (lbs.) |
|-------------------------------------------------------------------------|--------------------------|-----------------------------------------------|-----------------|
| <b>STATIONARY</b>                                                       |                          |                                               |                 |
| DWB-3048-95                                                             | 48 x 30 x 34-1/16        | -                                             | 177             |
| DWB-3672-95                                                             | 72 x 36 x 34-1/16        | -                                             | 239             |
| DWB-3048-177-95                                                         | 48 x 30 x 34-1/16        | Drawer                                        | 195             |
| DWB-3672-177-95                                                         | 72 x 36 x 34-1/16        | Drawer                                        | 256             |
| DWB-3060-BE-95                                                          | 60 x 30 x 35-5/8         | Back and end stops                            | 202             |
| DWB-3072-BE-95                                                          | 72 x 30 x 35-5/8         | Back and end stops                            | 225             |
| <b>MOBILE • 3" x 1-1/4" polyolefin, swivel casters with side brakes</b> |                          |                                               |                 |
| DWBM-3048-BE-95                                                         | 48 x 30 x 39-13/16       | Back and end stops                            | 196             |
| DWBM-3060-BE-95                                                         | 60 x 30 x 39-13/16       | Back and end stops                            | 216             |
| DWBM-3072-BE-95                                                         | 72 x 30 x 39-13/16       | Back and end stops                            | 241             |
| DWBM-3660-BE-95                                                         | 60 x 36 x 39-13/16       | Back and end stops                            | 228             |
| DWBM-3060-BE-PS-95                                                      | 60 x 30 x 39-13/16       | Back and end stops<br>Power Strip - 6 outlets | 218             |
| DWBM-3072-BE-PS-95                                                      | 72 x 30 x 39-13/16       | Back and end stops<br>Power Strip - 6 outlets | 243             |

### Heavy Duty Workbench with Lips Up & Peg Board (4,000 Lbs. capacity)



**Model**  
**DWB-3072-BE-PB-95**



**Model**  
**DWBM-3060-BE-PB-95**

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2" x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Pegboard holes are 1/4" diameter and are punched on 1" centers. They accommodate standard peg hooks (peg hooks not included)
- Provisions for optional drawer Model # 177-DRAWER-95
- Back and end stops on work surface
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

| Model                                                              | Overall Dim: WxDxH (in.) | Peg Board Dim: WxH (in.) | Ship Wt. (lbs.) |
|--------------------------------------------------------------------|--------------------------|--------------------------|-----------------|
| DWB-3060-BE-PB-95                                                  | 60 x 30 x 57-13/16       | 60 x 24                  | 247             |
| DWB-3072-BE-PB-95                                                  | 72 x 30 x 57-13/16       | 72 x 24                  | 276             |
| <b>Mobile Units</b>                                                |                          |                          |                 |
| DWBM-3048-BE-PB-95                                                 | 48 x 30 x 62             | 48 x 24                  | 231             |
| DWBM-3060-BE-PB-95                                                 | 60 x 30 x 62             | 60 x 24                  | 261             |
| <b>Mobile Unit with Lips Up - Includes Power Strip - 6 Outlets</b> |                          |                          |                 |
| DWBM-3048-BE-PB-PS-95                                              | 48 x 30 x 62             | 48 x 24                  | 233             |

# SPECIALTY WORKBENCHES

## SPECIALITY WORKBENCHES - MOBILE & STATIONARY

### Heavy Duty Workbench with Lips Up & Louvered Panel (4,000 Lbs. capacity)

- Top work surface is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Louvered panel accommodates all sizes of Hook-On Bins®.
- Back and end stops
- Provisions for optional drawer Model # 177-DRAWER-95
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Stationary units have foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



**Model**  
**DWB-3072-BE-LP-95**



**Model**  
**DWBM-3060-BE-LP-95**

| Model              | Type       | Overall Dim: WxDxH (in.) | Louvered Panel Dim: WxH (in.) | Ship Wt. (lbs.) |
|--------------------|------------|--------------------------|-------------------------------|-----------------|
| DWB-3060-BE-LP-95  | Stationary | 60 x 30 x 57-5/8         | 60 x 24                       | 248             |
| DWB-3072-BE-LP-95  | Stationary | 72 x 30 x 57-5/8         | 72 x 24                       | 277             |
| DWBM-3060-BE-LP-95 | Mobile     | 60 x 30 x 62             | 60 x 24                       | 262             |
| DWBM-3660-BE-LP-95 | Mobile     | 60 x 36 x 62-5/8         | 60 x 24                       | 272             |

### Heavy Duty Workbench with Riser & Electrical Strip

(4,000 Lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Riser is 16H x 13D and includes 10 yellow Hook-On Bins® PB30230-21 (6 x 11 x 5)
- Electrical strip with 5 outlets included
- Choose from 60" and 72" widths
- Back and end stops
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 Lbs. capacity
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



**Model**  
**DWB-3072-BE-RSR-95**



**Model**  
**DWBM-3060-BE-RSR-95**

| Model               | Type       | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------------|------------|--------------------------|-----------------|
| DWB-3060-BE-RSR-95  | Stationary | 60 x 30 x 50-1/16        | 271             |
| DWB-3072-BE-RSR-95  | Stationary | 72 x 30 x 50-1/16        | 303             |
| DWBM-3060-BE-RSR-95 | Mobile     | 60 x 30 x 54-5/16        | 285             |

See page 103 for more information on optional drawer

# ACCESSORY

## OPTIONAL DRAWER FOR DURHAM WORKBENCHES



**Model**  
**177-DRAWER-95**

### Optional Drawer for Workbench

- All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens and closes easily on ball bearing slides
- Recessed handle
- Lock and 2 keys provided
- 100 Lbs capacity
- Durable, gray, textured powder coat finish

| Model         | Internal Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------|---------------------------|-----------------|
| 177-DRAWER-95 | 12-3/16 x 19-3/16 x 5-3/8 | 21              |

# WORKBENCHES

## HEAVY DUTY MOBILE WORKBENCHES



**Model**  
**HDWBM-3660-8PHSB-95**

### Mobile Heavy Duty Workbench (5,000 Lbs. capacity)

- 7 gauge steel construction
- Bottom surface has back stop
- 8" phenolic bolt-on casters; (4) swivel with side brakes
- Convenient sturdy work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model               | Overall Dimensions: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------------|---------------------------------|-----------------|
| HDWBM-3660-8PHSB-95 | 60 x 36 x 43-11/16              | 313             |
| HDWBM-3672-8PHSB-95 | 72 x 36 x 43-11/16              | 351             |



**Model**  
**HDWBMFL-3036-6PH-95**

### Mobile Heavy Duty Workbench

- 7 gauge steel construction
- Bottom surface has back stop
- Units includes a floor lock to keep the workbench in place while working
- Convenient sturdy work surface
- (2) rigid and (2) swivel casters
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model               | Overall Dim: WxDxH (in.) | Type of Caster     | Capacity (lbs.) | Ship Wt. (lbs.) |
|---------------------|--------------------------|--------------------|-----------------|-----------------|
| HDWBMFL-3036-6PH-95 | 36 x 30 x 41-11/16       | 6" Phenolic Caster | 3,600           | 215             |
| HDWBMFL-3048-6PH-95 | 48 x 30 x 41-11/16       | 6" Phenolic Caster | 3,600           | 257             |
| HDWBMFL-3060-6PH-95 | 60 x 30 x 41-11/16       | 6" Phenolic Caster | 3,600           | 291             |
| HDWBMFL-3072-6PH-95 | 72 x 30 x 41-11/16       | 6" Phenolic Caster | 3,600           | 325             |
| HDWBMFL-3660-6PH-95 | 60 x 36 x 41-11/16       | 6" Phenolic Caster | 3,600           | 314             |
| HDWBMFL-3672-6PH-95 | 72 x 36 x 41-11/16       | 6" Phenolic Caster | 3,600           | 352             |
| HDWBMFL-4284-6PH-95 | 84 x 42 x 41-11/16       | 6" Phenolic Caster | 3,600           | 428             |
| HDWBMFL-3036-8PH-95 | 36 x 30 x 43-11/16       | 8" Phenolic Caster | 5,000           | 220             |
| HDWBMFL-3048-8PH-95 | 48 x 30 x 43-11/16       | 8" Phenolic Caster | 5,000           | 263             |
| HDWBMFL-3060-8PH-95 | 60 x 30 x 43-11/16       | 8" Phenolic Caster | 5,000           | 297             |
| HDWBMFL-3660-8PH-95 | 60 x 36 x 43-11/16       | 8" Phenolic Caster | 5,000           | 319             |
| HDWBMFL-3672-8PH-95 | 72 x 36 x 43-11/16       | 8" Phenolic Caster | 5,000           | 357             |
| HDWBMFL-4284-8PH-95 | 84 x 42 x 43-11/16       | 8" Phenolic Caster | 5,000           | 434             |

#### Models Including Drawers

|                         |                    |                    |       |     |
|-------------------------|--------------------|--------------------|-------|-----|
| HDWBMFL-3036-6PH-177-95 | 36 x 30 x 41-11/16 | 6" Phenolic Caster | 3,600 | 232 |
| HDWBMFL-3048-6PH-177-95 | 48 x 30 x 41-11/16 | 6" Phenolic Caster | 3,600 | 274 |
| HDWBMFL-3060-6PH-177-95 | 60 x 30 x 41-11/16 | 6" Phenolic Caster | 3,600 | 308 |
| HDWBMFL-4284-6PH-177-95 | 84 x 42 x 41-11/16 | 6" Phenolic Caster | 3,600 | 445 |



**Model**  
**HDWBMFL-3036-6PH-177-95**

# SPECIALITY WORKBENCHES

## EXTRA HEAVY DUTY SPECIALITY WORK BENCHES

### Extra Heavy Duty Workbench (12,000 Lbs. capacity)

- Top work surface is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Provisions for optional drawer
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Includes  | Ship Wt. (lbs.) |
|-------------------|--------------------------|-----------|-----------------|
| HDWB-3048-95      | 48 x 30 x 34-1/4         | -         | 224             |
| HDWB-3660-95      | 60 x 36 x 34-1/4         | -         | 279             |
| HDWB-3672-95      | 72 x 36 x 34-1/4         | -         | 319             |
| HDWB-MT-3672-95   | 72 x 36 x 36-1/8         | Maple Top | 443             |
| HDWB-3048-177D-95 | 48 x 30 x 34-1/4         | 1 Drawer  | 241             |
| HDWB-3660-177D-95 | 60 x 36 x 34-1/4         | 1 Drawer  | 296             |
| HDWB-3672-177D-95 | 72 x 36 x 34-1/4         | 1 Drawer  | 336             |



**Model**  
**HDWB-3672-177-95**  
(shown with optional drawer)

### Heavy Duty Workbench with Riser (12,000 Lbs. capacity)

- Top is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Bottom surface and riser have back stop
- Ships fully assembled
- Convenient sturdy work surface
- Durable, gray, textured powder coat finish

| Model             | Overall Dims: WxDxH (in.) | Drawers Dims: WxDxH (in.) | Top Surface | Ship Wt. (lbs.) |
|-------------------|---------------------------|---------------------------|-------------|-----------------|
| HDWB3660RS6DR95   | 60 x 36 x 50-7/8          | (6) 12-5/16 x 21-1/16 x 4 | Steel       | 478             |
| HDWBMT3672RS6DR95 | 72 x 36 x 53-5/16         | (6) 12-5/16 x 20-1/16 x 4 | Maple Top   | 621             |
| HDWB3672RS6DR95   | 72 x 36 x 50-7/8          | (6) 12-5/16 x 20-1/16 x 4 | Steel       | 524             |
| HDWBMT3696RS2DR95 | 96 x 36 x 51-1/16         | (2) 24-11/16 x 20-1/8 x 6 | Maple Top   | 739             |



**Model**  
**HDWBMT3672RS6DR95**

### Heavy Duty Workbench with Drawers (12,000 Lbs. capacity)

- Top is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- Lower shelf has 500 Lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Bottom surface has back stop
- Ships fully assembled
- Convenient sturdy work surface
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Drawers Dim: WxDxH (in.)  | Top Surface | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------------------------|-------------|-----------------|
| HDWB36723DR95   | 72 x 36 x 34-3/16        | (3) 24-11/16 x 20-1/8 x 6 | Steel       | 442             |
| HDWBMT36722DR95 | 72 x 36 x 36-1/8         | (2) 24-11/16 x 20-1/8 x 6 | Maple Top   | 507             |
| HDWBMT36723DR95 | 72 x 36 x 36-1/8         | (3) 24-11/16 x 20-1/8 x 6 | Maple Top   | 537             |
| HDWB36724DR95   | 72 x 36 x 34-3/16        | (4) 24-11/16 x 20-1/8 x 6 | Steel       | 476             |
| HDWBMT36962DR95 | 96 x 36 x 36-1/8         | (2) 24-11/16 x 20-1/8 x 6 | Maple Top   | 662             |



**Model**  
**HDWB36724DR95**



# WORKBENCHES

## SUPER HEAVY DUTY WORKBENCHES



**Model**  
**HWB-3660-177D-95**  
(shown with optional drawer)

### Super Heavy Duty Workbench (14,000 Lbs. capacity)

- Top is 3/16" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- All models include a 28-1/8" deep shelf which sits 10" above the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

| Model                           | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------------------------|--------------------------|-----------------|
| HWB-3648-95                     | 48 x 36 x 34             | 276             |
| HWB-3660-95                     | 60 x 36 x 34             | 319             |
| HWB-3672-95                     | 72 x 36 x 34             | 361             |
| <b>Models Including Drawers</b> |                          |                 |
| HWB-3648-177D-95                | 48 x 36 x 34             | 295             |
| HWB-3660-177D-95                | 60 x 36 x 34             | 337             |
| HWB-3672-177D-95                | 72 x 36 x 34             | 380             |



**Model**  
**HWBMT-366024-95**

### Super Heavy Duty Machine Tables - Top Shelf Only (14,000 Lbs. capacity)

- Top is 3/16" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- 4" x 4-1/2" foot pad is pre-punched with 5/16" and 3/8" hole for lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|-----------------|--------------------------|-----------------|
| HWBMT-364824-95 | 48 x 36 x 24-3/16        | 260             |
| HWBMT-364830-95 | 48 x 36 x 30-3/16        | 268             |
| HWBMT-364834-95 | 48 x 36 x 34-3/16        | 273             |
| HWBMT-366024-95 | 60 x 36 x 24-3/16        | 300             |
| HWBMT-366030-95 | 60 x 36 x 30-3/16        | 308             |
| HWBMT-366034-95 | 60 x 36 x 34-3/16        | 313             |
| HWBMT-367224-95 | 72 x 36 x 24-3/16        | 339             |
| HWBMT-367230-95 | 72 x 36 x 30-3/16        | 346             |
| HWBMT-367234-95 | 72 x 36 x 34-3/16        | 351             |



**Model**  
**177-DRAWER-95**

### Optional Drawer for Workbench

- All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens with recessed handle and closes easily on ball bearing slides
- Lock and 2 keys provided
- 100 Lbs capacity
- Durable, gray, textured powder coat finish

| Model         | Internal Dimensions: WxDxH (in.) | Ship Wt. (lbs.) |
|---------------|----------------------------------|-----------------|
| 177-DRAWER-95 | 12-3/16 x 19-3/16 x 5-3/8        | 21              |

# WORKSTATIONS

## STATIONARY



**Model  
3403-95**



**Model  
3403-NVS-95**



**Model  
3405-95**

### Stationary Workstation with Shelves or Drawers (2,000 Lbs. capacity)

- 14 gauge all-welded steel construction
- Work surface: 48" x 24"
- Doors have 3-point locking handle and 4 keys
- Back and end stops
- 6"H - 3/16" thick base/legs with pre-punched holes provided for lagging to floor
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                         | Overall Dimensions: WxDxH (in.) | Drawers: WxDxH (in.)                                             | Shelf (in)       | 12" Vice Shelf | Ship Wt. (lbs.) |
|-------------------------------|---------------------------------|------------------------------------------------------------------|------------------|----------------|-----------------|
| 3403-95                       | 60-1/16 x 24-1/4 x 36-3/16      | -                                                                | 48 x 24          | Yes            | 243             |
| 3403-NVS-95                   | 48-1/8 x 24-1/4 x 36-3/16       | -                                                                | 48 x 24          | No             | 215             |
| 3404-95                       | 60-1/8 x 24-1/4 x 36-1/4        | (4) 21-1/16 x 14-11/16 x 5-7/8                                   | 22-1/16 x 21-1/8 | Yes            | 280             |
| 3405-95                       | 60-1/8 x 24-1/4 x 36-1/4        | (2) 21-1/16 x 14-11/16 x 5-7/8<br>(3) 21-1/16 x 14-11/16 x 3-7/8 | 24-7/8 x 21-1/8  | Yes            | 285             |
| <b>Leveling feet included</b> |                                 |                                                                  |                  |                |                 |
| 3403NVSLF-95                  | 48-1/8 x 24-1/4 x 36-3/16       | -                                                                | 48 x 24          | No             | 216             |

### Stationary Workstation with Riser Shelf

- 14 gauge all-welded steel construction
- Work surface: 36" x 24"
- Doors have 3-point locking handle and 4 keys
- Back and end stops
- Base/legs have leveling feet
- Riser shelf: 36" x 9-29/32" x 13-1/4"
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                            | Overall Dimensions: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|----------------------------------|---------------------------------|-------------|-----------------|
| 3000RSNDLF-95<br>(Without doors) | 36-1/8 x 24-1/4 x 46-7/8        | 36 x 24     | 162             |
| 3000RSLF-95<br>(With doors)      | 36-1/8 x 24-1/4 x 46-7/8        | 36 x 21-1/8 | 181             |



**Model  
3000RSLF-95**

### Stationary File Work Station and Stand Up Desk

- Heavy 16 gauge steel construction
- 3 file drawers and 1 storage drawers are 18 gauge steel
- Drawers have riveted, ball bearing slides, recessed handles, cylinder locks and 4 keys
- All drawers are keyed alike
- Smooth writing surface is 42-3/16" above the floor
- Horizontal literature rack is included and easily bolts to top of work surface
- An 25-1/16"D x 19-13/16"W shelf is located 7" above the floor
- Durable, gray, textured powder coat finish

| Model          | Overall Dimensions: WxDxH (in.) | Drawers: WxDxH (in)                                               | Ship Wt. (lbs.) |
|----------------|---------------------------------|-------------------------------------------------------------------|-----------------|
| SFWS-392955-95 | 39 x 29 x 55-5/8                | (3) 13-5/16 x 19-5/16 x 11-7/16<br>(1) 20-7/16 x 14-11/16 x 5-7/8 | 248             |



**Model  
SFWS-392955-95**

# WORKSTATIONS

## MOBILE



**Model**  
**MSD-2023-95**

### Mobile Shop Desk

- Heavy duty 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 Lbs. capacity
- Drawer has ball bearing slides and includes a cylinder lock and 4 keys
- (4) 3" x 1" polyolefin swivel plug in casters
- Sloped work surface has a pencil rest lip
- 2 storage compartments are located above work surface
- Half shelf for additional storage is located 15" above the floor
- Bottom half shelf: 22-1/8 x 9-11/16
- Durable, gray, textured powder coat finish

| Model       | Overall Dimensions: WxDxH (in.) | Drawer Dims: WxDxH         | Ship Wt. (lbs.) |
|-------------|---------------------------------|----------------------------|-----------------|
| MSD-2023-95 | 23-7/8 x 20-1/8 x 47-13/16      | 20-7/16 x 14-11/16 x 5-7/8 | 91              |



**Model**  
**FED-2023-95**

### Mobile Shop Desk

- Heavy duty 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 Lbs. capacity
- Drawers have ball bearing slides and include a cylinder lock and 4 keys
- Lower storage compartment has a single point locking handle and 2 keys
- Interior shelf: 22" x 17"
- Space below drawers = 22-3/4" x 20" x 21-3/16"
- Drawer cylinder locks and lower compartment handle are keyed alike
- 2 storage compartments are located above work surface
- Sloped work surface has a pencil rest lip
- (4) 3" x 1" polyolefin swivel plug in casters
- Durable, gray, textured powder coat finish

| Model       | Overall Dimensions: WxDxH (in.) | Drawer Dims: WxDxH             | Ship Wt. (lbs.) |
|-------------|---------------------------------|--------------------------------|-----------------|
| FED-2023-95 | 23 x 20-3/16 x 48               | (2) 20-7/16 x 14-11/16 x 5-7/8 | 134             |



**Model**  
**PSD-2430-4-D-95**

### 3 or 4 Shelf Portable Shop Desks (with or without Drawer)

- Heavy duty 14 gauge steel construction
- Provide an organized work area that easily moves anywhere it is needed
- 1,200 Lbs capacity
- Top shelf has a 1-1/2" lip on 3 sides and creates an ideal work surface 36" above the floor
- Bottom shelves have 1-1/2" lips on all 4 sides
- (4) 5" x 1-1/4" polyurethane bolt-on caster (2 swivel with side brakes and 2 rigid)
- Drawer included with model PSD-2430-3-D-95 & PSD-2430-4-D-95 has a recessed handle, ball bearing slides and includes a lock and 2 keys
- Ships fully assembled
- Drawer (where included) ships separately and is easy to attach using fasteners provided
- Durable, gray, textured powder coat finish

| Model                                 | Overall Dims: WxDxH (in.) | Shelves                    | Shelf Clearance | Drawers                         | Ship Wt. (lbs.) |
|---------------------------------------|---------------------------|----------------------------|-----------------|---------------------------------|-----------------|
| PSD-2430-3-95                         | 30-1/4 x 24-1/4 x 37-5/8  | (3) 24 x 30                | 14-1/8          | -                               | 109             |
| PSD-2430-3-D-95                       | 30-1/4 x 24-1/4 x 37-5/8  | (3) 24 x 30                | 12-5/8          | (1) 13-5/16 x 19-7/16 x 4-15/16 | 127             |
| PSD-2430-4-95                         | 30-1/4 x 24-1/4 x 55-5/8  | (3) 24 x 30<br>(1) 12 x 30 | 16-1/4, 14-1/8  | -                               | 147             |
| PSD-2430-4-D-95                       | 30-1/4 x 24-1/4 x 55-5/8  | (3) 24 x 30<br>(1) 12 x 30 | 16-1/4, 14-1/8  | (1) 13-5/16 x 19-7/16 x 4-15/16 | 144             |
| PSD-2436-3-2D-95<br>(includes handle) | 42-1/4 x 24-1/4 x 55-5/8  | (2) 24 x 36<br>(1) 12 x 36 | 28-1/4          | (2) 13-5/16 x 19-7/16 x 4-15/16 | 157             |



**Model**  
**RSC-2436-2-PB-1DR-95**



**Model**  
**RSC-2448-3-PB-95**

### 2 & 3 Shelves Stock Cart with Pegboard or Louvered Panel (1,200 Lbs. capacity)

- Heavy duty 14 gauge steel construction
- 1-1/2" x 1/8" angle iron frame for added strength
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Top surface has lips down
- Pegboard holes are 1/4" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Louvered panels accommodate Hook-on Bins®. 32 Hook-On Bins® included; 4" x 7" x 3"
- Locking drawers, have 100 Lbs capacity, move easily on ball bearing slides and includes locks and 2 keys
- Sturdy tubular push handle
- Durable, gray, textured powder coat finish
- Ships fully assembled

| Model                    | Overall Dim: WxDxH (in.) | Shelves     | Shelf Clearance (in.) | Includes                                                                               | Ship Wt. (lbs.) |
|--------------------------|--------------------------|-------------|-----------------------|----------------------------------------------------------------------------------------|-----------------|
| RSC-2436-2-PB-95         | 42-1/4 x 24-1/4 x 67-5/8 | (2) 24 x 36 | 29-1/4                | Pegboard: 36 x 24                                                                      | 125             |
| RSC-2448-2-PB-95         | 54-1/4 x 24-1/4 x 64-1/8 | (2) 24 x 48 | 29-1/4                | Pegboard: 48 x 24                                                                      | 143             |
| RSC-2436-3-PB-95         | 42-1/4 x 24-1/4 x 67-5/8 | (3) 24 x 36 | 13-13/16              | Pegboard: 36 x 24                                                                      | 145             |
| RSC-2448-3-PB-95         | 24-1/4 x 54-1/4 x 64-1/8 | (3) 24 x 48 | 13-13/16              | Pegboard: 48 x 24                                                                      | 172             |
| RSC-2436-2-PB-1DR-95     | 42-1/4 x 24-1/4 x 67-5/8 | (2) 24 x 36 | 21-3/8                | Pegboard: 36 x 24<br>1 Drawer: 13-5/16 x 19-7/16 x 4-15/16                             | 144             |
| RSC-2436-2-PB-2DR-95     | 42-1/4 x 24-1/4 x 65-5/8 | (2) 24 x 36 | 18-15/16              | Pegboard: 36 x 24<br>2 Drawer: 13-5/16 x 19-7/16 x 4-15/16                             | 163             |
| RSC-3036-2-PB-2DR-95     | 42-1/4 x 30-1/4 x 65-5/8 | (2) 30 x 36 | 18-15/16              | Pegboard: 36 x 28<br>2 Drawer: 13-5/16 x 19-7/16 x 4-15/16                             | 173             |
| RSC-2448-2-PB-2DR-95     | 54-1/4 x 24-1/4 x 64-1/8 | (2) 24 x 48 | 21-7/16               | Pegboard: 48 x 24<br>2 Drawer: 13-5/16 x 19-7/16 x 4-15/16                             | 182             |
| RSC-2436-2-LP-2DR-32B-95 | 42-1/4 x 24-1/4 x 65-5/8 | (2) 24 x 36 | 18-15/16              | Louvered Panel: 48 x 24<br>2 Drawer: 13-5/16 x 19-7/16 x 4-15/16<br>32 Bins: 4 x 7 x 3 | 170             |

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# WORKSTATIONS

## MOBILE



**Model**  
**2210A-LU-95**

### Mobile Workstation with Lockable Storage Compartment (1,200 Lbs. capacity)

- 14 gauge all-welded steel construction
- Convenient sturdy work surface: 18" x 36"
- Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Tubular handle for ease of mobility
- Cabinet compartment: 34" x 18" x 25-3/8"
- 1 adjustable shelf included
- Locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model       | Overall Dimensions: WxDxH (in.) | Shelf Dims: WxD (in.) | Ship Wt. (lbs.) |
|-------------|---------------------------------|-----------------------|-----------------|
| 2210A-LU-95 | 18-1/4 x 42-1/8 x 36-3/8        | 36 x 18-1/16          | 151             |



**Model**  
**2210A-PB-LU-95**

### Mobile Workstation with Lockable Storage Compartment and Pegboard Panel (1,200 Lbs. capacity)

- 16 gauge all-welded steel construction
- Convenient sturdy work surface: 36" x 18"
- Back and end stops on the work surface prevents parts from falling during transport
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Cabinet compartment: 34" x 18" x 25-3/8"
- 1 adjustable shelf included
- Locking handle that has a 3 point locking handle with 4 keys
- Durable, gray, textured powder coat finish

| Model          | Overall Dimensions: WxDxH (in.) | Shelf Dims: WxD (in.) | Ship Wt. (lbs.) |
|----------------|---------------------------------|-----------------------|-----------------|
| 2210A-PB-LU-95 | 18-3/8 x 42-1/4 x 66-7/8        | 18 x 36               | 184             |



**Model**  
**3112-32B-LU-5PO-95**

### Mobile Workstation with Lockable Storage Compartment, Louvered Panel and 32 Hook-On® Bins

- All-welded steel construction
- Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" casters, (2) swivel and (2) rigid
- 32 bins included: 4" x 7" x 3"
- Model 3113 had a compartment: 34 x 23-7/8 x 25-3/8
- Tubular handle for ease of mobility
- Cabinet compartment is equipped with an adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Gauge | Overall Dimensions: WxDxH (in.) | Caster Material | Work shelf Height (in.) | Shelf Dimensions: WxD (in.)  | Capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|-------|---------------------------------|-----------------|-------------------------|------------------------------|-----------------|-----------------|
| 3112-32B-LU-5PO-95 | 14    | 24-3/8 x 42-3/8 x 58            | Polyolefin      | 35-3/8                  | (worksurface) 36 x 24        | 1,400           | 203             |
| 2210A-32B-LU-95    | 16    | 18-1/4 x 42-1/8 x 66-7/8        | Polyurethane    | 35-1/8                  | (1 - adjustable) 36 x 16-3/8 | 1,200           | 191             |



# DURHAM MFG®

Est. 1922



# Carts and Trucks

| Carts and Trucks            |           |                         |           |
|-----------------------------|-----------|-------------------------|-----------|
| Mobile Bench Cabinets       | 118 - 126 | Maintenance and Wire    | 126 - 127 |
| Stainless Carts             | 128 - 129 | Mobile Bin Carts        | 130 - 131 |
| Stock Carts                 | 132 - 140 | Order Picking Carts     | 141 - 142 |
| Instrument Carts            | 142 - 145 | Steel Wire Carts        | 146       |
| Garden Carts and Trucks     | 147 - 148 | Pipe/Stake Trucks       | 148       |
| Hopper Trucks               | 149       | Heavy Duty Mobile Bins  | 149       |
| Platform Trucks             | 150 - 157 | Panel Movers            | 158 - 159 |
| Portable Tables             | 160 - 161 | Low Deck Service Trucks | 162 - 164 |
| 2 Sided Stock Carts         | 165       | 3 Sided Trucks          | 165 - 168 |
| 4 Side Box Trucks           | 169 - 170 | Open Product Movers     | 171       |
| Mesh Security & Cage Trucks | 172 - 173 | Two Sided Stock Truck   | 173       |
| Pan and Tray                | 174       | Adjust-A-Tray           | 175       |
| A-Framed                    | 176 - 177 | Bar and Pipe Mover      | 178       |

**Move it, Lock it, Store it, Organize it, Work it!**

# CARTS

## BENCH CABINETS



**Model**  
**HDCM243647-1T95**

### 12 Gauge, Mobile Bench Cabinet (1,900 Lbs. capacity)

- 12 gauge all-welded steel
- Full extension drawers each have 400 Lbs. capacity
- 1 Drawer, moves smoothly on ball bearing slides
- 1 adjustable shelf: 20-7/8 x 31-3/16
- Pad-lock door with cast iron handle (pad-lock is not include)
- Sturdy tubular handle aids in mobility
- 6" x 2" polyurethane casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.)  | Drawer Dim: WxDxH (in.) | Work surface Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|-----------------|---------------------------|-------------------------|-------------------------------|-----------------|
| HDCM243647-1T95 | 24-1/8 x 42-5/16 x 46-3/4 | 24-1/8 x 42-5/16 x 6    | 36 x 24                       | 378             |




**Model MBC-3060-95**

### 60"W Mobile Double Sided Bench Cabinet (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Each drawers have 250 Lbs. capacity
- Drawers move smoothly on ball bearing slides
- Interior cabinet is: 26" W x 13-7/16 D x 24-3/4" H
- 14 gauge fixed interior shelf: 25-5/8" x 11-11/16"
- Work surface: 30" x 60"
- Double shift cart (symmetrical design)
- Pad-lock door for each drawer set (pad-lock is not include)
- Sturdy tubular handle aids in mobility
- 6" x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Drawers Dim: WxDxH (in.)                                                             | Ship Wt. (lbs.) |
|-------------|--------------------------|--------------------------------------------------------------------------------------|-----------------|
| MBC-3060-95 | 30-1/4 x 66-3/8 x 33-7/8 | (4) 29-9/16 x 14-1/8 x 4<br>(2) 29-9/16 x 14-1/8 x 6<br>(2) 29-9/16 x 14-1/8 x 7-7/8 | 522             |



**Model PJ-2448-LP-95**

### 54"W Mobile Double Sided Workbench

- 14 gauge steel construction
- Sturdy tubular push handle
- Double doors with 3 point locking system, keyed handle
- 6"x 2" Phenolic bolt-on casters, (2) rigid and (2) swivel
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Number of Doors | Side Dim: WxDxH (in.)                                         | Louvered Panel Dim: W x H (in.) | Ship Wt. (lbs.) |
|---------------|--------------------------|-----------------|---------------------------------------------------------------|---------------------------------|-----------------|
| PJ-2448-LP-95 | 24-3/8 x 54-1/8 x 36-1/2 | 4               | Side A: 48 x 8-7/16 x 25-3/8<br>Side B: 48 x 15-9/16 x 25-3/8 | 46 x 26                         | 273             |

# CARTS

## BENCH CABINETS



**Model  
2200-95**



**Model  
2203-LU-95**



**Model  
2201-95**



**Model  
2202-95**

### 24"W Mobile Bench Cabinet with Drawers (1,200 Lbs. capacity)

- 16 gauge, all-welded, steel construction
- 2203-LU-95 has back and end stops to prevent products from falling off during transport
- Cabinet door has a 3 point locking handle with 4 keys
- Full piano hinge on door prevents sagging
- Sturdy tubular handle aids in mobility
- 5" x 1-1/4" polyurethane casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                | Overall Dim: WxDxH (in.) | Compartment Size: WxDxH (in.) | Drawers Dim. WxDxH (in.)       | Ship Wt. (lbs.) |
|----------------------|--------------------------|-------------------------------|--------------------------------|-----------------|
| 2200-95 (No Drawers) | 18-1/4 x 30-1/8 x 36-3/8 | 21-9/16 x 18 x 25-3/8         | -                              | 115             |
| 2203-LU-95           | 18-1/4 x 30-1/8 x 38-3/8 | 22 x 18 x 16-7/16             | 20-7/16 x 14-11/16 x 5-7/8     | 124             |
| 2201-95              | 18-1/4 x 30-1/8 x 36-3/8 | 22 x 18 x 10-9/16             | (2) 20-7/16 x 14-11/16 x 5-7/8 | 140             |
| 2202-95              | 18-1/4 x 30-1/8 x 36-3/8 | -                             | (4) 20-7/16 x 14-11/16 x 5-7/8 | 153             |



**Model  
3111-MT-95**



**Model  
3114-95**



**Model  
3117-TH-95**



**Model  
3120-95**

### 36"W Mobile Bench Cabinet (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Top surface has back stop
- Convenient sturdy work surface
- Surface with 1 top lip down
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Drawers Dim. WxDxH (in.)        | Shelf Dim. WxD (in.) | Top Surface (in.)             | Ship Wt. (lbs.) |
|------------|--------------------------|---------------------------------|----------------------|-------------------------------|-----------------|
| 3110-95    | 24-1/4 x 42-1/8 x 36-3/8 | -                               | -                    | Steel - 36 x 24               | 137             |
| 3111-95    | 24-1/4 x 42-1/8 x 36-3/8 | -                               | 36 x 24              | Steel - 36 x 24               | 158             |
| 3111-MT-95 | 24-1/4 x 42-1/8 x 37-1/8 | -                               | 36 x 24              | Maple Top - 36 x 24           | 196             |
| 3114-95    | 24-1/4 x 42-1/8 x 36-3/8 | 29-3/4 x 15 x 6                 | -                    | Steel - 36 x 24               | 184             |
| 3117-95    | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-11/16 x 14-11/16 x 5-7/8 | -                    | Steel - 36 x 24               | 183             |
| 3117-TH-95 | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-11/16 x 14-11/16 x 5-7/8 | -                    | Tempered Hard Board - 36 x 24 | 191             |
| 3120-95    | 24-1/4 x 42-1/8 x 36-3/8 | (4) 15-11/16 x 14-11/16 x 5-7/8 | -                    | Steel - 36 x 24               | 208             |

# CARTS

## MOBILE BENCH CABINETS



**Model  
3112-95**



**Model  
3112-MT-95**



**Model  
3100RM-5PU-95**



**Model  
3113-TH-95**

### 36" W Mobile Bench Cabinets

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- 5" x 1-1/4" polyurethane casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Shelf Dim: WxD (in.) | Top Surface (in.)             | Capacity (lbs.) | Ship Wt. (lbs.) |
|---------------|--------------------------|----------------------|-------------------------------|-----------------|-----------------|
| 3112-95       | 24-1/4 x 42-1/8 x 36-3/8 | -                    | Steel - 36 x 24               | 1,200           | 157             |
| 3112-MT-95    | 24-1/4 x 42-1/8 x 37-1/8 | -                    | Maple Top - 36 x 24           | 1,200           | 195             |
| 3112-TH-95    | 24-1/4 x 42-1/8 x 36-3/8 | -                    | Tempered Hard Board - 36 x 24 | 1,200           | 165             |
| 3100RM-5PU-95 | 24-1/4 x 42-1/8 x 36-3/8 | 36 x 21-1/8          | Black Rubber Mat - 36 x 24    | 2,000           | 180             |
| 3113-95       | 24-1/4 x 42-1/8 x 36-3/8 | 36 x 21-1/8          | Steel - 36 x 24               | 1,200           | 176             |
| 3113-MT-95    | 24-1/4 x 42-1/8 x 37-1/8 | 36 x 21-1/8          | Maple Top - 36 x 24           | 1,200           | 213             |
| 3113-TH-95    | 24-1/4 x 42-1/8 x 36-3/8 | 36 x 21-1/8          | Tempered Hard Board - 36 x 24 | 1,200           | 183             |

### 36"W Mobile Cabinet with 4 Drawer Lockable Storage Compartment (1,200 Lbs. capacity)



**Model  
2211A-TH-LU-95**

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- Tubular handle for easy maneuverability
- 5" x 1-1/4" polyurethane casters (2) swivel with side breaks and (2) rigid
- Work surface: 36 x 18
- Right side opening is 11-5/16" W x 24-1/4" H x 18" D.
- Cabinet compartment is equipped with one adjustable shelf
- Cabinet doors have a 3 point locking system with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Top Surface (in.)             | Drawers Dim: WxDxH (in.)       | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------------------------|--------------------------------|-----------------|
| 2211A-LU-95    | 18-1/4 x 42-1/8 x 36-3/8 | Steel - 36 x 18               | (4) 20-7/16 x 14-11/16 x 5-7/8 | 201             |
| 2211A-TH-LU-95 | 18-1/4 x 42-1/8 x 36-3/8 | Tempered Hard Board - 36 x 18 | (4) 20-7/16 x 14-11/16 x 5-7/8 | 206             |

# CARTS

## MOBILE BENCH CABINETS



**Model**  
**31001DR-5PU-95**



**Model**  
**3115-RM-95**



**Model**  
**3116-TH-95**



**Model**  
**3119-MT-95**

### 36"W Mobile Bench Cabinet with Drawers (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- 5" x 1-1/4" polyurethane casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Drawers Dim. WxDxH (in.)       | Top Surface (in.)             | Ship Wt. (lbs.) |
|----------------|--------------------------|--------------------------------|-------------------------------|-----------------|
| 31001DR-5PU-95 | 24-1/4 x 42-1/8 x 36-3/8 | (1) 29-3/4 x 14-1/16 x 6       | Steel - 36 x 24               | 205             |
| 3115-MT-95     | 24-1/4 x 42-1/8 x 37-1/8 | (1) 29-3/4 x 14-1/16 x 6       | Maple Top - 36 x 24           | 243             |
| 3115-RM-95     | 24-1/4 x 42-1/8 x 36-3/8 | (1) 29-3/4 x 14-1/16 x 6       | Black Rubber Mat - 36 x 24    | 209             |
| 3115-TH-95     | 24-1/4 x 42-1/8 x 36-3/8 | (1) 29-3/4 x 14-1/16 x 6       | Tempered Hard Board - 36 x 24 | 212             |
| 3116-95        | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Steel - 36 x 24               | 203             |
| 3116-RM-95     | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Black Rubber Mat - 36 x 24    | 207             |
| 3116-TH-95     | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Tempered Hard Board - 36 x 24 | 211             |
| 3119-95        | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Steel - 36 x 24               | 228             |
| 3119-MT-95     | 24-1/4 x 42-1/8 x 37-1/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Maple Top - 36 x 24           | 265             |



**Model**  
**3118-95**



**Model**  
**3118-RM-95**



**Model**  
**3121-MT-95**



**Model**  
**3121-TH-95**

### 36"W Mobile Bench Cabinet with Drawers (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- 5" x 1-1/4" polyurethane casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Drawers Dim. WxDxH (in.)       | Top Surface (in.)             | Ship Wt. (lbs.) |
|------------|--------------------------|--------------------------------|-------------------------------|-----------------|
| 3118-95    | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Steel - 36 x 24               | 193             |
| 3118-RM-95 | 24-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | Black Rubber Mat - 36 x 24    | 197             |
| 3121-95    | 24-1/4 x 42-1/8 x 36-3/8 | (4) 15-1/16 x 14-11/16 x 5-7/8 | Steel - 36 x 24               | 211             |
| 3121-MT-95 | 24-1/4 x 42-1/8 x 37-1/8 | (4) 15-1/16 x 14-11/16 x 5-7/8 | Maple Top - 36 x 24           | 248             |
| 3121-RM-95 | 24-1/4 x 42-1/8 x 36-3/8 | (4) 15-1/16 x 14-11/16 x 5-7/8 | Black Rubber Mat - 36 x 24    | 215             |
| 3121-TH-95 | 24-1/4 x 42-1/8 x 36-3/8 | (4) 15-1/16 x 14-11/16 x 5-7/8 | Tempered Hard Board - 36 x 24 | 218             |



# CARTS

## MOBILE BENCH CABINETS



**Model  
2210-95**

### Mobile Cabinet with Lockable Storage Compartment with 1 Shelf (1,200 Lbs. capacity)

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- Storage area has a locking handle with 4 keys
- 1 fixed shelf
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model   | Overall Dim: WxDxH (in.) | Shelf/Work surface | Ship Wt. (lbs.) |
|---------|--------------------------|--------------------|-----------------|
| 2210-95 | 18-1/4 x 42-1/8 x 36-3/8 | 36 x 16-1/8        | 145             |
| 2220-95 | 18-1/4 x 54-1/8 x 36-3/8 | 48 x 16-1/8        | 173             |



**Model  
2211-95**

### Mobile Cabinet with 4 Drawers & Lockable Storage Compartment (1,200 Lbs. capacity)

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 4 Drawers, each with 100 Lbs capacity, move easily on ball bearing slides
- Each drawer has a cylinder lock and 2 keys
- Storage area has 1 shelf and a single point locking handle with 4 keys
- All locks are keyed alike
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model   | Overall Dim: WxDxH (in.) | Drawer Dim: WxDxH (in.)        | Shelf           | Work surface | Ship Wt. (lbs.) |
|---------|--------------------------|--------------------------------|-----------------|--------------|-----------------|
| 2211-95 | 18-1/4 x 42-1/8 x 36-3/8 | (4) 20-7/16 x 14-11/16 x 5-7/8 | 13 x 16-1/8     | 36 x 18      | 187             |
| 2221-95 | 18-1/4 x 54-1/8 x 36-3/8 | (4) 20-7/16 x 14-11/16 x 5-7/8 | 24-7/8 x 16-1/8 | 48 x 18      | 216             |



**Model  
2212A-TH-LU-95**

### 36\"/>

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- Center shelf is adjustable
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- -TH model includes tempered hardboard surface
- Work surface: 36" x 18"
- Cabinet compartment is equipped with one adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Top Surface (in.)             | Drawers Dim: WxDxH (in.)   | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------------------------|----------------------------|-----------------|
| 2212A-LU-95    | 18-1/4 x 42-1/8 x 36-3/8 | Steel - 36 x 18               | 20-7/16 x 14-11/16 x 5-7/8 | 169             |
| 2212A-TH-LU-95 | 18-1/4 x 42-1/8 x 36-3/8 | Tempered Hard Board - 36 x 18 | 20-7/16 x 14-11/16 x 5-7/8 | 175             |

# CARTS

## MOBILE BENCH CABINETS

### 36"W Mobile Bench Cabinets (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface
- Top surface has back stop
- Tubular push handle allows ease of mobility
- 6" x 2" phenolic casters (2) swivel and (2) rigid
- Back louvered panel provides capability to hang Hook-On-Bins®
- Choose from models that include 20, 18 or no Hook-On-Bins®
- Doors lock securely with a 2 point locking handle and 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Hook-on Bins®                                       | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------------------------------------------|-----------------|
| 3100-95        | 24-1/4 x 42-1/8 x 37-3/4 | Empty, without louvered panel, 36 x 2 x 1-1/8 shelf | 190             |
| 3100-BLP-95    | 24-1/4 x 42-1/8 x 37-3/4 | Empty with Louvered Panel                           | 183             |
| 3100-BLP-18-95 | 24-1/4 x 42-1/8 x 37-3/4 | (12) 6 x 11 x 5, (4) 8 x 15 x 7, (2) 16 x 15 x 7    | 205             |
| 3100-BLP-20-95 | 24-1/4 x 42-1/8 x 37-3/4 | (12) 6 x 11 x 5, (8) 8 x 15 x 7                     | 206             |



**Model  
3100-BLP-20-95**



**Model  
3100-95**

### 36"W Mobile Cabinet with Drawer Lockable Storage Compartment (1,200 Lbs. capacity) - Includes 8 - Yellow Hook-On® Bins

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface with tempered hardboard
- Back and end stops on the work surface prevent parts from falling during transport
- Center shelf is adjustable
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Drawer includes 2 keys. Dimensions: 20-7/16 x 14-11/16 x 5-7/8
- Left side opening below the drawer is 24-1/4" W x 21-7/16" H x 18" D. Right side opening is 11-1/8" W x 24-1/4" H x 18" D.
- Cabinet compartment contains 8 Hook-On Bins and locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Hook-on Bins®  | Ship Wt. (lbs.) |
|--------------------|--------------------------|----------------|-----------------|
| 2212A-BLP-8B-LU-95 | 18-1/4 x 42-1/8 x 36-3/8 | (8) 6 x 11 x 5 | 173             |



**Model  
2212A-BLP-8B-LU-95**

### 36"W Mobile Cabinet with 4 Drawers & Lockable Storage Compartment with 10 Bins (1200 Lbs. capacity)

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface is covered with a black rubber mat
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 4 Drawers, each with 100 Lbs capacity, move easily on ball bearing slides
- Each drawer has a cylinder lock and 2 keys (all locks are keyed alike)
- Storage area has 1 shelf and a 2 point locking handle with 4 keys
- 10 Hook-On-Bins® are included and hang on louvered door panel
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Drawers Dim: WxDxH (in.)       | Hook-on Bins®  | Ship Wt. |
|--------------------|--------------------------|--------------------------------|----------------|----------|
| 2211-DLP-RM-10B-95 | 18-1/4 x 42-1/8 x 36-3/8 | (4) 20-7/16 x 14-11/16 x 5-7/8 | (10) 4 x 5 x 3 | 193      |



**Model  
2211-DLP-RM-10B-95**

# CARTS

## MOBILE BENCH CABINETS



**Model**  
**2213A-LU-95**

### 36" W Mobile Cabinet with 2 Drawer Lockable Storage Compartment (1,200 Lbs. capacity)

- 16 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- Tubular handle for easy maneuverability
- Work surface: 36" x 18"
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- Cabinet compartment is equipped with one adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Drawers Dim: WxDxH (in.)       | Ship Wt. (lbs.) |
|-------------|--------------------------|--------------------------------|-----------------|
| 2213A-LU-95 | 18-1/4 x 42-1/8 x 36-3/8 | (2) 15-1/16 x 14-11/16 x 5-7/8 | 188             |

# CARTS

## MOBILE BENCH CABINETS



**Model**  
**3413-FL-95**



**Model**  
**3413-MT-FL-95**



**Model**  
**3414-RM-FL-95**



**Model**  
**3415-FL-95**

### 48" W Mobile Bench Cabinets with Drawers (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Work surface and base: 48" x 24"
- Floor lock included to keep the unit in place while working
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                         | Overall Dim: WxDxH (in.)   | Drawers Dim: WxDxH (in.)       | Top Surface (in)           | Ship Wt. (lbs.) |
|-------------------------------|----------------------------|--------------------------------|----------------------------|-----------------|
| 3413-FL-95                    | 24-1/4 x 54-1/8 x 37-3/4   | (1) 40-15/16 x 14-5/8 x 5-7/8  | Steel - 48 x 24            | 228             |
| 3413-MT-FL-95                 | 24-1/4 x 54-1/8 x 38-15/32 | (1) 40-15/16 x 14-5/8 x 5-7/8  | Maple Top - 48 x 24        | 287             |
| 3413-RM-FL-95                 | 24-1/4 x 54-1/8 x 37-3/4   | (1) 40-15/16 x 14-5/8 x 5-7/8  | Black Rubber Mat - 48 x 24 | 236             |
| 3413-RM-95<br>(No Floor Lock) | 24-1/4 x 54-1/8 x 37-3/4   | (1) 40-15/16 x 14-5/8 x 5-7/8  | Black Rubber Mat - 48 x 24 | 231             |
| 3414-RM-FL-95                 | 24-1/4 x 54-1/8 x 37-3/4   | (2) 20-7/16 x 14-11/16 x 5-7/8 | Black Rubber Mat - 48 x 24 | 245             |
| 3415-FL-95                    | 24-1/4 x 54-1/8 x 37-3/4   | (2) 20-7/16 x 14-11/16 x 5-7/8 | Steel - 48 x 24            | 236             |
| 3415-MT-FL-95                 | 24-1/4 x 54-1/8 x 38-1/2   | (2) 20-7/16 x 14-11/16 x 5-7/8 | Maple Top - 48 x 24        | 295             |

# CARTS

## MOBILE BENCH CABINETS



**Model**  
**3410-FL-95**



**Model**  
**3414-MT-FL-95**



**Model**  
**3414-TH-FL-95**

### 48" W Mobile Bench Cabinets (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Work surface and base: 48" x 24"
- Floor lock included to keep the unit in place while working
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                           | Overall Dim: WxDxH (in.) | Drawers Dim. WxDxH (in.)       | Top Surface         | Ship Wt. (lbs.) |
|---------------------------------|--------------------------|--------------------------------|---------------------|-----------------|
| 3410-FL-95<br>(Empty, no doors) | 24-1/4 x 54-1/8 x 37-3/4 | -                              | Steel               | 178             |
| 3414-MT-FL-95<br>(No doors)     | 24-1/4 x 54-1/8 x 37-3/4 | (2) 20-7/16 x 14-11/16 x 5-7/8 | Maple Top           | 269             |
| 3414-TH-FL-95                   | 24-1/4 x 54-1/8 x 37-3/4 | (2) 20-7/16 x 14-11/16 x 5-7/8 | Tempered Hard Board | 248             |
| 3414-RM-FL-95                   | 24-1/4 x 54-1/8 x 37-3/4 | (2) 20-7/16 x 14-11/16 x 5-7/8 | Black Rubber Mat    | 245             |



**Model**  
**3411-FL-95**



**Model**  
**3411-MT-FL-95**



**Model**  
**3412-RM-FL-95**



**Model**  
**3412-TH-FL-95**

### 48" W Mobile Bench Cabinets (2,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Work surface and base: 48" x 24"
- Floor lock included to keep the unit in place while working
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Shelf Dim. WxD (in.) | Top Surface (in)              | Ship Wt. (lbs.) |
|---------------|--------------------------|----------------------|-------------------------------|-----------------|
| 3411-FL-95    | 24-1/4 x 54-1/8 x 37-3/4 | -                    | Steel - 48 x 24               | 204             |
| 3411-MT-FL-95 | 24-1/4 x 54-1/8 x 37-3/4 | -                    | Maple Top - 48 x 24           | 263             |
| 3411-TH-FL-95 | 24-1/4 x 54-1/8 x 37-3/4 | -                    | Tempered Hard Board - 48 x 24 | 218             |
| 3412-FL-95    | 24-1/4 x 54-1/8 x 37-3/4 | 48 x 21-1/8          | Steel - 48 x 24               | 229             |
| 3412-RM-FL-95 | 24-1/4 x 54-1/8 x 37-3/4 | 48 x 21-1/8          | Black Rubber Mat - 48 x 24    | 237             |
| 3412-TH-FL-95 | 24-1/4 x 54-1/8 x 37-3/4 | 48 x 21-1/8          | Tempered Hard Board - 48 x 24 | 242             |

# CARTS

## MOBILE BENCH CABINETS AND WIRE MAINTENANCE



**Model  
3400-95**

**Model  
3401-95**

**Model  
3401NVS-5PU-95**

**Model  
3402-95**

### Mobile Bench Cabinet with Shelf and Drawers

- 14 gauge, all-welded, steel construction
- Double doors have 3 point locking handle and 4 keys
- Full extension drawers each have 100 Lbs. capacity
- 24"W x 48"L surface with a welded 12 gauge, 12" vice support. Vice not included
- Back and end stops
- Sturdy tubular handle aids in mobility
- All casters: 2 rigid, 2 swivel
- Drawers move smoothly on ball bearing slides
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                             | Overall Dim: WxDxH (in.) | Includes                                                                                                           | Casters              | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|-----------------|
| 3400-95                           | 24-1/4 x 66-1/8 x 37-3/4 | Interior Shelf : 48 x 24                                                                                           | 6" x 2" Phenolic     | 2,000           | 263             |
| 3401-95                           | 24-1/4 x 66-1/8 x 37-3/4 | Interior Shelf: 24-7/8 x 21-1/8<br>Drawers: (4) 20-7/16" x 14-11/16" x 5-7/8"                                      | 6" x 2" Phenolic     | 2,000           | 300             |
| 3401NVS-5PU-95<br>(No vice shelf) | 24-1/4 x 54-1/8 x 36-3/4 | Interior Shelf: 24-7/8 x 21-1/8<br>Drawers: (4) 20-7/16" x 14-11/16" x 5-7/8"                                      | 5" x 2" Polyurethane | 1,200           | 286             |
| 3402-95                           | 24-1/4 x 66-1/8 x 37-3/4 | Interior Shelf: 24-7/8 x 21-1/8<br>Drawers: (2) 20-7/16" x 14-11/16" x 5-7/8"<br>(3) 20-7/16" x 14-11/16" x 3-7/8" | 6" x 2" Phenolic     | 2,000           | 305             |



Hook-On-Bins®  
not included

Hook-On Trays  
not included

### Mobile Wire Spool Rack

- 14 gauge, all-welded, steel construction
- 1,200 Lbs. total capacity
- 18" x 26" work surface with 1-1/2 lips up to retain products
- Louvered panels on 2 ends, accommodate Hook-On-Bins® and metal Hook-On Trays (Bins and Trays sold separately)
- Heavy duty handle makes transport easy
- (8) 23" removable rods accommodate wire spools
- 7-1/2" between rods, larger spools can be accommodated if some rods are removed
- Recessed rods allow protection of spools during transport
- 4 wire guides hang below the work surface for ease in cutting wire
- (4) 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled
- Durable gray, textured powder coat finish

| Model       | Overall Dim: WxDxH (in.)  | Description                                               | Ship Wt. (lbs.) |
|-------------|---------------------------|-----------------------------------------------------------|-----------------|
| MWSR8-LP-95 | 18-1/8 x 32-1/4 x 46-1/16 | 8-Rod Mobile Wire Spool Rack w/2 sides of louvered panels | 114             |



# CARTS

## MAINTENANCE STORAGE AND TRANSPORT

### Mobile Maintenance Cabinet with 6 Drawers & Lockable Storage

**Compartment** (1,200 Lbs. capacity) - Includes 9 Yellow Hook-On-Bins®

- 16 gauge, all-welded, steel construction
- Top surface back stop
- Door has 3-point locking system with fold down pad-lockable handle. Locking hinge is also provided to lock all drawers at once
- Interior shelf: 13-1/4" x 12-1/2"
- Drawers move smoothly on bearing slides
- Convenient sturdy work surface 36" x 18" is covered with a black rubber mat
- Ergonomic tubular handle
- Has provision to handle boxes of light bulbs conduit or pvt.
- Back low profile hanger holds one 6' ladder in an upright position
- Louvered panels on door accommodate Hook-on-Bins®
- Hook-On Bins Dimensions:  
(9) 4"W x 5"D x 3"H
- 5" x 1-1/4" polyurethane casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish



| Model                 | Overall Dim: WxDxH (in.)   | Drawer Dim: WxDxH (in.)                                          | Ship Wt. (lbs.) |
|-----------------------|----------------------------|------------------------------------------------------------------|-----------------|
| 2211-DLP-6DR-RM-9B-95 | 22-3/16 x 54-1/16 x 41-1/8 | (2) 20-7/16 x 14-11/16 x 4-7/8<br>(4) 20-7/16 x 14-11/16 x 2-7/8 | 246             |

**Model**  
**2211-DLP-6DR-RM-9B-95**

### Mobile Wire Spool & Maintenance Cart

- 14 gauge, all-welded, steel construction
- Top surface 1-1/2" lips up on 3 sides
- Door has 3-point locking system with fold down pad-lockable handle. Locking hinge is also provided to lock all drawers at once
- Louvered panel on end, accommodates Hook-On-Bins® and metal Hook-On Trays (Bins and Trays sold separately)
- Heavy duty tubular handle makes transport easy
- (5) 16-1/2" removable rods accommodate wire spools
- Recessed rods allow protection of spools during transport
- Low profile hanger positioned on back holds up to a 6' ladder in the upright
- Has provision to handle boxes of light bulbs, conduit, pvc, or other bulk items
- (4) 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled
- Durable gray, textured powder coat finish

Props, Trays and Bins sold separately



**Model**  
**MWSR5-95**

| Model    | Dimensions: WxDxH (in.)                                                                             | Carton Pack | Ship Wt. |
|----------|-----------------------------------------------------------------------------------------------------|-------------|----------|
| MWSR5-95 | Overall Dimensions: 24 x 54-1/16 x 35<br>Cabinet: 16-3/8 x 23-7/8 x 22-5/8<br>Work Surface: 36 x 24 | 1           | 201      |

# CARTS

## STAINLESS STEEL STOCK CARTS



**Model**  
**SLD016304825PU**

### 16 Gauge Low Deck Carts (1,200 Lbs. Capacity)

- 16 gauge, all-welded, steel construction
- Bottom shelf has lips up, to retain products
- Tubular offset handle allows easy mobility
- 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled and ready for use

| Model          | Overall Dim: WxLxH (in.) | Shelves     | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------|-----------------------|-----------------|
| SLD016243625PU | 24-1/8 x 40-3/4 x 38-1/8 | (2) 24 x 36 | 16-1/8                | 81              |
| SLD016304825PU | 30-1/8 x 52-3/4 x 38-1/8 | (2) 30 x 48 | 16-1/8                | 103             |



**Model**  
**SOPC1618303ALU5PU**

### 16 Gauge Order Picking Carts (1,200 Lbs. Capacity)

- 16 gauge, all-welded, steel construction
- Perfect for transporting parts and picking orders
- Writing surface with 1-1/2" lip up to retain paper and pens
- 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled and ready for use

| Model             | Overall Dim: WxLxH (in.) | Shelves     | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|-------------------|--------------------------|-------------|-----------------------|-----------------|
| SOPC1618302ALU5PU | 18-1/8 x 45 x 39         | (2) 18 x 30 | 25-1/8                | 71              |
| SOPC1618362ALU5PU | 18-1/8 x 51 x 39         | (2) 18 x 36 | 25-1/8                | 76              |
| SOPC1618303ALU5PU | 18-1/8 x 45 x 39         | (3) 18 x 30 | 11-3/4                | 82              |



**Model**  
**STBR-183042-3-5PU**



**Model**  
**STBR-303642-6-5PU**



**Model**  
**STBR-303672-12-5PU**

### 16 Gauge Plastic Tub Racks

- 16 gauge, all-welded, steel construction
- Plastic bins slide easily into place
- Each plastic bin has a capacity of 100 Lbs.
- Easy to access to products
- Allows for storage and transportation of various products
- 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled and ready for use

| Model              | Overall Dim: WxDxH (in.) | # of Bins            | Overall Capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------|--------------------------|----------------------|-------------------------|-----------------|
| STBR-183042-3-5PU  | 18-3/4 x 26 x 42         | (3) 16 x 25-1/8 x 8  | 300                     | 70              |
| STBR-303642-6-5PU  | 36-3/4 x 26 x 42         | (6) 16 x 25-1/8 x 8  | 600                     | 114             |
| STBR-303672-12-5PU | 36-3/4 x 26 x 73-3/4     | (12) 16 x 25-1/8 x 8 | 1,200                   | 185             |

# CARTS

## STAINLESS STEEL SHELF CARTS



**Model**  
**SRSC1624362ALU6PU**



**Model**  
**SRSC1624362FLD5PU**



**Model**  
**SOPC1618303ALU5PU**



**Model**  
**SRSCE2022342ALU4PU**

### 16 and 20 Gauge Shelf Stock Carts

- 16 or 20 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- 16 gauge capacity: 1,200 Lbs.
- 20 gauge capacity: 600 Lbs. - (4) 4" x 1-1/4" swivel, polyurethane casters
- Chemical resistant
- Easy to clean for sanitary operations
- Can handle a wide variety of operational temperature ranges
- Ships fully assembled and ready for use

| Model                                                                    | Gauge | Dimensions: WxLxH (in.)   | Shelves           | Shelf Clearance (in.) | Lips                     | Ship Wt. (lbs.) |
|--------------------------------------------------------------------------|-------|---------------------------|-------------------|-----------------------|--------------------------|-----------------|
| <b>6" x 2" Polyurethane Casters • 2 Rigid, 2 Swivel</b>                  |       |                           |                   |                       |                          |                 |
| SRSC1624362ALU6PU                                                        | 16    | 24-1/8 x 42 x 36          | (2) 24 x 36       | 23-3/4                | 1-1/2" All lips up       | 95              |
| SRSC1618363ALU6PU                                                        | 16    | 18-1/8 x 42 x 47          | (3) 18 x 36       | 16-9/16               | 1-1/2" All lips up       | 99              |
| SRSC1618304ALU6PU                                                        | 16    | 18-1/8 x 36 x 53          | (4) 18 x 30       | 12-1/2                | 1-1/2" All lips up       | 105             |
| SRSC1624484ALU6PU                                                        | 16    | 24-1/8 x 54 x 53          | (4) 24 x 48       | 12-1/2                | 1-1/2" All lips up       | 154             |
| <b>5" x 1-1/4" Polyurethane Casters • 2 Rigid, 2 Swivel w/Side Brake</b> |       |                           |                   |                       |                          |                 |
| SRSC1618242FLD5PU                                                        | 16    | 18-1/8 x 30 x 35          | (2) 18 x 24       | 24-1/8                | 1-1/2" - 3 Sides lips up | 55              |
| SRSC1618302FLD5PU                                                        | 16    | 19 x 36-7/16 x 37         | (2) 18 x 30       | 26-1/8                | 1-1/2" - 3 Sides lips up | 60              |
| SRSC1624362FLD5PU                                                        | 16    | 24-1/8 x 42 x 35          | (2) 24 x 36       | 24-1/8                | 1-1/2" - 3 Sides lips up | 84              |
| SRSC1624482FLD5PU                                                        | 16    | 24-1/8 x 54 x 35          | (2) 24 x 48       | 24-1/8                | 1-1/2" - 3 Sides lips up | 93              |
| SRSC1618303FLD5PU                                                        | 16    | 18-1/8 x 36 x 35          | (3) 18 x 30       | 11-1/4                | 1-1/2" - 3 Sides lips up | 80              |
| SRSC1624363FLD5PU                                                        | 16    | 24-1/8 x 42 x 35          | (3) 24 x 36       | 11-1/4                | 1-1/2" - 3 Sides lips up | 101             |
| SRSC1630603FLD5PU                                                        | 16    | 30-1/8 x 66 x 35          | (3) 30 x 60       | 11-1/4                | 1-1/2" - 3 Sides lips up | 153             |
| SRSC1630602ALU5PUS                                                       | 16    | 30-1/8 x 66 x 35          | (2) 30 x 60       | 24-1/8                | 1-1/2" All lips up       | 118             |
| SRSC1618362ALU5PUS                                                       | 16    | 18-1/8 x 42 x 35          | (2) 18 x 36       | 24-1/8                | 1-1/2" All lips up       | 62              |
| SRSC1624362ALU5PUS                                                       | 16    | 24-1/8 x 42 x 35          | (2) 24 x 36       | 24-1/8                | 1-1/2" All lips up       | 83              |
| SRSC1624482ALU5PUS                                                       | 16    | 24-1/8 x 54 x 35          | (2) 24 x 48       | 24-1/8                | 1-1/2" All lips up       | 92              |
| SRSC31618302ALU5PUS                                                      | 16    | 18-1/8 x 36 x 35          | (2) 18 x 30       | 21-3/8                | 3" All lips up           | 73              |
| SRSC31624362ALU5PUS                                                      | 16    | 24-1/8 x 42 x 35          | (2) 24 x 36       | 21-3/8                | 3" All lips up           | 85              |
| <b>4 Bumper Guards</b>                                                   |       |                           |                   |                       |                          |                 |
| SRSC2016302FLD4PU                                                        | 20    | 16-3/4 x 36-7/16 x 34     | (2) 15-11/16 x 30 | 24-13/16              | 1-1/4" - 3 Sides lips up | 46              |
| SRSC2022362FLD4PU                                                        | 20    | 22-1/2 x 42-7/16 x 34     | (2) 21-1/2 x 36   | 24-13/16              | 1-1/4" - 3 Sides lips up | 54              |
| SRSC2022482FLD4PU                                                        | 20    | 22-1/2 x 54-7/16 x 34     | (2) 21-1/2 x 48   | 24-13/16              | 1-1/4" - 3 Sides lips up | 58              |
| SRSC2016243FLD4PU                                                        | 20    | 16-3/4 x 30-7/16 x 34     | (3) 15-11/16 x 24 | 11-3/4                | 1-1/4" - 3 Sides lips up | 48              |
| SRSC2016303FLD4PU                                                        | 20    | 16-3/4 x 36-7/16 x 34     | (3) 15-11/16 x 30 | 11-3/4                | 1-1/4" - 3 Sides lips up | 51              |
| SRSC2022363FLD4PU                                                        | 20    | 22-1/2 x 42-7/16 x 34     | (3) 21-1/2 x 36   | 11-3/4                | 1-1/4" - 3 Sides lips up | 62              |
| SRSC12016243FLD4PU                                                       | 20    | 17 x 30-7/16 x 34         | (3) 16 x 24       | 13-3/4, 11-1/2        | 1" - 3 Sides lips up     | 48              |
| SRSC2022483FLD4PU                                                        | 20    | 22-1/2 x 54-7/16 x 34     | (3) 21-1/2 x 48   | 11-3/4                | 1-1/4" - 3 Sides lips up | 69              |
| SRSC32016302ALU4PU                                                       | 20    | 17 x 36-7/16 x 34         | (2) 16 x 30       | 21-5/16               | 3" All lips up           | 48              |
| SRSC2016302ALU4PU                                                        | 20    | 16-3/4 x 36-7/16 x 34     | (2) 15-3/4 x 30   | 24-13/16              | 1-1/4" All lips up       | 47              |
| SRSC2022362ALU4PU                                                        | 20    | 22-1/2 x 42-7/16 x 34     | (2) 21-1/2 x 36   | 24-13/16              | 1-1/4" All lips up       | 53              |
| <b>Ergonomic Handle • 4 Bumper Guards</b>                                |       |                           |                   |                       |                          |                 |
| SRSCE2022362ALU4PU                                                       | 20    | 22-1/2 x 42-9/16 x 39-7/8 | (2) 21-1/2 x 36   | 24-13/16              | 1-1/4" All lips up       | 65              |

# CARTS

## 2-SIDED MOBILE CART/WORKSTATIONS



**Model  
662-95 (Side A)**



**Model  
662-95 (Side B)**

### 2 Sided Cart with 12 Bins, 12 Drawers & Lockable Cabinet (1,200 Lbs. capacity)

- All-welded, prime cold-rolled steel components
- Side A consists of a 12 Opening Bin and a 6 Drawer Cabinet
- Parts Bins have fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Side B consists of a 4 Compartment lockable Utility Cabinet and a 6 Drawer Cabinet
- Sturdy, tubular handle aids in mobility. Handle adds 2" to width of the unit
- Drawer dimensions:  
(6) 5-3/8"W x 11-1/4"D x 2-3/4"H
- Utility Cabinet has a built-in lock attachment (pad-lock not included)
- Rubber tray mat on top offers durable, non-skid work surface
- 1-1/2" lips on all four sides of top
- Heavy-duty casters have 1,200 Lbs. capacity; (2) swivel with locking brakes and (2) rigid
- Easy assembly with provided fasteners
- Durable, gray, textured powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Bin Dim: WxDxH (in.)                                               | Ship Wt. (lbs.) | Carton |
|--------|--------------------------|--------------------------------------------------------------------|-----------------|--------|
| 662-95 | 34 x 24 x 34             | Side A: (12) 8 x 11-7/8 x 6-5/8<br>Side B: (4) 10 x 11-7/8 x 6-3/4 | 192             | 5      |



**Model  
663-95**

### 2 Sided Cart with Bins (1,200 Lbs. capacity)

- All-welded, prime cold-rolled steel components
- Two 12 Opening Bins, back-to-back, create 24 total compartments
- Parts Bins have fully hemmed 1-1/8" bin fronts to hold labels and retain parts and new redesigned slope shelves
- Rubber tray mat on top offers durable, non-skid work surface
- 1-1/2" lips on all four sides of top
- Heavy-duty casters have 1,200 Lbs. capacity; (2) swivel with locking brakes and (2) rigid
- Sturdy, tubular handle aids in mobility. Handle adds 2" to width of the unit
- Easy assembly with provided fasteners
- Durable, gray, textured powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Bin Dim: WxDxH (in.) | Ship Wt. (lbs.) | Carton |
|--------|--------------------------|----------------------|-----------------|--------|
| 663-95 | 34 x 24 x 30             | (24) 8 x 12 x 6-5/8  | 147             | 3      |



**Model  
664-95**

### 2 Sided Cart with 80 Bins (1,200 Lbs. capacity)

- Two 40 Opening Bins, back-to-back, create 80 total compartments.

| Model  | Overall Dim: WxDxH (in.) | Bin Dim: WxDxH (in.)    | Ship Wt. (lbs.) | Carton |
|--------|--------------------------|-------------------------|-----------------|--------|
| 664-95 | 34 x 24 x 30             | (80) 4 x 11-7/8 x 4-1/2 | 169             | 3      |

# CARTS

## 2-SIDED BIN CART/TUB RACKS

### Bin Service Carts (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Sturdy tubular push handle
- Durable yellow Hook-On-Bins®
- Top surface has 1-1/2" lips up
- Louvered center panels, accommodates Hook-On Bins®
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**RSC-2436-BLP-48-230-95**

| Model                   | Overall Dim: WxLxH (in.) | Bin Dims: (in.) | Top Shelf (in.) | Ship Wt. (lbs.) |
|-------------------------|--------------------------|-----------------|-----------------|-----------------|
| RSC-2436-BLP-48-230-95  | 24-1/4 x 42-1/4 x 37-5/8 | (48) 6 x 11 x 5 | 36 x 24         | 182             |
| RSC-2436-BLP-64-210-95  | 24-1/4 x 42-1/4 x 37-5/8 | (64) 4 x 5 x 3  | 36 x 24         | 150             |
| RSC-2436-BLP-64-220-95  | 24-1/4 x 42-1/4 x 37-5/8 | (64) 4 x 7 x 3  | 36 x 24         | 156             |
| RSC-1836-BLP-112-210-95 | 18-1/4 x 42-1/4 x 37-5/8 | (112) 4 x 5 x 3 | 36 x 18         | 136             |
| RSC-1836-BLP-112-220-95 | 18-1/4 x 42-1/4 x 37-5/8 | (112) 4 x 7 x 3 | 36 x 18         | 147             |

# CARTS

## PLASTIC TUB RACKS

### Plastic Tub Racks - Gray Tubs

- 14 gauge, all-welded, steel construction
- Plastic bins slide easily into place
- Each plastic bin has a capacity of 100 lbs.
- Easy to access to products
- Allows for storage and transportation of various products
- 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- Ships fully assembled and ready for use




**Model**  
**TBR-303672-12-5PO-95**

| Model                | Dimensions: WxDxH (in.) | Bin Qty. & Dims      | Overall Capacity (lbs.) | Ship Wt. (lbs.) |
|----------------------|-------------------------|----------------------|-------------------------|-----------------|
| TBR-183042-3-5PO-95  | 18-3/4 x 26 x 42        | (3) 16 x 25-1/8 x 8  | 300                     | 79              |
| TBR-183072-6-5PO-95  | 18-3/4 x 26 x 73-3/4    | (6) 16 x 25-1/8 x 8  | 600                     | 145             |
| TBR-303672-12-5PO-95 | 36-13/16 x 26 x 73-3/4  | (12) 16 x 25-1/8 x 8 | 1,200                   | 216             |

### Plastic Tub Racks - Yellow Tubs

- 14 gauge, all-welded, steel construction
- Bins slide easily into place
- Each bin has a capacity of 150 Lbs.
- Allows for the storage and transportation of various products
- Easy access to products
- 5" x 1-1/2" Polyurethane casters - 2 rigid, 2 swivel
- Gray, textured, powder coat finish



**Model**  
**TBR-187847-12B-5PU-95**

| Model                 | Dimensions: WxDxH (in.)   | Bin Qty. & Dims               | Ship Wt. (lbs.) |
|-----------------------|---------------------------|-------------------------------|-----------------|
| TBR-187847-12B-5PU-95 | 18-3/4 x 77-5/16 x 47-3/8 | (12) 18-3/8 x 19-3/4 x 11-7/8 | 206             |



# CARTS

## STOCK CARTS

### 2 Shelf Easy Access Shelf Cart (1,200 Lbs. capacity)



**Model**  
**EAS-2436-95**

- 14 gauge, all-welded, steel construction
- Top shelf is flush for easy loading and bottom shelf has 1-1/2" lips up, for the retention of products
- 5 x 1-1/4" Polyurethane casters: 2 rigid, 2 swivel with side brakes
- Sturdy, tubular push handle aids in mobility
- Top shelf is 36" above the floor, providing an ideal height for a work surface
- Ships fully assembled and ready for use
- Durable, textured, powder coat finish

| Model        | Overall Dim: WxLxH (in.) | Shelf Clearance (in.) | Color | Ship Wt. (lbs.) |
|--------------|--------------------------|-----------------------|-------|-----------------|
| EAS-1824-95  | 18 x 30 x 35-13/16       | 24-15/16              | Gray  | 64              |
| EAS-1832-95  | 18 x 38 x 35-13/16       | 24-15/16              | Gray  | 70              |
| EAS-1836-95  | 18 x 42 x 35-13/16       | 24-15/16              | Gray  | 74              |
| EAS-2436-95  | 24 x 42 x 35-13/16       | 24-15/16              | Gray  | 98              |
| EAS-2436-65T | 24 x 42 x 35-13/16       | 24-15/16              | Blue  | 97              |

### Perforated Shelves Rolling Service Cart (1,200 Lbs. capacity)



**Model**  
**RSCM-2436-2-95**

- Heavy duty, 12 gauge steel construction
- Sturdy, tubular push handle
- Unit has 1-1/2" lips up
- 5 x 1-1/4" Polyurethane casters: 2 rigid, 2 swivel with side brakes
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model          | Overall Dim: WxLxH (in.) | Shelves     | Ship Wt. (lbs.) |
|----------------|--------------------------|-------------|-----------------|
| RSCM-2436-2-95 | 24-1/4 x 42-1/4 x 35-1/8 | (2) 24 x 36 | 101             |

### 2, 3 Shelf Stock Carts with Drawers (1,200 Lbs. capacity)



**Model**  
**RSC-2448-2-2DR-95**

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- Top shelf has 1-1/2" lips up on 3 sides. Bottom shelf has 1-1/2" lips on all sides
- 1-1/2" x 1/8" angle iron uprights for added strength
- 5 x 1-1/4" Polyurethane casters: 2 rigid, 2 swivel
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Shelves     | Drawers                        | Ship Wt. (lbs.) |
|-------------------|--------------------------|-------------|--------------------------------|-----------------|
| RSC-2436-2-1DR-95 | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36 | (1) 13-5/16 x 19-1/4 x 4-15/16 | 119             |
| RSC-2436-2-2DR-95 | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36 | (2) 13-5/16 x 19-1/4 x 4-15/16 | 137             |
| RSC-2448-2-1DR-95 | 24-1/4 x 54-1/4 x 37-5/8 | (2) 24 x 48 | (1) 13-5/16 x 19-1/4 x 4-15/16 | 135             |
| RSC-2448-2-2DR-95 | 24-1/4 x 54-1/4 x 37-5/8 | (2) 24 x 48 | (2) 13-5/16 x 19-1/4 x 4-15/16 | 155             |
| RSC-3036-2-2DR-95 | 30-1/4 x 42-1/4 x 37-5/8 | (2) 30 x 36 | (2) 13-5/16 x 19-1/4 x 4-15/16 | 148             |

# CARTS

## STOCK CARTS



**Model**  
**RSC-2436-2-95**



**Model**  
**RSC-243639-2-8PN-95**



**Model**  
**RSC-2448-2-1TLD-95**



**Model**  
**RSC-304830-2-TLD-5PO-95**

### 2 Shelf Stock Carts

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- Standard units have 1-1/2" lips up  
ALD units have all flush shelves  
TLD units have top shelf flush

- 1-1/2" x 1/8" angle iron uprights for added strength
- All casters: 2 rigid, 2 swivel
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                        | Overall Dim: WxDxH (in.) | Shelves     | Caster Material          | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|----------------------------------------------|--------------------------|-------------|--------------------------|-----------------|-------------|-----------------|
| RSC-1824-2-95                                | 18-1/4 x 30-1/4 x 37-5/8 | (2) 18 x 24 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 67              |
| RSC-1830-2-95                                | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 72              |
| RSC-1832-2-95                                | 18-1/4 x 38-1/4 x 37-5/8 | (2) 18 x 32 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 74              |
| RSC-1836-2-95                                | 18-1/4 x 42-1/4 x 37-5/8 | (2) 18 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 77              |
| RSC-2430-2-95                                | 24-1/4 x 36-1/4 x 37-5/8 | (2) 24 x 30 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 92              |
| RSC-2436-2-95                                | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 98              |
| RSC-2448-2-95                                | 24-1/4 x 54-1/4 x 37-5/8 | (2) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 111             |
| RSC-3036-2-95                                | 30-1/4 x 42-1/4 x 37-5/8 | (2) 30 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 110             |
| RSC-3048-2-95                                | 30-1/4 x 54-1/4 x 37-5/8 | (2) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 125             |
| RSC-3060-2-95                                | 30-1/4 x 66-1/4 x 37-5/8 | (2) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 141             |
| RSC-243631-2-95                              | 24-1/4 x 42-1/4 x 30-7/8 | (2) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 95              |
| RSC-3048-2-8PN-95                            | 30-1/4 x 54-1/4 x 41-1/4 | (2) 30 x 48 | 8" x 2-3/4" Pneumatic    | 1,200           | No          | 146             |
| RSC-243639-2-8PN-95                          | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36 | 8" x 2-3/4" Pneumatic    | 1,200           | No          | 118             |
| RSC-304836-2-8PN-95                          | 30-1/4 x 54-1/4 x 36     | (2) 30 x 48 | 8" x 2-3/4" Pneumatic    | 1,200           | No          | 144             |
| RSC-1830-2-5PO-95                            | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30 | 5" x 1-1/4" Polyolefin   | 1,400           | Yes         | 72              |
| RSC-2436-2-5PO-95                            | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36 | 5" x 1-1/4" Polyolefin   | 1,400           | Yes         | 98              |
| RSC-244836-2-6PU-95                          | 24-1/4 x 54-1/4 x 36     | (2) 24 x 48 | 6" x 2" Polyurethane     | 2,400           | No          | 121             |
| RSC-243636-2-3K-6PHSB-95                     | 24-1/4 x 42-1/4 x 36     | (2) 24 x 36 | 6" x 2" Phenolic         | 3,000           | Yes         | 112             |
| <b>Top Shelf Flush, Bottom Shelf Lips Up</b> |                          |             |                          |                 |             |                 |
| RSC-243630-2-TLD-6PO-95                      | 24-1/4 x 42-1/4 x 30     | (2) 24 x 36 | 6" x 2" Polyolefin       | 1,200           | No          | 100             |
| RSC-367236-2-8PN-TLD-95                      | 36-1/4 x 78-1/4 x 36     | (2) 36 x 72 | 8" x 2-3/4" Pneumatic    | 1,200           | No          | 208             |
| RSC-183235-2-TLD-95                          | 18-1/4 x 38-1/4 x 35     | (2) 18 x 32 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 71              |
| RSC-2448-2-1TLD-95                           | 24-1/4 x 54-1/4 x 37-5/8 | (2) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 112             |
| RSC-3048-2-TLD-95                            | 30-1/4 x 54-1/4 x 37-5/8 | (2) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 125             |
| RSC-3060-2-TLD-95                            | 30-1/4 x 66-1/4 x 37-5/8 | (2) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 141             |
| RSC-243630-2-TLD-5PO-95                      | 24-1/4 x 42-1/4 x 30     | (2) 24 x 36 | 5" x 1-1/4" Polyolefin   | 1,400           | Yes         | 88              |
| RSC-304830-2-TLD-5PO-95                      | 30-1/4 x 54-1/4 x 30     | (2) 30 x 48 | 5" x 1-1/4" Polyolefin   | 1,400           | Yes         | 115             |
| RSC-244836-2-TLD-8PO-95                      | 24-1/4 x 54-1/4 x 36     | (2) 24 x 48 | 8" x 2" Polyolefin       | 3,000           | No          | 125             |
| RSC-367236-2-TLD-8PO-95                      | 36-1/4 x 78-1/4 x 36     | (2) 36 x 72 | 8" x 2" Polyolefin       | 3,000           | No          | 202             |
| RSC-2436-3-3K-TLD-95                         | 24-1/4 x 42-1/4 x 39     | (3) 24 x 36 | 6" x 2" Phenolic         | 3,000           | No          | 137             |
| RSC-2448-3-3K-TLD-95                         | 24-1/4 x 54-1/4 x 39     | (3) 24 x 48 | 6" x 2" Phenolic         | 3,000           | No          | 160             |
| RSC-3048-3-3K-TLD-95                         | 30-1/4 x 54-1/4 x 39     | (3) 30 x 48 | 6" x 2" Phenolic         | 3,000           | No          | 178             |
| RSC-3060-3-3K-TLD-95                         | 30-1/4 x 66-1/4 x 39     | (3) 30 x 60 | 6" x 2" Phenolic         | 3,000           | No          | 205             |

# CARTS

## STOCK CARTS



**Model**  
**RSC-367236-2-8PN-TLD-95**

### 2 Shelf Stock Carts (3,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- Top lip is flush and bottom shelf has 1-1/2" lips up
- 1-1/2" x 1/8" angle iron uprights for added strength
- 6" x 2" Phenolic casters: 2 rigid, 2 swivel
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                  | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|------------------------|--------------------------|-------------|-----------------|
| RSC-1830-2-3K-TLD-95   | 18-1/4 x 36-1/4 x 39     | (2) 18 x 30 | 84              |
| RSC-1836-2-3K-TLD-95   | 18-1/4 x 42-1/4 x 39     | (2) 18 x 36 | 91              |
| RSC-2430-2-3K-TLD-95   | 24-1/4 x 36-1/4 x 39     | (2) 24 x 30 | 106             |
| RSC-2436-2-3K-TLD-95   | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36 | 112             |
| RSC-243036-2-3K-TLD-95 | 24-1/4 x 36-1/4 x 36     | (2) 24 x 30 | 105             |
| RSC-243636-2-3K-TLD-95 | 24-1/4 x 42-1/4 x 36     | (2) 24 x 36 | 111             |
| RSC-2448-2-3K-TLD-95   | 24-1/4 x 54-1/4 x 39     | (2) 24 x 48 | 125             |
| RSC-247236-2-3K-TLD-95 | 24-1/4 x 78-1/4 x 36     | (2) 24 x 72 | 162             |
| RSC-3048-2-3K-TLD-95   | 30-1/4 x 54-1/4 x 39     | (2) 30 x 48 | 139             |
| RSC-304836-2-3K-TLD-95 | 30-1/4 x 54-1/4 x 36     | (2) 30 x 48 | 138             |
| RSC-3060-2-3K-TLD-95   | 30-1/4 x 66-1/4 x 39     | (2) 30 x 60 | 155             |
| RSC-306036-2-3K-TLD-95 | 30-1/4 x 66-1/4 x 36     | (2) 30 x 60 | 154             |
| RSC-366036-2-3K-TLD-95 | 36-1/4 x 66-1/4 x 36     | (2) 36 x 60 | 171             |



**Model**  
**RSC-183033-3-4PU-08T**

### Black, 2 & 3 Shelf Rolling Service Carts (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Sturdy, tubular, push handle
- Units have 1-1/2" lips up
- 4" x 1-1/4" polyurethane bolt-on casters; (2) rigid and (2) swivel with side brakes
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, black powder coat finish

| Model                | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|----------------------|--------------------------|-------------|-----------------|
| RSC-182433-2-4PU-08T | 18-1/4 x 30-1/4 x 33     | (2) 18 x 24 | 63              |
| RSC-183633-2-4PU-08T | 18-1/4 x 42-1/4 x 33     | (2) 18 x 36 | 73              |
| RSC-183033-3-4PU-08T | 18-1/4 x 36-1/4 x 33     | (3) 18 x 30 | 82              |
| RSC-244833-3-4PU-08T | 24-1/4 x 54-1/4 x 33     | (3) 24 x 48 | 136             |



**Model**  
**RSC-2436-2-2.4K-ALU-FL-95**

### 2 Shelf Stock Carts with Floor Lock (2,400 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- 6 x 2" phenolic bolt-on casters; (2) rigid and (2) swivel
- Units have 1-1/2" lips up
- 1-1/2" x 1/8" angle iron uprights for added strength
- Floor lock keeps unit securely in place
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                     | Overall Dim: WxLxH (in.) | Shelves (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|---------------------------|--------------------------|---------------|-----------------------|-----------------|
| RSC-2436-2-2.4K-ALU-FL-95 | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 26-3/4                | 121             |
| RSC-2448-2-2.4K-ALU-FL-95 | 24-1/4 x 54-1/4 x 39     | (2) 24 x 48   | 26-3/4                | 138             |
| RSC-3048-2-2.4K-ALU-FL-95 | 30-1/4 x 54-1/4 x 39     | (2) 30 x 48   | 26-3/4                | 150             |
| RSC-3060-2-2.4K-ALU-FL-95 | 30-1/4 x 66-1/4 x 39     | (2) 30 x 60   | 26-3/4                | 169             |



**Model**  
**RSC-244848-3-3K-6PH-95**



**Model**  
**RSC-182435-3-BLU-95**



**Model**  
**RSC-3048-3-3K-6PHSB-95**



**Model**  
**RSC-2436-3-1TLD-95**

### 3 Shelf Stock Carts

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- Standard units have 1-1/2" lips

**TLD & BLU** top shelf flush, bottom shelf 1-1/2" lips up

**ALD** units have all flush shelves

- All casters: 2 rigid, 2 swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                     | Overall Dim: WxDxH (in.)  | Shelves     | Caster                   | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|---------------------------|---------------------------|-------------|--------------------------|-----------------|-------------|-----------------|
| RSC-1830-3-95             | 18-1/4 x 36-1/4 x 37-5/8  | (3) 18 x 30 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 86              |
| RSC-1832-3-95             | 18-1/4 x 38-1/4 x 37-5/8  | (3) 18 x 32 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 88              |
| RSC-1836-3-95             | 18-1/4 x 42-1/4 x 37-5/8  | (3) 18 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 93              |
| RSC-1848-3-95             | 18-1/4 x 54-1/4 x 37-5/8  | (3) 18 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 108             |
| RSC-2436-3-95             | 24-1/4 x 42-1/4 x 37-5/8  | (3) 24 x 36 | 5" x 2" Polyurethane     | 1,200           | Yes         | 119             |
| RSC-2448-3-95             | 24-1/4 x 54-1/4 x 37-5/8  | (3) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 138             |
| RSC-3060-3-95             | 30-1/4 x 66-1/4 x 37-5/8  | (3) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 182             |
| RSC-1830-3-ALD-95         | 18-1/4 x 36-1/4 x 36-1/16 | (3) 18 x 30 | 5" x 1-1/4" Polyurethane | 1,200           | No          | 86              |
| RSC-182435-3-BLU-95       | 18-1/4 x 30-1/4 x 35      | (3) 18 x 24 | 5" x 1-1/4" Polyolefin   | 1,200           | Yes         | 76              |
| RSC-2448-3-BLU-95         | 24-1/4 x 54-1/4 x 37-5/8  | (3) 24 x 48 | 5" x 1-1/4" Polyolefin   | 1,200           | Yes         | 138             |
| RSC-243639-3-8PN-95       | 24-1/4 x 42-1/4 x 39      | (3) 24 x 36 | 8" x 3" Pneumatic        | 1,200           | No          | 139             |
| RSC-2436-3-1TLD-95        | 24-1/4 x 42-1/4 x 37-5/8  | (3) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 119             |
| RSC-2436-3-3K-95          | 24-1/4 x 42-1/4 x 39      | (3) 24 x 36 | 6" x 2" Phenolic         | 3,000           | No          | 137             |
| RSC-2448-3-3K-95          | 24-1/4 x 54-1/4 x 39      | (3) 24 x 48 | 6" x 2" Phenolic         | 3,000           | No          | 160             |
| RSC-3060-3-3K-95          | 30-1/4 x 66-1/4 x 39      | (3) 30 x 60 | 6" x 2" Phenolic         | 3,000           | No          | 205             |
| RSC-243648-3-3K-6PH-95    | 24-1/4 x 42-1/4 x 48      | (3) 24 x 36 | 6" x 2" Phenolic         | 3,000           | No          | 140             |
| RSC-244848-3-3K-6PH-95    | 24-1/4 x 54-1/4 x 48      | (3) 24 x 48 | 6" x 2" Phenolic         | 3,000           | No          | 163             |
| RSC-366048-3-3K-6PH-95    | 36-1/4 x 66-1/4 x 48      | (3) 36 x 60 | 6" x 2" Phenolic         | 3,000           | No          | 228             |
| RSC-3048-3-3K-6PHSB-95    | 30-1/4 x 54-1/4 x 39      | (3) 30 x 48 | 6" x 2" Phenolic         | 3,000           | Yes         | 179             |
| RSC2448-3-3K-6PHSB-ALD-95 | 24-1/4 x 54-1/4 x 37-7/16 | (3) 24 x 48 | 6" x 2" Phenolic         | 3,000           | Yes         | 161             |

# CARTS

## STOCK CARTS



**Model**  
**RSC-3060-4-3K-MLD-95**



**Model**  
**RSC-2448-4-LD-95**



**Model**  
**RSC-2436-5-95**



**Model**  
**RSC-243666-5-3K-ALD-95**

### 4, 5 and 6 Shelf Stock Carts

- 14 gauge, all-welded, steel construction
- Sturdy, tubular push handle
- Standard units have 1-1/2" lips,  
MLD units have flush shelves in the center  
ALD & LD units have all flush shelves
- All Casters: 2 swivel, 2 rigid
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                  | Overall Dim: WxDxH (in.)  | Shelves (in.) | Caster                   | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|------------------------|---------------------------|---------------|--------------------------|-----------------|-------------|-----------------|
| RSC-1830-4-95          | 18-1/4 x 36-1/4 x 55-5/8  | (4) 18 x 30   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 116             |
| RSC-2448-4-LD-95       | 24-1/4 x 54-1/4 x 55-7/16 | (4) 24 x 48   | 6" x 2" Phenolic         | 3,000           | Yes         | 191             |
| RSC-2436-4-3K-95       | 24-1/4 x 42-1/4 x 60      | (4) 24 x 36   | 6" x 2" Phenolic         | 3,000           | No          | 166             |
| RSC-2448-4-3K-95       | 24-1/4 x 54-1/4 x 60      | (4) 24 x 48   | 6" x 2" Phenolic         | 3,000           | No          | 198             |
| RSC-244860-4-3K-95     | 24-1/4 x 54-1/4 x 60      | (4) 24 x 48   | 6" x 2" Phenolic         | 3,000           | No          | 216             |
| RSC-3060-4-3K-95       | 30-1/4 x 66-1/4 x 60      | (4) 30 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 263             |
| RSC-3060-4-3K-MLD-95   | 30-1/4 x 66-1/4 x 69-3/4  | (4) 30 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 281             |
| RSC-366060-4-3K-95     | 36-1/4 x 66-1/4 x 60      | (4) 36 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 294             |
| RSC-1836-5-95          | 18-1/4 x 42-1/4 x 55-5/8  | (5) 18 x 36   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 143             |
| RSC-2436-5-95          | 24-1/4 x 42-1/4 x 55-5/8  | (5) 24 x 36   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 168             |
| RSC-2448-5-95          | 24-1/4 x 54-1/4 x 55-5/8  | (5) 24 x 48   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 203             |
| RSC-3048-5-95          | 30-1/4 x 54-1/4 x 55-5/8  | (5) 30 x 48   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 235             |
| RSC-3060-5-95          | 30-1/4 x 66-1/4 x 55-5/8  | (5) 30 x 60   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 280             |
| RSC-3672-5-95          | 36-1/4 x 78-1/4 x 55-5/8  | (5) 36 x 72   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 364             |
| RSC-2448-5-LD-95       | 24-1/4 x 54-1/4 x 54-1/16 | (5) 24 x 48   | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 203             |
| RSC-2436-5-3K-95       | 24-1/4 x 42-1/4 x 60      | (5) 24 x 36   | 6" x 2" Phenolic         | 3,000           | No          | 186             |
| RSC-2448-5-3K-95       | 24-1/4 x 54-1/4 x 60      | (5) 24 x 48   | 6" x 2" Phenolic         | 3,000           | No          | 225             |
| RSC-3060-5-3K-95       | 30-1/4 x 66-1/4 x 60      | (5) 30 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 304             |
| RSC-244868-5-3K-95     | 24-1/4 x 54-1/4 x 68      | (5) 24 x 48   | 6" x 2" Phenolic         | 3,000           | No          | 249             |
| RSC-306068-5-3K-95     | 30-1/4 x 66-1/4 x 68      | (5) 30 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 321             |
| RSC-243666-5-3K-ALD-95 | 24-1/4 x 42-1/4 x 66-1/2  | (5) 24 x 36   | 6" x 2" Phenolic         | 3,000           | No          | 213             |
| RSC-306066-5-3K-ALD-95 | 30-1/4 x 66-1/4 x 66-1/2  | (5) 30 x 60   | 6" x 2" Phenolic         | 3,000           | No          | 321             |
| RSC-244873-6-3K-95     | 24-1/4 x 54-1/4 x 73      | (6) 24 x 48   | 6" x 2" Phenolic         | 3,000           | No          | 278             |

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**



# CARTS

## STOCK CARTS



**Model**  
**RSCE-1830-2-95**



**Model**  
**RSCE-2436-2-TLD-95**



**Model**  
**RSCE-3048-2-3.6K-95**



**Model**  
**RSCE-3048-2-3.6K-95**

### 2 Shelf Stock Cart with Ergonomic Handle

- 14 gauge, all-welded, steel construction
- Sturdy, tubular, ergonomic handle has 3 positions ensuring maximum comfort
- Standard units have 1-1/2" lips up  
TLD units have top shelf flush
- All casters: 2 rigid, 2 swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                     | Overall Dim: WxDxH (in.)   | Shelves (in.) | Caster                     | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|---------------------------|----------------------------|---------------|----------------------------|-----------------|-------------|-----------------|
| RSCE-1830-2-95            | 18-1/4 x 36-1/4 x 43-5/8   | (2) 18 x 30   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 75              |
| RSCE-1830-2-TLD-95        | 18-1/4 x 36-1/4 x 43-5/8   | (2) 18 x 30   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 83              |
| RSCE-1836-2-95            | 18-1/4 x 42-1/4 x 43-5/8   | (2) 18 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 80              |
| RSCE-1836-2-TLD-95        | 18-1/4 x 42-1/4 x 43-5/8   | (2) 18 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 80              |
| RSCE-2436-2-95            | 24-1/4 x 42-1/4 x 43-5/8   | (2) 24 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 101             |
| RSCE-2436-2-TLD-95        | 24-1/4 x 42-1/4 x 43-5/8   | (2) 24 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 100             |
| RSCE-2448-2-95            | 24-1/4 x 54-1/4 x 43-5/8   | (2) 24 x 48   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 114             |
| RSCE-2448-2-TLD-95        | 24-1/4 x 54-1/4 x 43-5/8   | (2) 24 x 48   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 114             |
| RSCE-3048-2-95            | 30-1/4 x 54-1/4 x 43-5/8   | (2) 30 x 48   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 129             |
| RSCE-3048-2-TLD-95        | 30-1/4 x 54-1/4 x 43-5/8   | (2) 30 x 48   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 129             |
| RSCE-3060-2-95            | 30-1/4 x 66-1/4 x 43-5/8   | (2) 30 x 60   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 144             |
| RSCE-3060-2-TLD-95        | 30-1/4 x 66-1/4 x 43-5/8   | (2) 30 x 60   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 144             |
| RSCE-243648-2-95          | 24-1/4 x 42-1/4 x 47-3/4   | (2) 24 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 104             |
| RSCE-243641-2-TLD-95      | 24-1/4 x 42-1/4 x 40-7/8   | (2) 24 x 36   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 100             |
| RSCE-304848-2-95          | 30-1/4 x 54-1/4 x 47-3/4   | (2) 30 x 48   | 5" x 1-1/4" Polyurethane   | 1,200           | Yes         | 131             |
| RSCE-2430-2-8SPN-95       | 24-1/4 x 36-1/4 x 47       | (2) 24 x 30   | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No          | 114             |
| RSCE-2472-2-8SPN-95       | 24-1/4 x 78-1/4 x 47       | (2) 24 x 72   | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No          | 166             |
| RSCE1P-2436-2-8SPN-95     | 24-1/4 x 42-1/4 x 40-11/16 | (2) 24 x 36   | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No          | 119             |
| RSCE1P-2436-2-5PO-95      | 24-1/4 x 42-1/4 x 40-7/8   | (2) 24 x 36   | 5" x 1-1/4" Polyolefin     | 1,400           | Yes         | 100             |
| RSCE1P-2448-2-5PO-95      | 24-1/4 x 54-1/4 x 40-7/8   | (2) 24 x 48   | 5" x 1-1/4" Polyolefin     | 1,400           | Yes         | 111             |
| RSCE-1830-2-3.6K-95       | 18-1/4 x 36-1/4 x 45       | (2) 18 x 30   | 6" x 2" Phenolic           | 3,600           | Yes         | 100             |
| RSCE-1836-2-3.6K-95       | 18-1/4 x 42-1/4 x 45       | (2) 18 x 36   | 6" x 2" Phenolic           | 3,600           | Yes         | 105             |
| RSCE-2436-2-3.6K-95       | 24-1/4 x 42-1/4 x 45       | (2) 24 x 36   | 6" x 2" Phenolic           | 3,600           | Yes         | 117             |
| RSCE-2448-2-3.6K-95       | 24-1/4 x 54-1/4 x 45       | (2) 24 x 48   | 6" x 2" Phenolic           | 3,600           | Yes         | 129             |
| RSCE-3048-2-3.6K-95       | 30-1/4 x 54-1/4 x 45       | (2) 30 x 48   | 6" x 2" Phenolic           | 3,600           | Yes         | 144             |
| RSCE-3060-2-3.6K-95       | 30-1/4 x 66-1/4 x 45       | (2) 30 x 60   | 6" x 2" Phenolic           | 3,600           | Yes         | 159             |
| RSCE-2436-2-3.6K-8PUSB-95 | 24-1/4 x 42-1/4 x 47-3/4   | (2) 24 x 36   | 8" x 2" Polyurethane       | 3,600           | Yes         | 118             |
| RSCE-3060-2-3.6K-8PUSB-95 | 30-1/4 x 66-1/4 x 47-3/4   | (2) 30 x 60   | 8" x 2" Polyurethane       | 3,600           | Yes         | 161             |
| RSCE-2448-2-ALD-8PUSB-95  | 24-1/4 x 54-1/4 x 40-3/4   | (2) 24 x 48   | 8" x 2" Polyurethane       | 3,600           | Yes         | 129             |
| RSCE-3060-2-ALD-8PUSB-95  | 30-1/4 x 66-1/4 x 40-3/4   | (2) 30 x 60   | 8" x 2" Polyurethane       | 3,600           | Yes         | 159             |

# CARTS

## STOCK CARTS



**Model**  
**RSCE-1836-2-3.6K-TLD-95**



**Model**  
**RSCE-2436-2-3.6K-ALD-95**



**Model**  
**RSCE-2448-3-95**



**Model**  
**RSCE-3072-3-3.6K-TLD-95**

### 2, 3 and 4 Shelf Stock Cart with Ergonomic Handle

- 14 gauge, all-welded, steel construction
- Sturdy, tubular, ergonomic handle has 3 positions ensuring maximum comfort
- Standard units have 1-1/2" lips up  
**ALD** units have all flush shelves  
**TLD** units have top shelf flush
- All Casters: 2 rigid, 2 swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                   | Overall Dim: WxDxH (in.) | Shelves     | Caster                   | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|-------------------------|--------------------------|-------------|--------------------------|-----------------|-------------|-----------------|
| RSCE-1830-2-3.6K-TLD-95 | 18-1/4 x 36-1/4 x 45     | (2) 18 x 30 | 6" x 2" Phenolic         | 3,600           | Yes         | 100             |
| RSCE-1836-2-3.6K-TLD-95 | 18-1/4 x 42-1/4 x 45     | (2) 18 x 36 | 6" x 2" Phenolic         | 3,600           | Yes         | 105             |
| RSCE-2436-2-3.6K-TLD-95 | 24-1/4 x 42-1/4 x 45     | (2) 24 x 36 | 6" x 2" Phenolic         | 3,600           | Yes         | 117             |
| RSCE-2448-2-3.6K-TLD-95 | 24-1/4 x 54-1/4 x 45     | (2) 24 x 48 | 6" x 2" Phenolic         | 3,600           | Yes         | 129             |
| RSCE-3048-2-3.6K-TLD-95 | 30-1/4 x 54-1/4 x 45     | (2) 30 x 48 | 6" x 2" Phenolic         | 3,600           | Yes         | 144             |
| RSCE-3060-2-3.6K-TLD-95 | 30-1/4 x 66-1/4 x 45     | (2) 30 x 60 | 6" x 2" Phenolic         | 3,600           | Yes         | 159             |
| RSCE-1830-2-3.6K-ALD-95 | 18-1/4 x 36-1/4 x 43-3/8 | (2) 18 x 30 | 6" x 2" Phenolic         | 3,600           | Yes         | 90              |
| RSCE-1836-2-3.6K-ALD-95 | 18-1/4 x 42-1/4 x 43-3/8 | (2) 18 x 36 | 6" x 2" Phenolic         | 3,600           | Yes         | 95              |
| RSCE-2436-2-3.6K-ALD-95 | 24-1/4 x 42-1/4 x 43-3/8 | (2) 24 x 36 | 6" x 2" Phenolic         | 3,600           | Yes         | 117             |
| RSCE-2448-2-3.6K-ALD-95 | 24-1/4 x 54-1/4 x 43-3/8 | (2) 24 x 48 | 6" x 2" Phenolic         | 3,600           | Yes         | 129             |
| RSCE-3048-2-3.6K-ALD-95 | 30-1/4 x 54-1/4 x 43-3/8 | (2) 30 x 48 | 6" x 2" Phenolic         | 3,600           | Yes         | 144             |
| RSCE-3060-2-3.6K-ALD-95 | 30-1/4 x 66-1/4 x 43-3/8 | (2) 30 x 60 | 6" x 2" Phenolic         | 3,600           | Yes         | 159             |
| RSCE-2436-3-95          | 24-1/4 x 42-1/4 x 43-3/8 | (3) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 122             |
| RSCE-2448-3-95          | 24-1/4 x 54-1/4 x 43-3/8 | (3) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 141             |
| RSCE-3660-3-95          | 36-1/4 x 66-1/4 x 43-3/8 | (3) 36 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 207             |
| RSCE-304841-3-95        | 30-1/4 x 54-1/4 x 40-7/8 | (3) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes         | 161             |
| RSCE-3072-3-3.6K-TLD-95 | 30-1/4 x 78-1/4 x 43-3/8 | (3) 30 x 72 | 6" x 2" Phenolic         | 3,600           | Yes         | 237             |
| RSCE-246060-4-3.6K-95   | 24-1/4 x 66-1/4 x 60     | (4) 24 x 60 | 6" x 2" Phenolic         | 3,600           | No          | 247             |

**For additional information visit our website:**  
**[www.durhammfg.com](http://www.durhammfg.com)**  
**or**  
**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# CARTS

## STOCK CARTS



**Model**  
**RSCR-2436-95**



**Model**  
**RSCR243638ALU8PN95**



**Model**  
**RSCR243636ALUFL8MR95**



**Model**  
**RSCR304838ALURM8PN95**

### 2 Shelf Stock Cart with Raised Handle

- 14 gauge, all-welded, steel construction
- Sturdy, tubular, raised push handle
- Standard units have 1-1/2" lips up

ALD units have flush shelves

ALU units have all lips up

- All casters: 2 rigid, 2 swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                             | Overall Dim: WxDxH (in.)   | Shelves     | Caster                       | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|-----------------------------------|----------------------------|-------------|------------------------------|-----------------|-------------|-----------------|
| RSCR-243036-ALU-5PU-95            | 24-1/4 x 36-1/4 x 36       | (2) 24 x 30 | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 92              |
| RSCR246036ALU5PU95                | 24-1/4 x 66-1/4 x 36       | (2) 24 x 60 | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 124             |
| RSCR364836ALU5PU95                | 36-1/4 x 54-1/4 x 36       | (2) 36 x 48 | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 140             |
| RSCR304838ALU10SPN95              | 30-1/4 x 54-1/4 x 38-1/4   | (2) 30 x 48 | 10" x 2-9/16" Semi-Pneumatic | 1,500           | No          | 158             |
| RSCR306038ALU10SPN95              | 30-1/4 x 66-1/4 x 38-1/4   | (2) 30 x 60 | 10" x 2-9/16" Semi-Pneumatic | 1,500           | No          | 174             |
| RSCR244838ALD10SPN95              | 24-1/4 x 54-1/4 x 38-1/4   | (2) 24 x 48 | 10" x 2-9/16" Semi-Pneumatic | 1,500           | No          | 145             |
| RSCR304838ALD10SPN95              | 30-1/4 x 54-1/4 x 38-1/4   | (2) 30 x 48 | 10" x 2-9/16" Semi-Pneumatic | 1,500           | No          | 159             |
| RSCR306038ALD10SPN95              | 30-1/4 x 66-1/4 x 38-1/4   | (2) 30 x 60 | 10" x 2-9/16" Semi-Pneumatic | 1,500           | No          | 175             |
| RSCR-2436-ALD-95                  | 24-1/4 x 42-1/4 x 36-5/16  | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 118             |
| RSCR-243638-ALD-95                | 24-1/4 x 42-1/4 x 37-7/8   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 119             |
| RSCR-2448-ALD-95                  | 24-1/4 x 54-1/4 x 43-11/16 | (2) 24 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 134             |
| RSCR-3048-ALD-95                  | 30-1/4 x 54-1/4 x 36-5/16  | (2) 30 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 145             |
| RSCR-304838-ALD-95                | 30-1/4 x 54-1/4 x 37-7/8   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 146             |
| RSCR-3060-ALD-95                  | 30-1/4 x 66-1/4 x 43-11/16 | (2) 30 x 60 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 164             |
| RSCR-2436-95                      | 24-1/4 x 42-1/4 x 45-1/4   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 121             |
| RSCR243638ALU8PN95                | 24-1/4 x 42-1/4 x 37-7/8   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 118             |
| RSCR-2448-95                      | 24-1/4 x 54-1/4 x 45-1/4   | (2) 24 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 134             |
| RSCR-244838-95                    | 24-1/4 x 54-1/4 x 37-7/8   | (2) 24 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 131             |
| RSCR-3048-95                      | 30-1/4 x 54-1/4 x 45-1/4   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 148             |
| RSCR-304838-95                    | 30-1/4 x 54-1/4 x 37-7/8   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 145             |
| RSCR-3060-95                      | 30-1/4 x 66-1/4 x 45-1/4   | (2) 30 x 60 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 167             |
| RSCR243636ALU6MR95                | 24-1/4 x 42-1/4 x 36       | (2) 24 x 36 | 6" x 2" Mold on Rubber       | 2,000           | No          | 115             |
| RSCR243636ALU8MR95                | 24-1/4 x 42-1/4 x 36       | (2) 24 x 36 | 8" x 2" Mold on Rubber       | 2,400           | No          | 123             |
| RSCR243636ALU8PUSB95              | 24-1/4 x 42-1/4 x 36       | (2) 24 x 36 | 8" x 2" Polyurethane         | 3,600           | Yes         | 113             |
| • Includes Rubber Matting Surface |                            |             |                              |                 |             |                 |
| RSCR243638ALDRM8PN95              | 24-1/4 x 42-1/4 x 37-7/8   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 125             |
| RSCR243638ALURM8PN95              | 24-1/4 x 42-1/4 x 37-7/8   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 124             |
| RSCR244838ALURM8PN95              | 24-1/4 x 54-1/4 x 37-7/8   | (2) 24 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 146             |
| RSCR304838ALURM8PN95              | 30-1/4 x 54-1/4 x 37-7/8   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic        | 1,500           | No          | 162             |
| • Includes Floor Lock             |                            |             |                              |                 |             |                 |
| RSCR243636ALUFL8MR95              | 24-1/4 x 42-1/4 x 36       | (2) 24 x 36 | 8" x 2" Mold on Rubber       | 2,400           | No          | 127             |
| RSCR304836ALUFL8MR95              | 30-1/4 x 54-1/4 x 36       | (2) 30 x 48 | 8" x 2" Mold on Rubber       | 2,400           | No          | 154             |
| RSCR243636ALDFL8MR95              | 24-1/4 x 42-1/4 x 36       | (2) 24 x 36 | 8" x 2" Mold on Rubber       | 2,400           | No          | 128             |
| RSCR244836ALDFL8MR95              | 24-1/4 x 54-1/4 x 36-1/16  | (2) 24 x 48 | 8" x 2" Mold on Rubber       | 2,400           | No          | 141             |
| RSCR306036ALDFL8MR95              | 30-1/4 x 66-1/4 x 36-1/16  | (2) 30 x 60 | 8" x 2" Mold on Rubber       | 2,400           | No          | 171             |

# CARTS

## HIGH LIP STOCK CARTS



**Model**  
**RSC3-2436-2-95**



**Model**  
**RSC3-2436-2-3.6K-95**



**Model**  
**RSC6-2448-2-3.6K-6PU-95**



**Model**  
**RSC12-EX2436-2-5PO-95**

### 2 Shelf Stock Carts with High Lips

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Sturdy, tubular, push handle
- 3", 6" or 12" lips up make unit perfect for transporting bulk items
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                    | Overall Dim: WxDxH (in.) | Shelves (in.) | Lip Height (in.) | Caster                       | Capacity (lbs.) | Side Brake? | Ship Wt. (lbs.) |
|--------------------------|--------------------------|---------------|------------------|------------------------------|-----------------|-------------|-----------------|
| RSC3-1830-2-95           | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30   | 3"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 78              |
| RSC3-1836-2-95           | 18-1/4 x 42-1/4 x 37-5/8 | (2) 18 x 36   | 3"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 82              |
| RSC3-2436-2-95           | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36   | 3"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 105             |
| RSC3-2436-2-8PN-95       | 24-1/4 x 42-1/4 x 41-1/4 | (2) 24 x 36   | 3"               | 8" x 2-3/4" Pneumatic        | 1,200           | No          | 125             |
| RSC3-243636-2-8PN-95     | 24-1/4 x 42-1/4 x 36     | (2) 24 x 36   | 3"               | 8" x 2-3/4" Pneumatic        | 1,200           | No          | 123             |
| RSC3-244836-2-10SPN-95   | 24-1/4 x 54-1/4 x 36     | (2) 24 x 48   | 3"               | 10" x 2-9/16" Semi-Pneumatic | 1,200           | No          | 150             |
| RSC3-1830-2-3.6K-95      | 18-1/4 x 36-1/4 x 39     | (2) 18 x 30   | 3"               | 6" x 2" Phenolic             | 3,600           | No          | 92              |
| RSC3-1830-3-3.6K-95      | 18-1/4 x 36-1/4 x 37-5/8 | (3) 18 x 30   | 3"               | 6" x 2" Phenolic             | 3,600           | No          | 111             |
| RSC3-2436-2-3.6K-95      | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 3"               | 6" x 2" Phenolic             | 3,600           | No          | 119             |
| RSC3-2448-2-3.6K-95      | 24-1/4 x 54-1/4 x 39     | (2) 24 x 48   | 3"               | 6" x 2" Phenolic             | 3,600           | No          | 133             |
| RSC3-1830-2-3.6K-6PU-95  | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30   | 3"               | 6" x 2" Polyurethane         | 3,600           | No          | 92              |
| RSC3-2436-2-3.6K-6PU-95  | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36   | 3"               | 6" x 2" Polyurethane         | 3,600           | No          | 119             |
| RSC3-2448-2-3.6K-6PU-95  | 24-1/4 x 54-1/4 x 37-5/8 | (2) 24 x 48   | 3"               | 6" x 2" Polyurethane         | 3,600           | No          | 136             |
| RSC6-1830-2-95           | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30   | 6"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 88              |
| RSC6-1836-2-95           | 18-1/4 x 42-1/4 x 37-5/8 | (2) 18 x 36   | 6"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 94              |
| RSC6-2436-2-95           | 24-1/4 x 42-1/4 x 37-5/8 | (2) 24 x 36   | 6"               | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 118             |
| RSC6-243636-2-10SPN-95   | 24-1/4 x 42-1/4 x 36     | (2) 24 x 36   | 6"               | 10" x 2-9/16" Semi-Pneumatic | 1,200           | No          | 139             |
| RSC6-1830-2-3.6K-95      | 18-1/4 x 36-1/4 x 39     | (2) 18 x 30   | 6"               | 6" x 2" Phenolic             | 3,600           | No          | 102             |
| RSC6-2436-2-3.6K-95      | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 6"               | 6" x 2" Phenolic             | 3,600           | No          | 132             |
| RSC6-2448-2-3.6K-95      | 24-1/4 x 54-1/4 x 39     | (2) 24 x 48   | 6"               | 6" x 2" Phenolic             | 3,600           | No          | 148             |
| RSC6-2436-2-3.6K-6PU-95  | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 6"               | 6" x 2" Polyurethane         | 3,600           | No          | 129             |
| RSC12-1830-2-95          | 18-1/4 x 36-1/4 x 37-5/8 | (2) 18 x 30   | 12"              | 5" x 1-1/4" Polyurethane     | 1,200           | Yes         | 91              |
| RSC12-243636-2-8PN-95    | 24-1/4 x 42-1/4 x 36     | (2) 24 x 36   | 12"              | 8" x 2-3/4" Pneumatic        | 1,200           | No          | 134             |
| RSC12-244836-2-10SPN-95  | 24-1/4 x 54-1/4 x 36     | (2) 24 x 48   | 12"              | 10" x 2-9/16" Semi-Pneumatic | 1,200           | No          | 162             |
| RSC12-1830-2-3.6K-95     | 18-1/4 x 36-1/4 x 39     | (2) 18 x 30   | 12"              | 6" x 2" Phenolic             | 3,600           | No          | 105             |
| RSC12-2436-2-3.6K-95     | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 12"              | 6" x 2" Phenolic             | 3,600           | No          | 129             |
| RSC12-1830-2-3.6K-6PU-95 | 18-1/4 x 36-1/4 x 39     | (2) 18 x 30   | 12"              | 6" x 2" Polyurethane         | 3,600           | No          | 102             |
| RSC12-2436-2-3.6K-6PU-95 | 24-1/4 x 42-1/4 x 39     | (2) 24 x 36   | 12"              | 6" x 2" Polyurethane         | 3,600           | No          | 126             |
| <b>Mesh Sides</b>        |                          |               |                  |                              |                 |             |                 |
| RSC12-EX1830-2-5PO-95    | 18-3/8 x 36-1/4 x 35-1/8 | (2) 18 x 30   | 12"              | 5" x 1-1/4" Polyolefin       | 1,400           | Yes         | 85              |
| RSC12-EX2430-2-5PO-95    | 24-3/8 x 36-1/4 x 35-1/8 | (2) 24 x 30   | 12"              | 5" x 1-1/4" Polyolefin       | 1,400           | Yes         | 107             |
| RSC12-EX2436-2-5PO-95    | 24-3/8 x 42-1/4 x 35-1/8 | (2) 24 x 36   | 12"              | 5" x 1-1/4" Polyolefin       | 1,400           | Yes         | 116             |
| RSC12-EX2448-2-3.6K-95   | 24-3/8 x 54-1/4 x 36-1/2 | (2) 24 x 48   | 12"              | 6" x 2" Phenolic             | 3,600           | No          | 147             |

# CARTS

## ORDER PICKING CARTS

### Order Picking Carts - Lipped Shelves - Slanted Writing Surface

1,200 or 3,000 Lbs. Capacity

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Shelves have 1-1/2" lips up
- Perfect for transporting parts and stocking
- Slanted writing surface with 1-1/2" lip up
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                                    | Overall Dim: WxLxH (in.)    | Shelves     | Shelf Clearance | Ship Wt. (lbs.) |
|----------------------------------------------------------------------------------------------------------|-----------------------------|-------------|-----------------|-----------------|
| <b>1,200 Lbs. capacity • 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes</b> |                             |             |                 |                 |
| OPC-1836-2-95                                                                                            | 18-1/4 x 51-5/16 x 40-11/16 | (2) 18 x 36 | 26-3/4          | 94              |
| OPC-2436-2-95                                                                                            | 24-1/4 x 51-5/16 x 40-11/16 | (2) 24 x 36 | 26-3/4          | 107             |
| OPC-2448-2-95                                                                                            | 24-1/4 x 63-5/16 x 40-11/16 | (2) 24 x 48 | 26-3/4          | 120             |
| OPC-3060-2-95                                                                                            | 30-1/4 x 75-5/16 x 40-11/16 | (2) 30 x 60 | 26-3/4          | 152             |
| OPC-1836-3-95                                                                                            | 18-1/4 x 51-5/16 x 40-11/16 | (3) 18 x 36 | 12-9/16         | 110             |
| OPC-2436-3-95                                                                                            | 24-1/4 x 51-5/16 x 40-11/16 | (3) 24 x 36 | 12-9/16         | 128             |
| OPC-2448-3-95                                                                                            | 24-1/4 x 63-5/16 x 40-11/16 | (3) 24 x 48 | 12-9/16         | 147             |
| OPC-3060-3-95                                                                                            | 30-1/4 x 75-5/16 x 40-11/16 | (3) 30 x 60 | 12-9/16         | 193             |
| OPC-3072-3-95                                                                                            | 30-1/4 x 87-5/16 x 40-11/16 | (3) 30 x 72 | 12-9/16         | 216             |
| OPC-3648-3-95                                                                                            | 36-1/4 x 63-5/16 x 40-11/16 | (3) 36 x 48 | 12-9/16         | 189             |
| <b>3,000 Lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel</b>                          |                             |             |                 |                 |
| OPC-243648-3-6PH-95                                                                                      | 24-1/4 x 51-5/16 x 51-1/16  | (3) 24 x 36 | 17-1/16         | 149             |
| OPC-246048-3-6PH-95                                                                                      | 24-1/4 x 75-5/16 x 51-1/16  | (3) 24 x 60 | 17-1/16         | 186             |
| OPC-304848-3-6PH-95                                                                                      | 30-1/4 x 63-5/16 x 51-1/16  | (3) 30 x 48 | 17-1/16         | 190             |
| OPC-243660-4-6PH-95                                                                                      | 24-1/4 x 51-5/16 x 60       | (4) 24 x 36 | 14-13/16        | 192             |
| OPC-244860-4-6PH-95                                                                                      | 24-1/4 x 63-5/16 x 60       | (4) 24 x 48 | 14-13/16        | 218             |
| OPC-304860-4-6PH-95                                                                                      | 30-1/4 x 63-5/16 x 60       | (4) 30 x 48 | 14-13/16        | 246             |
| OPC-247268-5-6PH-95                                                                                      | 24-1/4 x 87-5/16 x 68       | (5) 24 x 72 | 12-11/16        | 314             |



**Model**  
**OPC-2448-2-95**



**Model**  
**OPC-244860-3-6PH-95**

### Order Picking Carts - Bottom Shelf Lips Up -- Flat Writing Surface

1,200 Lbs. Capacity

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Shelves with lips are 1-1/2" high
- Perfect for transporting parts and stocking
- Flat writing surface
- 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model               | Overall Dim: WxLxH (in.) | Shelves     | Shelf Clearance | Ship Wt. (lbs.) |
|---------------------|--------------------------|-------------|-----------------|-----------------|
| OPCFS-1832-2-TLD-95 | 18-1/4 x 48-3/8 x 40-1/4 | (2) 18 x 32 | 21-1/8          | 90              |
| OPCFS-2448-2-TLD-95 | 24-1/4 x 64-3/8 x 40-1/4 | (2) 24 x 48 | 21-1/8          | 119             |
| OPCFS-2436-3-BLU-95 | 24-1/4 x 52-3/8 x 40-1/4 | (3) 24 x 36 | 11-1/4          | 127             |
| OPCFS-2448-3-BLU-95 | 24-1/4 x 64-3/8 x 40-1/4 | (3) 24 x 48 | 11-1/4          | 146             |



**Model**  
**OPCFS-1832-2-TLD-95**



**Model**  
**OPCFS-2436-3-BLU-95**



# CARTS

## ORDER PICKING CARTS



**Model**  
**OPCFS-2436-2-95**



**Model**  
**OPCPFS-244838-2-RM-8PN-95**



**Model**  
**OPCP3FS-2436-2-6PU-95**

### Order Picking Carts - Lipped Shelves - Flat Writing Surface

1,200 or 3,600 Lbs. Capacity

- 14 gauge, all-welded, steel construction
- 1-1/2" x 1/8" angle iron uprights for added strength
- Perfect for transporting parts and stocking
- Flat writing surface
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                                                  | Overall Dim: WxLxH (in.) | Shelves     | Shelf Clearance | Lip Height (in.) | Includes       | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------------------------------------------------|--------------------------|-------------|-----------------|------------------|----------------|-----------------|
| <b>1,200 Lbs. capacity • 5" x 1-1/4" Polyurethane casters, (2) rigid and (2) swivel with side brakes</b>               |                          |             |                 |                  |                |                 |
| OPCPFS-2436-2-95                                                                                                       | 24-1/4 x 52-3/8 x 40-1/4 | (2) 24 x 36 | 24-1/8          | 1-1/2            | Storage Pocket | 115             |
| OPCFS-1832-3-95                                                                                                        | 18-1/4 x 48-3/8 x 40-1/4 | (3) 18 x 32 | 11-1/4          | 1-1/2            | -              | 105             |
| OPCFS-2436-2-95                                                                                                        | 24-1/4 x 52-3/8 x 40-1/4 | (2) 24 x 36 | 24-1/8          | 1-1/2            | -              | 106             |
| <b>1,200 Lbs. capacity • 8" x 2-3/4" Pneumatic casters, (2) rigid and (2) swivel with side brakes • Rubber Matting</b> |                          |             |                 |                  |                |                 |
| OPCPFS-243638-2-RM-8PN-95                                                                                              | 24-1/4 x 52-3/8 x 38     | (2) 24 x 36 | 18-1/4          | 1-1/2            | Storage Pocket | 146             |
| OPCPFS-244838-2-RM-8PN-95                                                                                              | 24-1/4 x 64-3/8 x 38     | (2) 24 x 48 | 18-1/4          | 1-1/2            | Storage Pocket | 178             |
| <b>3,600 Lbs. capacity • 6" x 2" Phenolic casters, (2) rigid and (2) swivel</b>                                        |                          |             |                 |                  |                |                 |
| OPCPFS-243648-3-6PH-95                                                                                                 | 24-1/4 x 52-3/8 x 48     | (3) 24 x 36 | 17-1/16         | 1-1/2            | Storage Pocket | 154             |
| OPCPFS-306048-3-6PH-95                                                                                                 | 30-1/4 x 76-3/8 x 48     | (3) 30 x 60 | 17-1/16         | 1-1/2            | Storage Pocket | 221             |
| OPCPFS-306065-4-6PH-95                                                                                                 | 30-1/4 x 76-3/8 x 65     | (4) 30 x 60 | 16-1/2          | 1-1/2            | Storage Pocket | 289             |
| OPCPFS-243665-5-6PH-95                                                                                                 | 24-1/4 x 52-3/8 x 65     | (5) 24 x 36 | 11-15/16        | 1-1/2            | Storage Pocket | 225             |
| OPCP3FS-2436-2-6PU-95                                                                                                  | 24-1/4 x 52-3/8 x 41-5/8 | (2) 24 x 36 | 21-5/8          | 3                | Storage Pocket | 132             |



**Model**  
**RICE-2436-2-8SPN-95**

### Rolling Instrument Carts with Ergonomic Handle (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Rubber mat on top and bottom provides durable, non-skid surface
- 8" x 2-1/4" semi-pneumatic casters; (2) rigid, (2) swivel
- 1-1/2" x 1/8" angle iron frame
- Ergonomic handle allows easy mobility
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model               | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|---------------------|--------------------------|-------------|-----------------|
| RICE-1830-2-8SPN-95 | 18-1/4 x 36-1/4 x 39-3/4 | (2) 18 x 30 | 110             |
| RICE-2436-2-8SPN-95 | 24-1/4 x 42-1/4 x 39-3/4 | (2) 24 x 36 | 130             |
| RICE-2448-2-8SPN-95 | 24-1/4 x 54-1/4 x 39-3/4 | (2) 24 x 48 | 146             |
| RICE-2460-2-8SPN-95 | 24-1/4 x 66-1/4 x 39-3/4 | (2) 24 x 60 | 180             |
| RICE-3036-2-8SPN-95 | 30-1/4 x 42-1/4 x 39-3/4 | (2) 30 x 36 | 142             |

# CARTS

## ROLLING INSTRUMENT CARTS

### Rolling Instrument Carts, without Handle (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Rubber mat on top and bottom provides durable, non-skid surface
- 1-1/2" x 1/8" angle iron frame
- Ships fully assembled
- Durable, textured, gray powder coat finish



**Model**  
**RIC24362NH4SW8PN95**

| Model                                                       | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|-------------------------------------------------------------|--------------------------|-------------|-----------------|
| <b>8 x 2-3/4" Pneumatic casters, 4 swivel</b>               |                          |             |                 |
| RIC24362NH4SW8PN95                                          | 24-1/4 x 36-1/4 x 34-1/8 | (2) 24 x 36 | 126             |
| RIC24362NH4SW8PN95                                          | 24-1/4 x 36-1/4 x 34     | (2) 24 x 36 | 117             |
| RIC24482NH4SW8PN95                                          | 24-1/4 x 48-1/4 x 34     | (2) 24 x 48 | 130             |
| RIC30482NH4SW8PN95                                          | 30-1/4 x 48-1/4 x 34     | (2) 30 x 48 | 144             |
| <b>8 x 2-1/4" Semi-Pneumatic casters, 2 rigid, 2 swivel</b> |                          |             |                 |
| RIC30362NH8SPN95                                            | 30-1/4 x 36-1/4 x 34-1/8 | (2) 30 x 36 | 136             |



**Model**  
**RIC-2436-2-95**



**Model**  
**RIC-243645-3-95**



**Model**  
**RSIC-2436-2-5PU-95**

### 2 and 3 Shelf Rolling Instrument Carts (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Top shelf has lips down and bottom shelf has lips up
- Tubular handle allows easy mobility
- Rubber mat on top and bottom provides durable, non skid surface
- 1-1/2" x 1/8" angle iron frame
- Drawer dimensions: 14-3/4" W x 19-9/16" D x 6-5/16" H
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                                         | Overall Dim: WxDxH (in.)   | Shelves (in.) | Castors                                       | Ship Wt. (lbs.) |
|---------------------------------------------------------------|----------------------------|---------------|-----------------------------------------------|-----------------|
| RIC-2436-2-95                                                 | 24-1/4 x 42-1/4 x 34-1/8   | (2) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 125             |
| RIC-2448-2-95                                                 | 24-1/4 x 54-1/4 x 34-1/8   | (2) 24 x 48   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 144             |
| RIC-3036-2-95                                                 | 30-1/4 x 42-1/4 x 34-1/8   | (2) 30 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 136             |
| RIC-3048-2-95                                                 | 30-1/4 x 54-1/4 x 34-1/8   | (2) 30 x 48   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 159             |
| RIC-1830-2-8SPN-95                                            | 18-1/4 x 36-1/4 x 34       | (2) 18 x 30   | 8" x 2-1/4" Semi-Pneumatic, 2 rigid, 2 swivel | 108             |
| RIC-243645-3-95                                               | 24-1/4 x 42-1/4 x 45-1/8   | (3) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 154             |
| RIC-243650-3-95                                               | 24-1/4 x 42-1/4 x 55-13/16 | (3) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 159             |
| RIC-244850-3-95                                               | 24-1/4 x 54-1/4 x 55-13/16 | (3) 24 x 48   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 185             |
| RIC-306050-3-95                                               | 30-1/4 x 66-1/4 x 55-13/16 | (3) 30 x 60   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 272             |
| RIC-367250-3-95                                               | 36-1/4 x 78-1/4 x 55-13/16 | (3) 36 x 72   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 316             |
| RIC-243645-3-ALU-95                                           | 24-1/4 x 42-1/4 x 45       | (3) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 154             |
| RIC-243650-3-ALU-95                                           | 24-1/4 x 42-1/4 x 57-7/16  | (3) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 159             |
| RIC-243650-3-8SPN-95                                          | 24-1/4 x 42-1/4 x 55-13/16 | (3) 24 x 36   | 8" x 2-1/4" Semi-Pneumatic, 2 rigid, 2 swivel | 161             |
| RIC-304850-3-8SPN-95                                          | 30-1/4 x 54-1/4 x 55-13/16 | (3) 30 x 48   | 8" x 2-1/4" Semi-Pneumatic, 2 rigid, 2 swivel | 206             |
| <b>Units with Drawer and Power Strip • without Rubber Mat</b> |                            |               |                                               |                 |
| RSIC-2436-2-5PU-95                                            | 24-1/4 x 42-1/4 x 36-3/16  | (2) 24 x 36   | 5" x 1-1/4" Polyurethane, 2 rigid, 2 swivel   | 127             |
| RSIC-2436-2-8PN-95                                            | 24-1/4 x 42-1/4 x 39-11/16 | (2) 24 x 36   | 8" x 2-3/4" Pneumatic, 2 rigid, 2 swivel      | 147             |

# CARTS

## INSTRUMENT CARTS



**Model**  
**IC243610SPN95**

### 2 Shelf Instrument Cart

- 14 gauge, all-welded, steel construction
- Units with (4) bumper corners
- Rubber mat on wood top and rubber mat bottom provides durable on non-skid surface
- 1-1/2" x 1/8" angle iron frame
- Tubular handle allows easy mobility
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model         | Overall Dim: WxDxH (in.)   | Shelves     | Casters                                             | Capacity (lbs.) | Ship Wt. (lbs.) |
|---------------|----------------------------|-------------|-----------------------------------------------------|-----------------|-----------------|
| IC243610PN95  | 25-1/8 x 42-11/16 x 35-1/2 | (2) 24 x 36 | 10" x 3-5/16" Pneumatic, 2 rigid, 2 swivel          | 1,000           | 146             |
| IC243610SPN95 | 25-1/8 x 42-11/16 x 35-1/2 | (2) 24 x 36 | 10" x 2-9/16" Semi-Pneumatic, 2 rigid, 2 swivel     | 1,000           | 154             |
| IC24365PU95   | 25-1/8 x 42-11/16 x 34     | (2) 24 x 36 | 5" X 1-1/4" Polyurethane, 4 swivel with Side Brakes | 1,000           | 125             |
| IC24368SPN95  | 25-1/8 x 42-11/16 x 34     | (2) 24 x 36 | 8" x 2-1/4" Semi-Pneumatic, 2 rigid, 2 swivel       | 1,200           | 140             |
| IC2436315PO95 | 25-1/8 x 42-11/16 x 31     | (2) 24 x 36 | 5" x 1-1/4" Polyolefin, 4 swivel with Side Brakes   | 1,400           | 124             |



**Model**  
**\*IC24361DR10SPN95**



**Model**  
**IC24481DRPS8SPN95**

### 2 Shelf Instrument Cart with Drawer and Power Strip (1,000 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Units with (4) bumper corners
- Rubber mat on wood top and rubber mat bottom provides durable on non-skid surface
- 1-1/2" x 1/8" angle iron frame
- Tubular handle allows easy mobility
- Drawer dimensions: 14-3/4" W x 19-9/16" D x 6-5/16" H
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                    | Overall Dim: WxDxH (in.)   | Shelves     | Casters                                                      | Ship Wt. (lbs.) |
|------------------------------------------|----------------------------|-------------|--------------------------------------------------------------|-----------------|
| <b>Units with Drawer</b>                 |                            |             |                                                              |                 |
| IC24361DR10SPN95                         | 25-1/8 x 42-11/16 x 35-1/2 | (2) 24 x 36 | 10" x 2-9/16" Semi-Pneumatic, 2 rigid, 2 swivel              | 173             |
| IC24361DR5PU95                           | 25-1/8 x 42-11/16 x 34     | (2) 24 x 36 | 5" x 1-1/4" Polyurethane, 4 swivel with side brakes          | 135             |
| IC2436311DRPS4SW5PO95                    | 25-1/8 x 42-11/16 x 31     | (2) 24 x 36 | 5" x 1-1/4" Polyolefin, 4 swivel with side brakes            | 143             |
| <b>Units with Drawer and Power Strip</b> |                            |             |                                                              |                 |
| IC24361DRPS10PN95                        | 25-1/8 x 42-11/16 x 35-1/2 | (2) 24 x 36 | 10" x 3-5/16" Pneumatic, 2 rigid, 2 swivel                   | 166             |
| IC24361DRPS10SPN95                       | 25-1/8 x 42-11/16 x 35-1/2 | (2) 24 x 36 | 10" x 2-9/16" Semi-Pneumatic, 2 rigid, 2 swivel              | 174             |
| IC24361DRPS4SW5PU95                      | 25-1/8 x 42-11/16 x 34     | (2) 24 x 36 | 5" x 1-1/4" Polyurethane, 4 swivel with side brakes          | 143             |
| IC24361DRPS5PU95                         | 25-1/8 x 42-11/16 x 34     | (2) 24 x 36 | 5" x 1-1/4" Polyurethane, 2 rigid, 2 swivel with side brakes | 141             |
| IC24481DRPS8SPN95                        | 25-1/8 x 54-11/16 x 34     | (2) 24 x 48 | 8" x 2-1/4" Semi-Pneumatic, 2 rigid, 2 swivel                | 181             |

# CARTS

## ROLLING INSTRUMENT CARTS

### Rolling Instrument Carts, without Rubber Mat (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Standard units have 1-1/2" lips up, ALU units have all lips up
- 8" x 2-3/4" pneumatic casters; (2) rigid, (2) swivel
- 1-1/2" x 1/8" angle iron frame
- Tubular handle allows easy mobility
- Ships fully assembled
- Durable, textured, gray powder coat finish



**Model  
RICNM-243645-3-ALU-95**

| Model                 | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|-----------------------|--------------------------|-------------|-----------------|
| RICNM-2448-2-95       | 24-1/4 x 54-1/4 x 34     | (2) 24 x 48 | 129             |
| RICNM-3048-2-95       | 30-1/4 x 54-1/4 x 34     | (2) 30 x 48 | 143             |
| RICNM-243645-3-95     | 24-1/4 x 42-1/4 x 45     | (3) 24 x 36 | 141             |
| RICNM-243645-3-ALU-95 | 24-1/4 x 42-1/4 x 45     | (3) 24 x 36 | 141             |



**Model  
LIC-2436-2-95**



**Model  
LIC-2436-2-ALU-95**



**Model  
LIC-1836-2-8SPN-95**

### Low Profile Instrument Carts (1,200 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- All units with (2) rigid and (2) swivel casters
- Tubular offset handle allows easy mobility
- 1-1/2" x 1/8" angle iron frame
- Rubber mat on top and bottom provides durable, non skid surface
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Lips                  | Casters Material           | Shelves (in.) | Shelf Clearance (in.) | Ship Wt.(lbs.) |
|--------------------|--------------------------|-----------------------|----------------------------|---------------|-----------------------|----------------|
| LIC-2436-2-95      | 24-1/4 x 39 x 40-15/16   | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 24 x 36   | 16-3/4                | 123            |
| LIC-2436-2-ALU-95  | 24-1/4 x 39 x 40-15/16   | All Lips up           | 8" x 2-3/4" Pneumatic      | (2) 24 x 36   | 16-3/4                | 123            |
| LIC-2448-2-95      | 24-1/4 x 51 x 40-15/16   | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 24 x 48   | 16-3/4                | 144            |
| LIC-3036-2-95      | 30-1/4 x 39 x 40-15/16   | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 30 x 36   | 16-3/4                | 137            |
| LIC-3048-2-95      | 30-1/4 x 51 x 40-15/16   | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 30 x 48   | 16-3/4                | 160            |
| LIC-3060-2-95      | 30-1/4 x 63 x 40-15/16   | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 30 x 60   | 16-3/4                | 188            |
| LIC-243644-2-95    | 24-1/4 x 39 x 44         | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 24 x 36   | 21                    | 125            |
| LIC-244844-2-95    | 24-1/4 x 51 x 44         | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 24 x 48   | 21                    | 143            |
| LIC-304844-2-95    | 30-1/4 x 51 x 44         | Bottom shelf, lips up | 8" x 2-3/4" Pneumatic      | (2) 30 x 48   | 21                    | 161            |
| LIC-1830-2-8SPN-95 | 18-1/4 x 33 x 39-3/4     | All shelves flush     | 8" x 2-1/4" Semi-Pneumatic | (2) 18 x 30   | 16-3/4                | 105            |
| LIC-1836-2-8SPN-95 | 18-1/4 x 39 x 39-3/4     | All shelves flush     | 8" x 2-1/4" Semi-Pneumatic | (2) 18 x 36   | 16-3/4                | 110            |
| LIC-2436-2-8SPN-95 | 24-1/4 x 39 x 39-3/4     | All shelves flush     | 8" x 2-1/4" Semi-Pneumatic | (2) 24 x 36   | 16-3/4                | 122            |
| LIC-3048-2-8SPN-95 | 30-1/4 x 51 x 39-3/4     | All shelves flush     | 8" x 2-1/4" Semi-Pneumatic | (2) 30 x 48   | 16-3/4                | 158            |

# CARTS

## WIRE CARTS



**Model**  
**W3SPT-244838-1-8MR95**



**Model**  
**W4SPTDG-244838-1-8MR95**



**Model**  
**W3ST-304868-1-8MR95**



**Model**  
**W2ST-306068-1AS-8MR95**



**Model**  
**W3ST-304868-1AS-8MR95**

### Steel Wire Carts

- 14 gauge steel base & steel wire construction
- Wire mesh gating to keep parts from falling off during transport
- 8" x 2" Mold-On-Rubber casters; (2) rigid and (2) swivel
- 5" x 1-1/4" Polyurethane casters; (2) rigid and (2) swivel\*
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                      | Description           | Overall Dim: WxDxH (in.)   | Overall Capacity (lbs.) | Deck Height (in.) | Shelves (in.) | Ship Wt.(lbs.) |
|------------------------------------------------------------|-----------------------|----------------------------|-------------------------|-------------------|---------------|----------------|
| <b>Removable Handles</b>                                   |                       |                            |                         |                   |               |                |
| W3SPT-244838-1-8MR95                                       | 3 Sided               | 24-3/8 x 55-1/4 x 38-1/4   | 2000                    | 11-1/16           | (1) 24 x 48   | 122            |
| W3SPT-306038-1-8MR95                                       | 3 Sided               | 30-3/8 x 67-1/4 x 38-1/4   | 2000                    | 11-1/16           | (1) 30 x 60   | 171            |
| *W4SPT-244838-1-5PU95                                      | 4 Sided               | 24-3/8 x 51-5/8 x 34-11/16 | 1200                    | 7-5/8             | 24 x 48       | 116            |
| *W4SPT-306038-1-5PU95                                      | 4 Sided               | 30-3/8 x 67-1/4 x 34-11/16 | 1200                    | 7-5/8             | 30 x 60       | 160            |
| W4SPTDG-244838-1-8MR95                                     | 4 Sided - Drop Gate   | 24-3/8 x 55-1/4 x 38-1/4   | 2000                    | 11-1/16           | (1) 24 x 48   | 129            |
| W4SPTDG-306038-1-8MR95                                     | 4 Sided - Drop Gate   | 30-3/8 x 67-1/4 x 38-1/4   | 2000                    | 11-1/16           | (1) 30 x 60   | 180            |
| W2ST-306068-1-8MR95                                        | 2 Sided - Full Height | 30 x 60 x 68-9/16          | 1600                    | 11-1/16           | (1) 30 x 60   | 187            |
| W3ST-304868-1-8MR95                                        | 3 Sided - Full Height | 30 x 48 x 68-9/16          | 1600                    | 11-1/16           | (1) 30 x 48   | 176            |
| W3ST-306068-1-8MR95                                        | 3 Sided - Full Height | 30 x 60 x 68-9/16          | 1600                    | 11-1/16           | (1) 30 x 60   | 212            |
| <b>Full Height - 1 Adjustable Shelf, 250 Lbs. Capacity</b> |                       |                            |                         |                   |               |                |
| W2ST-306068-1AS-8MR95                                      | 2 Sided - Full Height | 30 x 60 x 68-9/16          | 1600                    | 11-1/16           | (2) 30 x 60   | 210            |
| W3ST-304868-1AS-8MR95                                      | 3 Sided - Full Height | 30 x 48 x 68-9/16          | 1600                    | 11-1/16           | (2) 30 x 48   | 194            |
| W3ST-306068-1AS-8MR95                                      | 3 Sided - Full Height | 30 x 60 x 68-9/16          | 1600                    | 11-1/16           | (2) 30 x 60   | 235            |



# CARTS/TRUCKS

## GARDEN CARTS



**Model**  
**GC-2436-2-10/12PN-83T**



**Model**  
**GC-2448-5-6MR-83T**



**Model**  
**GC-2436-2-10PN-83T**

### Perforated Garden Carts

- All-welded, 12 gauge, steel construction
- Perforated shelves with 1-1/2" lips up
- Tubular handle allows easy mobility
- 1-1/2" x 1/8" angle iron frame
- Ships fully assembled
- Durable, textured, green powder coat finish

| Model                 | Overall Dim: WxDxH (in.) | Shelves     | Casters/Wheel                                           | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------------|--------------------------|-------------|---------------------------------------------------------|-----------------|-----------------|
| GC-2436-2-10/12PN-83T | 24-1/4 x 42-1/4 x 35     | (2) 24 x 36 | 10", 12" x 3-5/16", 3-1/2" Pneumatic, 2 rigid, 2 swivel | 1,200           | 124             |
| GC-2436-2-10PN-83T    | 24-1/4 x 42-1/4 x 35     | (2) 24 x 36 | 10" x 3-5/16" Pneumatic, 2 rigid, 2 swivel              | 1,000           | 125             |
| GC-2448-2-10PN-83T    | 24-1/4 x 54-1/4 x 35     | (2) 24 x 48 | 10" x 3-5/16" Pneumatic, 2 rigid, 2 swivel              | 1,000           | 138             |
| GC-2448-5-6MR-83T     | 24-1/4 x 54-1/4 x 63     | (5) 24 x 48 | 6" x 2" Mold-On-Rubber, 2 rigid, 2 swivel               | 2,000           | 247             |
| GC-3060-3-6MR-83T     | 30-1/4 x 66-1/4 x 63     | (3) 30 x 60 | 6" x 2" Mold-On-Rubber, 2 rigid, 2 swivel               | 1,200           | 235             |



**Model**  
**GT5WT-2436-2-10SPN-83T**



**Model**  
**GT5WT-2448-2-10PN-83T**

### 5th Wheel Perforated Garden Trucks (1,000 Lbs. capacity)

- All-welded, 12 gauge, steel construction
- Perforated shelves with 1-1/2" lips up
- Tubular handle allows easy mobility
- Ships fully assembled
- Durable, textured, green powder coat finish

| Model                  | Overall Dim: WxDxH (in.) | Casters                            | Shelves (in.) | Ship Wt. (lbs.) |
|------------------------|--------------------------|------------------------------------|---------------|-----------------|
| GT5WT-2436-2-10SPN-83T | 24-1/4 x 38-3/8 x 38-1/4 | 10" x 2-3/4" Semi-Pneumatic Wheels | (2) 24 x 36   | 133             |
| GT5WT-2448-2-10PN-83T  | 24-1/4 x 50-3/8 x 38-1/4 | 10" x 3-5/16" Pneumatic Wheels     | (2) 24 x 48   | 138             |



**Model**  
**GT5WT-3660-12PN-83T**

### 5th Wheel Low Deck Garden Truck (1,200 Lbs. capacity)

- All-welded, 16 gauge, steel construction
- 12" x 3-1/2" pneumatic wheels
- Perforated low deck
- Tubular handle allows easy mobility
- Ships fully assembled
- Durable, textured, green powder coat finish

| Model               | Overall Dim: WxDxH (in.) | Shelves (in.) | Ship Wt. (lbs.) |
|---------------------|--------------------------|---------------|-----------------|
| GT5WT-3660-12PN-83T | 36 x 64-1/2 x 36-3/4     | 36 x 60       | 168             |

# TRUCKS

## GARDEN & STAKE



**Model**  
**EPTP24368PN83T**

### Perforated Garden Trucks (1,000 Lbs. capacity)

- All-welded 12 gauge steel construction
- Perforated shelves with 1-1/2" lips up
- Tubular handle allows easy mobility
- Casters: 2 rigid, 2 swivel
- Ships fully assembled
- Durable, textured, green powder coat finish

| Model                | Overall Dim: WxDxH (in.)   | Deck (in.) | Casters                                                   | Ship Wt. (lbs.) |
|----------------------|----------------------------|------------|-----------------------------------------------------------|-----------------|
| EPTP24368PN83T       | 24-3/8 x 39-5/8 x 38-1/2   | 24 x 36    | 8" x 2-3/4" Pneumatic                                     | 100             |
| EPTP24488PN83T       | 24-3/8 x 51-5/8 x 38-1/2   | 24 x 48    | 8" x 2-3/4" Pneumatic                                     | 109             |
| GTEPT24368PN-83T     | 24-3/8 x 39-5/8 x 40       | 24 x 36    | 8" x 2-3/4" Pneumatic                                     | 93              |
| GTEPT244810/12PN-83T | 24-5/16 x 51-9/16 x 35-1/8 | 24 x 48    | (2) 10" x 3-5/16" Pneumatic<br>(2) 12" x 3-1/2" Pneumatic | 97              |



**Model**  
**PST-2436-95**



**Model**  
**PST6W-3672-95**

### Pipe Stake Trucks (3,600 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- (4) removable pipe stakes
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Deck WxD (in.) | Casters                                                 | Ship Wt. (lbs.) |
|---------------|--------------------------|----------------|---------------------------------------------------------|-----------------|
| PST-2436-95   | 24-3/8 x 39-3/8 x 40-7/8 | 24 x 36        | 8" x 2" Polyurethane, 2 rigid, 2 swivel with Side Brake | 98              |
| PST-2448-95   | 24-3/8 x 51-3/8 x 40-7/8 | 24 x 48        | 8" x 2" Polyurethane, 2 rigid, 2 swivel with Side Brake | 102             |
| PST-3048-95   | 30-3/8 x 51-3/8 x 40-7/8 | 30 x 48        | 8" x 2" Polyurethane, 2 rigid, 2 swivel with Side Brake | 110             |
| PST-3060-95   | 30-3/8 x 63-3/8 x 40-7/8 | 30 x 60        | 8" x 2" Polyurethane, 2 rigid, 2 swivel with Side Brake | 143             |
| PST6W-3672-95 | 36-3/8 x 75-3/8 x 38-7/8 | 36 x 72        | 6" x 2" Polyurethane, 2 rigid, 4 swivel                 | 184             |



**Model**  
**MST-3048-5PO-95**

### Mobile Stake Trucks (1,400 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- 5" x 1-1/4" Polyolefin casters - 2 rigid, 2 swivel with side brakes
- 2 Shelves with 20-1/8" clearance
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model           | Overall Dim: WxDxH (in.)  | Shelves WxD (in.) | Ship Wt. (lbs.) |
|-----------------|---------------------------|-------------------|-----------------|
| MST-3048-5PO-95 | 30-1/4 x 48-1/4 x 48-1/16 | (2) 30 x 48       | 153             |

# TRUCKS

## HEAVY DUTY TRUCKS



**Model**  
**HT-LP-3854-95**



**Model**  
**HT-LP-4857-95**

### Hopper Trucks

- All-welded, heavy duty, 12-gauge steel
- Tubular, removable handle. HT-LP3854-95 handle can be placed on 3 sides of the unit. HT-LP-4857-95 has an additional welded handle on the back to aid in dumping
- 6" x 2" Phenolic casters
- Sloped front allows for products to fall easily into place
- Ships fully assembled and ready for use

| Model         | Overall Dim: WxDxH (In)   | Overall Capacity (Lbs) | Caster Description | Deck Lip Height | Ship Wt. (Lbs) |
|---------------|---------------------------|------------------------|--------------------|-----------------|----------------|
| HT-LP-3854-95 | 56-7/8 x 42-7/16 x 40-1/8 | 2000                   | 4 Swivel           | 25-3/16         | 226            |
| HT-LP-4857-95 | 48 x 65-9/16 x 40-1/8     | 2000                   | 2 rigid, 2 swivel  | 21-3/16         | 247            |



**Model**  
**MSB3-2036-95**



**Model**  
**MSB6-2036-95**



**Model**  
**MSB9-2036-95**



**Model**  
**MSB12-2036-95**

### Heavy Duty Mobile Storage Bin (2,400 Lbs. capacity)

- 14 gauge, all-welded, steel construction
- Super strong, will not warp
- Top surface is 49-3/16" above the floor
- Shelf clearance is 13-3/8"
- Sturdy, tubular push handle aids in mobility
- 6" x 2" bolt on phenolic casters. 2 locking swivel & 2 rigid
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (in.)   | No. of Bin Openings                                             | Ship Wt. (lbs.) |
|---------------|----------------------------|-----------------------------------------------------------------|-----------------|
| MSB3-2036-95  | 24-1/16 x 42-1/8 x 49-3/16 | (3) 36 x 18-1/4 x 13-3/8                                        | 221             |
| MSB6-2036-95  | 24-1/16 x 42-1/8 x 49-3/16 | (6) 17-1/16 x 18-1/4 x 13-3/8                                   | 239             |
| MSB9-2036-95  | 24-1/16 x 42-1/8 x 49-3/16 | (6) 11-1/16 x 18-1/6 x 13-3/8<br>(3) 11-15/16 x 18-1/6 x 13-3/8 | 263             |
| MSB12-2036-95 | 24-1/16 x 42-1/8 x 49-3/16 | (6) 8-1/16 x 18-1/4 x 13-3/8<br>(6) 8-15/16 x 18-1/4 x 13-3/8   | 277             |

# PLATFORM TRUCKS


## LOW DECK STOCK TRUCK



**Model**  
**EPT24366MR95**



**Model**  
**EPT-2448-95**



**Model**  
**EPT24368PH95**



**Model**  
**EPT30488PU95**

### Platform Trucks

- All-welded, 12 or 14 gauge steel platform
- Platform has lips down
- Removable handle
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.)   | Gauge | Platform Dims (in.) | Caster                     | Capacity (Lbs) | Ship Wt. (lbs.) |
|----------------|----------------------------|-------|---------------------|----------------------------|----------------|-----------------|
| EPT30605MR95   | 30-3/8 x 63-5/8 x 35-1/4   | 12    | 30 x 60             | 5 x 2 Mold-on Rubber       | 2,400          | 153             |
| EPT-2448-95    | 24-3/8 x 51-5/8 x 36-1/4   | 14    | 24 x 48             | 6 x 2 Phenolic             | 2,000          | 100             |
| EPT-3048-95    | 30-3/8 x 51-5/8 x 36-1/4   | 14    | 30 x 48             | 6 x 2 Phenolic             | 2,000          | 108             |
| EPT-3060-95    | 30-3/8 x 63-5/8 x 36-1/4   | 14    | 30 x 60             | 6 x 2 Phenolic             | 2,000          | 137             |
| EPT24366MR95   | 24-3/8 x 39-5/8 x 36-1/4   | 12    | 24 x 36             | 6 x 2 Mold-On-Rubber       | 2,000          | 113             |
| EPT24606MR95   | 24-3/8 x 63-5/8 x 36-1/4   | 12    | 24 x 60             | 6 x 2 Mold-on Rubber       | 2,000          | 144             |
| EPT30606MR95   | 30-3/8 x 63-5/8 x 36-1/4   | 12    | 30 x 60             | 6 x 2 Mold-on Rubber       | 2,000          | 155             |
| EPT24488MR95   | 24-3/8 x 51-5/8 x 38-1/4   | 12    | 24 x 48             | 8 x 2 Mold-on Rubber       | 2,400          | 122             |
| EPT24608MR95   | 24-3/8 x 63-5/8 x 38-1/4   | 12    | 24 x 60             | 8 x 2 Mold-on Rubber       | 2,400          | 152             |
| EPT30488MR95   | 30-3/8 x 51-5/8 x 38-1/4   | 12    | 30 x 48             | 8 x 2 Mold-on Rubber       | 2,400          | 132             |
| EPT30728MR95   | 30-3/8 x 75-5/8 x 38-1/4   | 12    | 30 x 72             | 8 x 2 Mold-on Rubber       | 2,400          | 193             |
| EPT36608MR95   | 36-3/8 x 63-5/8 x 38-1/4   | 12    | 36 x 60             | 8 x 2 Mold-on Rubber       | 2,400          | 190             |
| EPT36728MR95   | 36-3/8 x 75-5/8 x 38-1/4   | 12    | 36 x 72             | 8 x 2 Mold-on Rubber       | 2,400          | 208             |
| EPT18485PU95   | 18-3/8 x 51-5/8 x 34-7/8   | 12    | 18 x 48             | 5 x 1-1/4 Polyurethane     | 1,400          | 92              |
| EPT24485PU95   | 24-3/8 x 51-5/8 x 34-7/8   | 12    | 24 x 48             | 5 x 1-1/4 Polyurethane     | 1,400          | 96              |
| EPT24605PU95   | 24-3/8 x 63-5/8 x 34-7/8   | 12    | 24 x 60             | 5 x 1-1/4 Polyurethane     | 1,400          | 126             |
| EPT24725PU95   | 24-3/8 x 75-5/8 x 34-7/8   | 12    | 24 x 72             | 5 x 1-1/4 Polyurethane     | 1,400          | 152             |
| EPT30365PU95   | 30-3/8 x 39-5/8 x 34-7/8   | 12    | 30 x 36             | 5 x 1-1/4 Polyurethane     | 1,400          | 96              |
| EPT30605PU95   | 30-3/8 x 63-5/8 x 34-7/8   | 12    | 30 x 60             | 5 x 1-1/4 Polyurethane     | 1,400          | 138             |
| EPT36605PU95   | 36-3/8 x 63-5/8 x 34-7/8   | 12    | 36 x 60             | 5 x 1-1/4 Polyurethane     | 1,400          | 163             |
| EPT30488PU95   | 30-3/8 x 51-5/8 x 38-1/4   | 12    | 30 x 48             | 8 x 2 Polyurethane         | 3,600          | 121             |
| EPT30608PU95   | 30-3/8 x 63-5/8 x 38-1/4   | 12    | 30 x 60             | 8 x 2 Polyurethane         | 3,600          | 153             |
| EPT24368PH95   | 24-3/8 x 39-5/8 x 38-1/4   | 12    | 24 x 36             | 8 x 2 Phenolic             | 4,000          | 108             |
| EPT30488PH95   | 30-3/8 x 51-5/8 x 38-1/4   | 12    | 30 x 48             | 8 x 2 Phenolic             | 4,000          | 126             |
| EPT18368PN95   | 18-3/8 x 39-5/8 x 38-1/2   | 12    | 18 x 36             | 8 x 2-3/4 Pneumatic        | 1,000          | 100             |
| EPT24488PN95   | 24-3/8 x 51-5/8 x 38-1/2   | 12    | 24 x 48             | 8 x 2-3/4 Pneumatic        | 1,000          | 116             |
| EPT30488PN95   | 30-3/8 x 51-5/8 x 38-1/2   | 12    | 30 x 48             | 8 x 2-3/4 Pneumatic        | 1,000          | 127             |
| EPT30728PN95   | 30-3/8 x 75-5/8 x 38-1/2   | 12    | 30 x 72             | 8 x 2-3/4 Pneumatic        | 1,000          | 187             |
| EPT36728PN95   | 36-3/8 x 75-5/8 x 38-1/2   | 12    | 36 x 72             | 8 x 2-3/4 Pneumatic        | 1,000          | 202             |
| EPT367210PN95  | 36-3/8 x 75-5/8 x 40-15/16 | 12    | 36 x 72             | 10 x 3-5/16 Pneumatic      | 1,200          | 208             |
| EPT18488SPN95  | 18-3/8 x 51-5/8 x 38-1/2   | 12    | 18 x 48             | 8 x 2-1/4 Semi-Pneumatic   | 1,200          | 111             |
| EPT30368SPN95  | 30-3/8 x 37-11/16 x 38-1/2 | 12    | 30 x 36             | 8 x 2-1/4 Semi-Pneumatic   | 1,200          | 115             |
| EPT36608SPN95  | 36-3/8 x 63-5/8 x 40-3/4   | 12    | 36 x 60             | 8 x 2-1/4 Semi-Pneumatic   | 1,200          | 182             |
| EPT243610SPN95 | 24-3/8 x 39-5/8 x 40-15/16 | 12    | 24 x 36             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 122             |
| EPT244810SPN95 | 24-3/8 x 51-5/8 x 40-15/16 | 12    | 24 x 48             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 130             |
| EPT246010SPN95 | 24-3/8 x 63-5/8 x 40-15/16 | 12    | 24 x 60             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 160             |
| EPT304810SPN95 | 30-3/8 x 51-5/8 x 40-15/16 | 12    | 30 x 48             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 140             |
| EPT306010SPN95 | 30-3/8 x 63-5/8 x 40-15/16 | 12    | 30 x 60             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 172             |
| EPT307210SPN95 | 30-3/8 x 75-5/8 x 40-15/16 | 12    | 30 x 72             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 201             |
| EPT367210SPN95 | 36-3/8 x 75-5/8 x 40-15/16 | 12    | 36 x 72             | 10 x 2-9/16 Semi Pneumatic | 1,500          | 216             |

# PLATFORM TRUCKS

## LOW DECK STOCK TRUCK



**Model**  
**EPT18326MR95**



**Model**  
**EPT244810PN95**



**Model**  
**EPT24488PU95**



**Model**  
**EPT24368PN17**

### Platform Trucks

- All-welded, 12 or 14 gauge steel platform
- Platform has lips down
- Removable handle
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Durable, gray, textured powder coat finish, \*models in red colors

| Model           | Overall Dim: WxLxH (in.)   | Gauge | Platform Dims (in.) | Caster (in.)             | Capacity (lbs.) | Ship Wt.(lbs.) |
|-----------------|----------------------------|-------|---------------------|--------------------------|-----------------|----------------|
| EPT18326MR95    | 18-3/8 x 35-5/8 x 36-1/4   | 14    | 18 x 32             | 6 x 2 Mold-On-Rubber     | 1600            | 94             |
| EPT24486MR95    | 24-3/8 x 51-5/8 x 36-1/4   | 12    | 24 x 48             | 6 x 2 Mold-On-Rubber     | 1600            | 116            |
| EPT30486MR95    | 30-3/8 x 51-5/8 x 36-1/4   | 12    | 30 x 48             | 6 x 2 Mold-On-Rubber     | 1600            | 130            |
| EPT30608MR95    | 30-3/8 x 63-5/8 x 38-1/4   | 12    | 30 x 60             | 8 x 2 Mold-On-Rubber     | 2400            | 130            |
| EPT30726MR95    | 30-3/8 x 75-5/8 x 36-1/4   | 12    | 30 x 72             | 6 x 2 Mold-On-Rubber     | 1600            | 207            |
| EPT36606MR95    | 36-3/8 x 63-5/8 x 36-1/4   | 12    | 36 x 60             | 6 x 2 Mold-On-Rubber     | 1600            | 204            |
| EPT36726MR95    | 36-3/8 x 75-5/8 x 36-1/4   | 12    | 36 x 72             | 6 x 2 Mold-On-Rubber     | 1600            | 222            |
| EPT24485PH95    | 24-3/8 x 35-1/4 x 51-5/8   | 12    | 24 x 48             | 5 x 2 Phenolic           | 2000            | 109            |
| EPT30485PH95    | 30-3/8 x 51-5/8 x 35-1/4   | 12    | 30 x 48             | 5 x 2 Phenolic           | 2000            | 120            |
| EPT30605PH95    | 30-3/8 x 63-5/8 x 35-1/4   | 12    | 30 x 60             | 5 x 2 Phenolic           | 2000            | 175            |
| EPT243610PN95   | 24-3/8 x 39-5/8 x 40-15/16 | 12    | 24 x 36             | 10 x 3-5/16 Pneumatic    | 1500            | 117            |
| EPT244810PN95   | 24-3/8 x 51-5/8 x 40-15/16 | 12    | 24 x 48             | 10 x 3-5/16 Pneumatic    | 1500            | 125            |
| EPT304810PN95   | 30-3/8 x 51-5/8 x 40-15/16 | 12    | 30 x 48             | 10 x 3-5/16 Pneumatic    | 1500            | 136            |
| EPT306010PN95   | 30-3/8 x 63-5/8 x 40-15/16 | 12    | 30 x 60             | 10 x 3-5/16 Pneumatic    | 1500            | 191            |
| EPT30728SPN95   | 30-3/8 x 75-5/8 x 38-1/2   | 12    | 30 x 72             | 8 x 2-1/4 Semi-Pneumatic | 1200            | 208            |
| EPT18325PU95    | 18-3/8 x 35-5/8 x 34-7/8   | 12    | 18 x 32             | 5 x 1-1/4 Polyurethane   | 1200            | 70             |
| EPT-2436-5PU-95 | 24-3/8 x 39-5/8 x 34-7/8   | 14    | 24 x 36             | 5 x 1-1/4 Polyurethane   | 1200            | 83             |
| EPT24368PU95    | 24-3/8 x 39-5/8 x 38-1/4   | 12    | 24 x 36             | 8 x 2 Polyurethane       | 3600            | 107            |
| EPT-2448-5PU-95 | 24-3/8 x 51-5/8 x 34-7/8   | 14    | 24 x 48             | 5 x 2 Polyurethane       | 1200            | 88             |
| EPT24488PU95    | 24-3/8 x 51-5/8 x 38-1/4   | 12    | 24 x 48             | 8 x 2 Polyurethane       | 3600            | 113            |
| EPT30725PU95    | 30-3/8 x 75-5/8 x 34-7/8   | 12    | 30 x 72             | 5 x 1-1/4 Polyurethane   | 1200            | 189            |
| EPT30728PU95    | 30-3/8 x 73-11/16 x 38-1/4 | 12    | 30 x 72             | 8 x 2 Polyurethane       | 3600            | 204            |
| EPT36608PU95    | 36-3/8 x 61-11/16 x 38-1/4 | 12    | 36 x 60             | 8 x 2 Polyurethane       | 3600            | 202            |
| EPT36728PU95    | 36-3/8 x 75-5/8 x 38-1/4   | 12    | 36 x 72             | 8 x 2 Polyurethane       | 3600            | 220            |
| *EPT24368PN17   | 24-3/8 x 39-5/8 x 38-1/2   | 12    | 24 x 36             | 8 x 2-3/4 Pneumatic      | 1200            | 111            |
| *EPT24486PH17   | 24-3/8 x 51-5/8 x 36-1/4   | 12    | 24 x 48             | 6 x 2 Phenolic           | 2000            | 112            |
| *EPT4S24486PH17 | 24-3/8 x 51-5/8 x 36-1/4   | 12    | 24 x 48             | 6 x 2 Phenolic           | 1600            | 113            |
| *EPT24488PN17   | 24-3/8 x 51-5/8 x 38-1/2   | 12    | 24 x 48             | 8 x 2-3/4 Pneumatic      | 1200            | 119            |
| *EPT4S24488PU17 | 24-3/8 x 53-5/16 x 38-1/4  | 12    | 24 x 48             | 8 x 2 Polyurethane       | 4000            | 114            |
| *EPT24608PN17   | 24-3/8 x 63-5/8 x 38-1/2   | 12    | 24 x 60             | 8 x 2-3/4 Pneumatic      | 1200            | 172            |
| *EPT30486PH17   | 30-3/8 x 51-5/8 x 36-1/4   | 12    | 30 x 48             | 6 x 2 Phenolic           | 2000            | 123            |
| *EPT30606PH17   | 30-3/8 x 63-5/8 x 36-1/4   | 12    | 30 x 60             | 6 x 2 Phenolic           | 2000            | 178            |
| *EPT30608PN17   | 30-3/8 x 63-5/8 x 38-1/2   | 12    | 30 x 60             | 8 x 2-3/4 Pneumatic      | 1200            | 185            |



# PLATFORM TRUCKS

## LOW DECK STOCK TRUCK



**Model**  
**EPTD24605PU95**



**Model**  
**EPT6W24486PU95**

### Platform Trucks

- All-welded, 12 gauge, steel platform
- Platform has lips down
- Removable handle
- Easy to assemble
- Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

| Model                                                   | Overall Dim: WxLxH (in.) | Platform Dims (in.) | Caster (in.)           | Capacity (lbs.) | Ship Wt. (lbs.) |
|---------------------------------------------------------|--------------------------|---------------------|------------------------|-----------------|-----------------|
| <b>(2) Rigid, (2) Swivel casters in diamond pattern</b> |                          |                     |                        |                 |                 |
| EPTD18325PU95                                           | 18-3/8 x 35-5/8 x 34-7/8 | 18 x 32             | 5 x 1-1/4 Polyurethane | 1,400           | 66              |
| EPTD24365PU95                                           | 26-3/8 x 39-5/8 x 34-7/8 | 24 x 36             | 5 x 1-1/4 Polyurethane | 1,400           | 118             |
| EPTD24485PU95                                           | 24-3/8 x 51-5/8 x 34-7/8 | 24 x 48             | 5 x 1-1/4 Polyurethane | 1,400           | 97              |
| EPTD24605PU95                                           | 24-3/8 x 63-5/8 x 34-7/8 | 24 x 60             | 5 x 1-1/4 Polyurethane | 1,400           | 127             |
| EPTD30365PU95                                           | 30-3/8 x 39-5/8 x 34-7/8 | 30 x 36             | 5 x 1-1/4 Polyurethane | 1,400           | 95              |
| EPTD36485PU95                                           | 36-3/8 x 51-5/8 x 34-7/8 | 36 x 48             | 5 x 1-1/4 Polyurethane | 1,400           | 117             |
| <b>(2) Rigid, (4) Swivel casters</b>                    |                          |                     |                        |                 |                 |
| EPT6W24486PU95                                          | 24-3/8 x 51-5/8 x 36-1/4 | 24 x 48             | 6 x 2 Polyurethane     | 3,600           | 117             |
| EPT6W24606PU95                                          | 24-3/8 x 63-5/8 x 36-1/4 | 24 x 60             | 6 x 2 Polyurethane     | 3,600           | 147             |
| EPT6W30486PU95                                          | 30-3/8 x 51-5/8 x 36-1/4 | 30 x 48             | 6 x 2 Polyurethane     | 3,600           | 127             |
| EPT6W30606PU95                                          | 30-3/8 x 63-5/8 x 36-1/4 | 30 x 60             | 6 x 2 Polyurethane     | 3,600           | 159             |
| EPT6W30726PU95                                          | 30-3/8 x 75-5/8 x 36-1/4 | 30 x 72             | 6 x 2 Polyurethane     | 3,600           | 200             |

### Platform Trucks

- All-welded, 12 gauge, steel platform
- Lips help retain product during transport
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Models in red color & side brakes\*
- Handle is removable & easy installed
- Durable, gray, textured powder coat finish



**Model**  
**EPTLU24365PU17**



**Model**  
**EPTFL24488MR95**

| Model                                      | Overall Dim: WxLxH (in.) | Platform Dims (in.) | Casters (in.)          | Capacity (lbs.) | Ship Wt. (lbs.) |
|--------------------------------------------|--------------------------|---------------------|------------------------|-----------------|-----------------|
| <b>1-1/2" Lips Up</b>                      |                          |                     |                        |                 |                 |
| *EPTLU18325PU17                            | 18-3/8 x 35-5/8 x 36-3/8 | 18 x 32             | 5 x 1-1/4 Polyurethane | 1200            | 105             |
| EPTLU18365PU95                             | 18-3/8 x 39-5/8 x 36-3/8 | 18 x 36             | 5 x 1-1/4 Polyurethane | 1400            | 77              |
| EPTLU24368PN95                             | 24-3/8 x 39-5/8 x 40     | 24 x 36             | 8 x 2-3/4 Pneumatic    | 1000            | 106             |
| *EPTLU24365PU17                            | 24-3/8 x 39-5/8 x 36-3/4 | 24 x 36             | 5 x 1-1/4 Polyurethane | 1200            | 117             |
| EPTLU-2436-5PU-95                          | 24-3/8 x 39-5/8 x 36-3/8 | 24 x 36             | 5 x 1-1/4 Polyurethane | 1200            | 110             |
| EPTLU24366PU95                             | 24-3/8 x 39-5/8 x 37-3/4 | 24 x 36             | 6 x 2 Polyurethane     | 3600            | 96              |
| EPTLU24488PN95                             | 24-3/8 x 51-5/8 x 40     | 24 x 48             | 8 x 2-3/4 Pneumatic    | 1000            | 116             |
| *EPTLU24485PU17                            | 24-3/8 x 51-5/8 x 36-3/8 | 24 x 48             | 5 x 1-1/4 Polyurethane | 1200            | 98              |
| EPTLU24486PU95                             | 24-3/8 x 51-5/8 x 37-3/4 | 24 x 48             | 6 x 2 Polyurethane     | 3600            | 107             |
| EPTLU24728PN95                             | 24-3/8 x 75-5/8 x 40     | 24 x 72             | 8 x 2-3/4 Pneumatic    | 1000            | 173             |
| EPTLU30485PU95                             | 30-3/8 x 51-5/8 x 36-3/8 | 30 x 48             | 5 x 1-1/4 Polyurethane | 1400            | 106             |
| EPTLU30608PU95                             | 30-3/8 x 63-5/8 x 39-3/4 | 30 x 60             | 8 x 2 Polyurethane     | 3600            | 154             |
| EPTLU36485PU95                             | 36-3/8 x 51-5/8 x 36-3/8 | 36 x 48             | 5 x 1-1/4 Polyurethane | 1400            | 116             |
| <b>Flush shelves • Floor lock included</b> |                          |                     |                        |                 |                 |
| EPTFL24368MR95                             | 24-3/8 x 39-5/8 x 38-1/4 | 24 x 36             | 8 x 2 Mold-On-Rubber   | 2400            | 117             |
| EPTFL24488MR95                             | 24-3/8 x 51-5/8 x 38-1/4 | 24 x 48             | 8 x 2 Mold-On-Rubber   | 2400            | 127             |
| EPTFL24608MR95                             | 24-3/8 x 63-5/8 x 38-1/4 | 24 x 60             | 8 x 2 Mold-On-Rubber   | 2400            | 158             |
| EPTFL30488MR95                             | 30-3/8 x 51-5/8 x 38-1/4 | 30 x 48             | 8 x 2 Mold-On-Rubber   | 2400            | 137             |
| EPTFL30608MR95                             | 30-3/8 x 63-5/8 x 38-1/4 | 30 x 60             | 8 x 2 Mold-On-Rubber   | 2400            | 170             |
| EPTFL30728MR95                             | 30-3/8 x 75-5/8 x 38-1/4 | 30 x 72             | 8 x 2 Mold-On-Rubber   | 2400            | 216             |
| EPTFL36608MR95                             | 36-3/8 x 63-5/8 x 38-1/4 | 36 x 60             | 8 x 2 Mold-On-Rubber   | 2400            | 213             |
| EPTFL36728MR95                             | 36-3/8 x 75-5/8 x 38-1/4 | 36 x 72             | 8 x 2 Mold-On-Rubber   | 2400            | 213             |
| EPTFL24488PN95                             | 24-3/8 x 51-5/8 x 38-1/2 | 24 x 48             | 8 x 2-3/4 Pneumatic    | 1000            | 121             |
| EPTFL24488PU95                             | 24-3/8 x 51-5/8 x 38-1/4 | 24 x 48             | 8 x 2 Polyurethane     | 3600            | 116             |
| EPTFL30488PU95                             | 30-3/8 x 51-5/8 x 38-1/4 | 30 x 48             | 8 x 2 Polyurethane     | 3600            | 126             |
| EPTFL30608PU95                             | 30-3/8 x 63-5/8 x 38-1/4 | 30 x 60             | 8 x 2 Polyurethane     | 3600            | 159             |

# PLATFORM TRUCKS

## LOW DECK STOCK TRUCK

### Platform Truck with Front Bumpers (3,600 Lbs. capacity)

- 12 gauge, all-welded, steel construction
- Platform has lips down
- Platform with 2 bumpers
- Handle is removable & easy installed
- Tubular offset handle allows easy mobility
- 8" x 2" polyurethane casters (2) rigid and (2) swivel casters with side brakes
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.)    | Platform Dims (in.) | Ship Wt. (lbs.) |
|----------------|-----------------------------|---------------------|-----------------|
| EPTRB24368PU95 | 26-5/16 x 40-13/16 x 38-1/4 | 24 x 36             | 104             |
| EPTRB24488PU95 | 26-5/16 x 52-13/16 x 38-1/4 | 24 x 48             | 115             |
| EPTRB24608PU95 | 26-1/4 x 64-3/4 x 38-1/4    | 24 x 60             | 168             |
| EPTRB30488PU95 | 32-5/16 x 52-13/16 x 38-1/4 | 30 x 48             | 125             |
| EPTRB30608PU95 | 32-5/16 x 64-13/16 x 38-1/4 | 30 x 60             | 157             |
| EPTRB36608PU95 | 38-5/16 x 64-13/16 x 38-1/4 | 36 x 60             | 182             |



**Model**  
**EPTRB24368PU95**

### Flat Tube Platform Truck (1,400 Lbs. capacity)

- 14 gauge, all-welded, steel tubing
- Handle is removable & easy installed
- Tubular offset handle allows easy mobility
- 5" x 1-1/4" polyurethane casters (2) rigid and (2) swivel with side brakes
- Durable, gray, textured powder coat finish

| Model      | Overall Dim: WxLxH (in.)  | Platform Dims (in.) | Ship Wt. (lbs.) |
|------------|---------------------------|---------------------|-----------------|
| EPTT183695 | 18-3/8 x 39-7/16 x 35-3/4 | 18 x 36             | 55              |
| EPTT184895 | 18-3/8 x 51-7/16 x 35-3/4 | 18 x 48             | 63              |
| EPTT243695 | 24-3/8 x 39-7/16 x 35-3/4 | 24 x 36             | 68              |



**Model**  
**EPTT243695**

### 2 Shelf Flat Tube Platform Truck (1,400 Lbs. capacity)

- 14 gauge all-welded tubing
- Tubular offset handle allows easy mobility
- Each unit includes 2 shelves
- 5" x 1-1/4" polyolefin casters (2) rigid and (2) swivel with side brakes
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.) | Shelf Dims (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|----------------|--------------------------|------------------|-----------------------|-----------------|
| EPTT183625P095 | 18 x 39-7/8 x 41         | 18 x 36          | 17-3/8                | 72              |
| EPTT184825P095 | 18 x 51-7/8 x 41         | 18 x 48          | 17-3/8                | 82              |
| EPTT243625P095 | 24 x 39-7/8 x 41         | 24 x 36          | 17-3/8                | 86              |
| EPTT244825P095 | 24 x 51-7/8 x 41         | 24 x 48          | 17-3/8                | 96              |



**Model**  
**EPTT243695**

### Platform Truck with 3 shelves (1,200 Lbs. capacity)

- All-welded, 12 gauge, steel platform with reinforced steel channels
- Platform has lips down
- 3 shelves welded into place
- Polyurethane caster (2) rigid and (2) swivel with side brakes
- Unit is fully assembled and ready to use
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.) | Shelf Dims: WxD (in.)      | Ship Wt. (lbs.) |
|----------------|--------------------------|----------------------------|-----------------|
| EPT3S24485PU95 | 24-1/4 x 54-1/8 x 36-5/8 | (2) 24 x 24<br>(1) 24 x 48 | 151             |
| EPT3S30605PU95 | 30-1/4 x 66-1/8 x 36-5/8 | (2) 30 x 30<br>(1) 30 x 60 | 204             |



**Model**  
**EPT3S24485PU95**

# PLATFORM TRUCKS

## LOW DECK STOCK TRUCK

### Perforated Platform Trucks

- All-welded, 12 gauge, steel platform
- Choose between lips up or down platform
- Handle is removable & easy installed
- Models with side brakes \*\*

- All Casters: (2) rigid, (2) swivel, \*(4) swivel
- Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish



**Model**  
**EPTP24368PN95**

| Model             | Overall Dim: WxLxH (in.)  | Deck WxD (in.) | Caster (in.)           | Capacity (lbs.) | Ship Wt. (lbs.) |
|-------------------|---------------------------|----------------|------------------------|-----------------|-----------------|
| **EPTP24365PU95   | 24-3/8 x 39-5/8 x 34-7/8  | 24 x 36        | 5 x 1-1/4 Polyurethane | 1400            | 79              |
| **EPTP24485PU95   | 24-3/8 x 51-5/8 x 34-7/8  | 24 x 48        | 5 x 1-1/4 Polyurethane | 1400            | 88              |
| EPTP30605PH95     | 30-3/8 x 63-5/8 x 35-1/4  | 30 x 60        | 5 x 2 Phenolic         | 2000            | 136             |
| EPTP24366MR95     | 24-3/8 x 39-5/8 x 36-1/4  | 24 x 36        | 6 x 2 Mold-On-Rubber   | 2000            | 97              |
| EPTP24486MR95     | 24-3/8 x 51-5/8 x 36-1/4  | 24 x 48        | 6 x 2 Mold-On-Rubber   | 1600            | 108             |
| EPTP24368PN95     | 24-3/8 x 39-5/8 x 38-1/2  | 24 x 36        | 8 x 2-3/4 Pneumatic    | 1200            | 100             |
| EPTP24488PN95     | 24-3/8 x 51-5/8 x 38-1/2  | 24 x 48        | 8 x 2-3/4 Pneumatic    | 1200            | 109             |
| EPTP30548PU95     | 30-3/8 x 59-5/16 x 38-1/4 | 30 x 54        | 8 x 2 Polyurethane     | 3200            | 159             |
| *EPTP4SW30545PH95 | 30-3/8 x 59-5/16 x 35-1/4 | 30 x 54        | 5 x 2 Phenolic         | 2400            | 161             |
| *EPTP4SW30548PU95 | 30-3/8 x 59-5/16 x 38-1/4 | 30 x 54        | 8 x 2 Polyurethane     | 2400            | 166             |

### Perforated Platform Trucks

- All-welded, 12 gauge, steel platform
- Choose between lips up or down platform
- Handle is removable & easy installed

- All Casters: (2) rigid, (2) swivel
- Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish



**Model**  
**EPTPLU24365PU95**

| Model           | Overall Dim: WxLxH (in.)   | Deck WxD (in.) | Caster                              | Capacity | Ship Wt. (lbs.) |
|-----------------|----------------------------|----------------|-------------------------------------|----------|-----------------|
| EPTPLU24366MR95 | 24-3/8 x 39-5/8 x 37-11/16 | 24 x 36        | 6 x 2 Mold-On-Rubber                | 1,600    | 136             |
| EPTPLU24365PU95 | 24-3/8 x 39-5/8 x 36-3/8   | 24 x 36        | 5 x 1-1/4 Polyurethane, side brakes | 1,400    | 79              |
| EPTPLU24486MR95 | 24-3/8 x 51-5/8 x 37-3/4   | 24 x 48        | 6 x 2 Mold-On-Rubber                | 1,600    | 108             |
| EPTPLU24485PU95 | 24-3/8 x 51-5/8 x 36-3/8   | 24 x 48        | 5 x 1-1/4 Polyurethane, side brakes | 1,400    | 88              |

### Perforated 5th Wheel Truck (1,200 Lbs. capacity)

- All-welded, heavy duty, 12 gauge, steel platform with reinforced steel channels
- Removable handle by nut and bolt
- Perforated deck has 1-1/2" lips up

- Deck height: 11-3/8"
- 4 rigid casters
- Easy to assemble, no tools required
- Durable, red, textured powder coat finish



**Model**  
**5WTP-2436-LU-10PN-17T**

| Model                  | Overall Dim: WxLxH (in.) | Deck WxD (in.) | Wheels                | Ship Wt. (lbs.) |
|------------------------|--------------------------|----------------|-----------------------|-----------------|
| 5WTP-2436-LU-10PN-17T  | 24 x 38-5/16 x 38-1/4    | 24 x 36        | 10 x 3-5/16 Pneumatic | 92              |
| 5WTP-2436-LU-10SPN-17T | 24 x 38-5/16 x 38-1/4    | 24 x 36        | 10 x 2-3/4 Pneumatic  | 102             |

### 5th Wheel Truck (2,000 Lbs. capacity)

- All-welded 14 gauge steel platform with reinforced steel channels
- Platform has lips down
- Removable "T" handle by nut and bolt

- T-Handle extends 32"
- Easy to assemble, no tools required
- Durable, gray, textured powder coat finish



**Model**  
**5WT-2448-12MR-95**

| Model            | Overall Dim: WxLxH (in.) | Deck WxD (in.) | Castors                   | Ship Wt. (lbs.) |
|------------------|--------------------------|----------------|---------------------------|-----------------|
| 5WT-2448-12MR-95 | 24 x 50-1/4 x 43-1/8     | 24 x 48        | 12 x 2-1/2 Mold-On Rubber | 162             |
| 5WT-3060-12MR-95 | 30 x 60-1/4 x 43-1/8     | 30 x 60        | 12 x 2-1/2 Mold-On Rubber | 202             |
| 5WT-3672-12MR-95 | 36 x 74-1/4 x 43-1/8     | 36 x 72        | 12 x 2-1/2 Mold-On Rubber | 237             |
| 5WT-2448-12PN-95 | 24 x 50-1/4 x 43-1/8     | 24 x 48        | 12 x 3-1/2 Pneumatic      | 121             |
| 5WT-3060-12PN-95 | 30 x 60-1/4 x 43-1/8     | 30 x 60        | 12 x 3-1/2 Pneumatic      | 159             |
| 5WT-3672-12PN-95 | 36 x 74-1/4 x 43-1/8     | 36 x 72        | 12 x 3-1/2 Pneumatic      | 195             |

# PLATFORM TRUCKS

## 5TH WHEEL TRUCK



**Model**  
**5WT-2436-LU-10PN-17T**



**Model**  
**5WT3-2448-LU-12PN-95**



**Model**  
**5WT6-2448-LU-12PN-95**

### 5th Wheel Truck with Lips

- All-welded, 14 gauge, steel platform with reinforced steel channels
- Removable handle extends over the height of the unit
- Easy to assemble, no tools required
- Durable, gray, textured powder coat finish

| Model                | Overall Dim: WxLxH (in.) | Deck WxD (in.) | Gauge | Wheels                                   | Capacity (Lbs) | Lip (in.) | Color | Ship Wt. (lbs.) |
|----------------------|--------------------------|----------------|-------|------------------------------------------|----------------|-----------|-------|-----------------|
| 5WT-2436-LU-10PN-17T | 24 x 38-1/4 x 38-1/4     | 24 x 36        | 14    | 10 x 3-5/16 Pneumatic - 4 Rigid          | 1,200          | 1-1/2     | Red   | 91              |
| 5WT-3048-LU-8MR-95   | 30 x 51-13/16 x 43-9/16  | 30 x 48        | 12    | 8 x 2 Mold-On Rubber - 2 rigid, 2 swivel | 2,000          | 1-1/2     | Gray  | 123             |
| 5WT3-2448-LU-12PN-95 | 24 x 50-1/4 x 43-1/8     | 24 x 48        | 14    | 12 x 3-1/2 Pneumatic - 4 Rigid           | 2,000          | 3         | Gray  | 119             |
| 5WT3-3060-LU-12PN-95 | 30 x 62-1/4 x 43-1/8     | 30 x 60        | 14    | 12 x 3-1/2 Pneumatic - 4 Rigid           | 2,000          | 3         | Gray  | 156             |
| 5WT6-2448-LU-12PN-95 | 24 x 50-1/4 x 43-1/8     | 24 x 48        | 14    | 12 x 3-1/2 Pneumatic - 4 Rigid           | 2,000          | 6         | Gray  | 127             |

### VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets**  
**Available at: <https://www.durhammfg.com/request-a-catalog/>**

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**

# SPECIALTY PLATFORM TRUCKS

## 2 & 3 SIDED LOW DECK STOCK TRUCK

### 2 Sided Platform Truck



**Model**  
**PTS18725/8PU95**

- All-welded, 12 gauge, steel platform
- Platform has lips down
- Handles removable from sockets
- Tubular handle allows easy mobility

- Polyurethane casters, (2) rigid, (4) swivel
- Units with polyurethane casters include side brakes
- Easy to assemble, no tools required
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.)   | Deck Dims (in.) | Casters (in.)           | Capacity (lbs.) | Ship Wt.(lbs.) |
|----------------|----------------------------|-----------------|-------------------------|-----------------|----------------|
| PTS18725/8PU95 | 18 x 75-7/16 x 57-1/4      | 18 x 72         | (2) 8 x 2 (4) 5 x 1-1/4 | 2000            | 136            |
| PTS24485/8PU95 | 24-7/16 x 51-7/16 x 57-1/4 | 24 x 48         | (2) 8 x 2 (4) 5 x 1-1/4 | 2000            | 112            |
| PTS16485-8PU95 | 16-7/16 x 51-7/16 x 57-1/4 | 16 x 48         | (2) 8 x 2 (4) 5 x 1-1/4 | 2000            | 105            |
| PTS16605-8PU95 | 16-7/16 x 63-5/8 x 57-1/4  | 16 x 60         | (2) 8 x 2 (4) 5 x 1-1/4 | 2000            | 150            |
| PTS24605-8PU95 | 24-7/16 x 63-5/8 x 57-1/4  | 24 x 60         | (2) 8 x 2 (4) 5 x 1-1/4 | 2000            | 168            |

### Platform Truck with 4 Sockets



**Model**  
**EPT2H24488PU95**

- All-welded, 12 gauge, steel platform with reinforced steel channels
- Platform has lips down
- All Casters: 2 rigid, 2 swivel
- Platform with 4 sockets

- Tubular offset handle allows easy mobility
- Easy to assemble
- Handles removable from sockets
- Durable, gray, textured powder coat finish

| Model            | Overall Dim: WxLxH (in.)  | Deck Dims (in.) | Casters (in.)        | Capacity (lbs.) | Ship Wt. (lbs.) |
|------------------|---------------------------|-----------------|----------------------|-----------------|-----------------|
| <b>1 Handle</b>  |                           |                 |                      |                 |                 |
| EPT4S30605MR95   | 30-3/8 x 65-5/16 x 35-1/4 | 30 x 60         | 5 x 2 Mold-on Rubber | 2000            | 155             |
| EPT4S30606MR95   | 30-3/8 x 65-5/16 x 36-1/4 | 30 x 60         | 6 x 2 Mold-on Rubber | 2000            | 164             |
| EPT4S30608PN95   | 30-3/8 x 65-5/16 x 38-1/2 | 30 x 60         | 8 x 2-3/4 Pneumatic  | 1000            | 160             |
| <b>2 Handles</b> |                           |                 |                      |                 |                 |
| EPT2H24368PU95   | 24-3/8 x 43-1/4 x 38-1/4  | 24 x 36         | 8 x 2 Polyurethane   | 3600            | 111             |
| EPT2H24488PU95   | 24-3/8 x 55-1/4 x 38-1/4  | 24 x 48         | 8 x 2 Polyurethane   | 3600            | 118             |
| EPT2H30488PU95   | 30-3/8 x 55-1/4 x 38-1/4  | 30 x 48         | 8 x 2 Polyurethane   | 3600            | 129             |
| EPT2RH24608PU95  | 24-3/8 x 63-5/16 x 42-3/4 | 24 x 60         | 8 x 2 Polyurethane   | 3600            | 177             |
| EPT2RH30608PU95  | 30-3/8 x 63-5/16 x 42-3/4 | 30 x 60         | 8 x 2 Polyurethane   | 3600            | 191             |
| EPT2RH30728PU95  | 30-3/8 x 75-5/16 x 42-3/4 | 30 x 72         | 8 x 2 Polyurethane   | 3600            | 215             |
| EPT2RH36608PU95  | 36-3/8 x 63-5/16 x 42-3/4 | 36 x 60         | 8 x 2 Polyurethane   | 3600            | 204             |
| EPT2RH36728PU95  | 36-3/8 x 75-5/16 x 42-3/4 | 36 x 72         | 8 x 2 Polyurethane   | 3600            | 232             |



**Model**  
**EPT2H24488PU95**

### 2 & 3 Sided Platform Truck



**Model**  
**EPT3RH24486PU95**

- All-welded, 12 gauge, steel platform
- Easy to assemble
- All Casters: 2 rigid, 2 swivel, \*side brakes

- Tubular offset handle allows easy mobility
- Handles Removable from sockets
- Durable, gray, textured powder coat finish

| Model               | Overall Dim: WxLxH (in.)   | Deck Dims. (in.) | Sides | Casters              | Capacity (lbs.) | Ship Wt.(lbs.) |
|---------------------|----------------------------|------------------|-------|----------------------|-----------------|----------------|
| *EPT2RH24486PH95    | 24-3/8 x 51-5/16 x 42-3/4  | 24 x 48          | 2     | 6 x 2 Phenolic       | 2000            | 120            |
| EPT2RH24486PU95     | 24-3/8 x 51-5/16 x 42-3/4  | 24 x 48          | 2     | 6 x 2 Polyurethane   | 3600            | 131            |
| *EPT2RH30606PH95    | 30-3/8 x 63-5/16 x 42-3/4  | 30 x 60          | 2     | 6 x 2 Phenolic       | 2000            | 163            |
| EPT2RH24606PU95     | 24-3/8 x 63-5/16 x 42-3/4  | 24 x 60          | 2     | 6 x 2 Polyurethane   | 3600            | 146            |
| EPT2RH30486PU95     | 30-3/8 x 51-5/16 x 42-3/4  | 30 x 48          | 2     | 6 x 2 Polyurethane   | 3600            | 127            |
| EPTP2RH30545PH95    | 30-3/8 x 61-1/4 x 35-1/4   | 30 x 54          | 2     | 5 x 2 Polyurethane   | 2400            | 170            |
| EPTP2RH30548PU95    | 30-3/8 x 61-1/4 x 38-1/4   | 30 x 54          | 2     | 8 x 2 Polyurethane   | 2400            | 174            |
| EPTP4SW2RH30545PH95 | 30-3/8 x 61-1/4 x 35-1/4   | 30 x 54          | 2     | 5 x 2 Phenolic       | 2400            | 171            |
| EPTP4SW2RH30548PU95 | 30-3/8 x 61-1/4 x 38-1/4   | 30 x 54          | 2     | 8 x 2 Polyurethane   | 2400            | 176            |
| EPT2RH30606PU95     | 30-3/8 x 63-5/16 x 42-3/4  | 30 x 60          | 2     | 6 x 2 Polyurethane   | 3600            | 160            |
| EPT2RH36606MR95     | 36-3/8 x 63-5/16 x 42-3/4  | 36 x 60          | 2     | 6 x 2 Mold-on Rubber | 2000            | 230            |
| EPT2RH30726PU95     | 30-3/8 x 75-5/16 x 42-3/4  | 30 x 72          | 2     | 6 x 2 Polyurethane   | 3600            | 187            |
| EPT3RH24486PU95     | 27-5/16 x 51-5/16 x 42-3/4 | 24 x 48          | 3     | 6 x 2 Polyurethane   | 3600            | 125            |
| EPT3RH24606PU95     | 24-3/8 x 63-5/16 x 42-3/4  | 24 x 60          | 3     | 6 x 2 Polyurethane   | 3600            | 203            |
| EPT3RH30486PU95     | 33-5/16 x 51-5/16 x 42-3/4 | 30 x 48          | 3     | 6 x 2 Polyurethane   | 3600            | 136            |
| EPT3RH30606PU95     | 33-5/16 x 63-5/16 x 42-3/4 | 30 x 60          | 3     | 6 x 2 Polyurethane   | 3600            | 171            |



**Model**  
**EPT2RH24486PH95**



# SPECIALTY PLATFORM TRUCKS

## HIGH DECK & ADJUSTABLE HEIGHT STOCK TRUCK

### High Deck Platform Trucks

- All-welded, 12 gauge, steel platform
- Removable handle
- (2) swivel and (2) rigid casters
- Easy to assemble
- Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

| Model                                     | Overall Dim: WxLxH (in.)   | Deck Dims (in.) | Casters                | Capacity | Ship Wt. (lbs.) |
|-------------------------------------------|----------------------------|-----------------|------------------------|----------|-----------------|
| <b>Fixed Height</b>                       |                            |                 |                        |          |                 |
| WHPT24485MR95                             | 24-3/8 x 51-5/8 x 41-5/16  | 24 x 48         | 5 x 2 Mold-On-Rubber   | 2,000    | 139             |
| WHPT-ST-2448-5PU-95                       | 24 x 51-5/8 x 36-3/16      | 24 x 48         | 5 x 2 Polyurethane     | 2,000    | 112             |
| WHPT24486MR95                             | 24-3/8 x 51-5/8 x 42-5/16  | 24 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 147             |
| WHPT24606MR95                             | 24-3/8 x 63-5/8 x 42-5/16  | 24 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 209             |
| WHPT30605MR95                             | 30-3/8 x 63-5/8 x 41-5/16  | 30 x 60         | 5 x 2 Mold-On-Rubber   | 2,000    | 196             |
| WHPT18485PU95                             | 18-3/8 x 51-5/8 x 40-15/16 | 18 x 48         | 5 x 1-1/4 Polyurethane | 1,400    | 109             |
| WHPT24605PU95                             | 24-3/8 x 63-5/8 x 40-15/16 | 24 x 60         | 5 x 1-1/4 Polyurethane | 1,400    | 162             |
| WHPT30485PU95                             | 30-3/8 x 51-5/8 x 40-15/16 | 30 x 48         | 5 x 1-1/4 Polyurethane | 1,400    | 139             |
| WHPT30605PU95                             | 30-3/8 x 63-5/8 x 40-15/16 | 30 x 60         | 5 x 1-1/4 Polyurethane | 1,400    | 181             |
| WHPT30486MR95                             | 30-3/8 x 51-5/8 x 42-5/16  | 30 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 156             |
| WHPT30606MR95                             | 30-3/8 x 63-5/8 x 42-5/16  | 30 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 193             |
| WHPT24485PH95                             | 24-3/8 x 51-5/8 x 41-5/16  | 24 x 48         | 5 x 2 Phenolic         | 2,000    | 134             |
| WHPT30605PH95                             | 30-3/8 x 63-5/8 x 41-5/16  | 30 x 60         | 5 x 2 Phenolic         | 2,000    | 192             |
| <b>Floor Lock included</b>                |                            |                 |                        |          |                 |
| WHPTFL24486MR95                           | 24-3/8 x 51-5/8 x 42-5/16  | 24 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 141             |
| WHPT24606MRFL95                           | 24-3/8 x 60-5/8 x 42-5/16  | 24 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 206             |
| WHPT30486MRFL95                           | 30-3/8 x 63-5/8 x 51-5/16  | 30 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 167             |
| WHPTFL30606MR95                           | 30-3/8 x 63-5/8 x 42-5/16  | 30 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 197             |
| <b>Platform with Lips Up</b>              |                            |                 |                        |          |                 |
| WHPTLU24486MR95                           | 24-3/8 x 51-5/8 x 43-13/16 | 24 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 141             |
| WHPTLU24606MR95                           | 24-3/8 x 63-5/8 x 43-13/16 | 24 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 180             |
| WHPTLUST30486MR95                         | 24-3/8 x 51-5/8 x 43-13/16 | 30 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 220             |
| WHPTLU30606MR95                           | 30-3/8 x 63-5/8 x 43-13/16 | 30 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 199             |
| <b>6" Lips Up Platform</b>                |                            |                 |                        |          |                 |
| WHPT624485PH95                            | 24-3/8 x 51-5/8 x 44-3/16  | 24 x 48         | 5 x 2 Phenolic         | 2,000    | 151             |
| <b>Adjustable Height</b>                  |                            |                 |                        |          |                 |
| WHPTA24485PH95                            | 24-3/8 x 51-5/8 x 50-5/16  | 24 x 48         | 5 x 2 Phenolic         | 2,000    | 139             |
| WHPTA30605PH95                            | 30-3/8 x 63-5/8 x 50-5/16  | 30 x 60         | 5 x 2 Phenolic         | 2,000    | 198             |
| WHPTA24486MR95                            | 24-3/8 x 51-5/8 x 51-5/16  | 24 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 146             |
| WHPTA24606MR95                            | 24-3/8 x 63-5/8 x 51-5/16  | 24 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 185             |
| WHPTA30486MR95                            | 30-3/8 x 51-5/8 x 51-5/16  | 30 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 162             |
| <b>Adjustable Height • 1-1/2" Lips Up</b> |                            |                 |                        |          |                 |
| WHPTLUA24486MR95                          | 24-3/8 x 51-5/8 x 52-13/16 | 24 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 146             |
| WHPTLUA24486PU95                          | 24-3/8 x 63-5/8 x 42-5/16  | 24 x 48         | 6 x 2 Polyurethane     | 2,000    | 133             |
| WHPTLUA24606PU95                          | 24-3/8 x 63-5/8 x 51-5/16  | 24 x 60         | 6 x 2 Polyurethane     | 2,000    | 194             |
| WHPTLUA30486MR95                          | 30-3/8 x 51-5/8 x 52-13/16 | 30 x 48         | 6 x 2 Mold-On-Rubber   | 2,000    | 162             |
| WHPTLUA30606MR95                          | 30-3/8 x 63-5/8 x 51-5/16  | 30 x 60         | 6 x 2 Mold-On-Rubber   | 2,000    | 227             |



**Model**  
**WHPTFL24486MR95**



**Model**  
**WHPT624485PH95**



**Model**  
**WHPTA24486MR95**

### High Deck Platform Trucks 1,800 Lbs, capacity

- 16 gauge, all-welded, steel construction
- Removable handle
- 8"x 2" Mold-On-Rubber casters
- Treated hardwood surface
- Tubular offset handle allows easy mobility
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                | Overall Dim: W x D x H (in.) | Deck Dims. (in.) | Description  | Ship Wt.(lbs.) |
|----------------------|------------------------------|------------------|--------------|----------------|
| WHPT-WD-2448-8MR-95  | 24 x 51-3/4 x 40-1/16        | 24 x 48          | Fixed Height | 134            |
| WHPTA-WD-2448-8MR-95 | 24 x 51-3/4 x 49-1/4         | 24 x 48          | Adj. Height  | 140            |
| WHPT-WD-3060-8MR-95  | 30 x 63-3/4 x 40-1/16        | 30 x 60          | Fixed Height | 167            |
| WHPTA-WD-3060-8MR-95 | 30 x 63-3/4 x 49-1/4         | 30 x 60          | Adj. Height  | 172            |



**Model**  
**WHPT-WD-2448-8MR-95**

# PLATFORM TRUCKS

## LOW DECK STOCK TRUCK



**Model**  
**PT30488/12MR95**



**Model**  
**PT304810/12PN95**

### Platform Truck

- All-welded, 12 gauge, steel platform with reinforced steel channels
- Platform has lips down
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Handle Removable
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxLxH (in.)  | Platform dims (in.) | Caster (in.)                                | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------|---------------------------|---------------------|---------------------------------------------|-----------------|-----------------|
| PT30488/12MR95  | 30-3/8 x 51-5/8 x 43-1/8  | 30 x 48             | (2) 8 x 2 (2) 12 x 2-1/2 Mold-on Rubber     | 3,000           | 168             |
| PT30728/12MR95  | 30-3/8 x 75-5/8 x 43-1/8  | 30 x 72             | (2) 8 x 2 (2) 12 x 2-1/2 Mold-on Rubber     | 3,000           | 224             |
| PT30728/12PH95  | 30-3/8 x 75-5/8 x 40-3/4  | 30 x 72             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 230             |
| PT24488/12PH95  | 24-3/8 x 51-5/8 x 40-3/4  | 24 x 48             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 145             |
| PT30488/12PH95  | 30-3/8 x 51-5/8 x 40-3/4  | 30 x 48             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 158             |
| PT30608/12PH95  | 30-3/8 x 63-5/8 x 40-3/4  | 30 x 60             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 188             |
| PT36608/12MR95  | 30-3/8 x 63-5/8 x 43-1/8  | 36 x 60             | (2) 8 x 2 (2) 12 x 2-1/2 Mold-on Rubber     | 3,000           | 240             |
| PT36608/12PH95  | 36-3/8 x 63-5/8 x 40-3/4  | 36 x 60             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 204             |
| PT36728/12PH95  | 36-3/8 x 75-5/8 x 40-3/4  | 36 x 72             | (2) 8 x 2 (2) 12 x 3 Phenolic               | 5,000           | 232             |
| PT304810/12PN95 | 30-3/8 x 51-5/8 x 43-5/16 | 30 x 48             | (2) 10 x 3-5/16 (2) 12 x 3-1/2 Pneumatic    | 1,750           | 144             |
| PT307210/12PN95 | 30-3/8 x 75-5/8 x 43-5/16 | 30 x 72             | (2) 10 x 3-5/16 (2) 12 x 3-1/2 Pneumatic    | 1,750           | 200             |
| PT366010/12PN95 | 36-3/8 x 63-5/8 x 43-5/16 | 36 x 60             | (2) 10 x 3-5/16 (2) 12 x 3-1/2 Pneumatic    | 1,750           | 190             |
| PT304812/16PN95 | 30-3/8 x 51-5/8 x 48-3/8  | 30 x 48             | (2) 12 x 3-1/2 (2) 15-1/5 x 3-3/4 Pneumatic | 2,500           | 156             |
| PT366012/16PN95 | 36-3/8 x 63-5/8 x 48-3/8  | 36 x 60             | (2) 12 x 3-1/2 (2) 15-1/5 x 3-3/4 Pneumatic | 2,500           | 201             |



**Model**  
**WD-2448-6MR-95**

### Platform Trucks

- All-welded, 14 gauge steel
- Wood surface
- Removable handle
- 6"x 2" Mold-On-Rubber, (2) rigid and (2) swivel casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxLxH (in.) | Platform Dims (in.) | Capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|---------------------|-----------------|-----------------|
| WD-2448-6MR-95 | 24-3/8 x 51-5/8 x 35-3/8 | 24 x 48             | 1600            | 109             |
| WD-3060-6MR-95 | 24-3/8 x 63-5/8 x 35-3/8 | 30 x 60             | 1600            | 133             |

# PLATFORM TRUCKS

## HIGH DECK & LOW DECK STOCK TRUCK



**Model**  
**EPTRM24365PU95**



**Model**  
**EPTRM24488PN95**

### Platform Truck with Rubber Matting on Deck

- All-welded, 12 gauge, steel platform with reinforced steel channels
- Platform has rubber tray mat
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Handle Removable
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxLxH (in.) | Platform Dims (in.) | Caster                   | Capacity (Lbs) | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------------------|--------------------------|----------------|-----------------|
| EPTRM24365PU95  | 24-3/8 x 39-5/8 x 34-7/8 | 24 x 36             | 5 x 1-1/4 Polyurethane   | 1,400          | 89              |
| EPTRM24485PU95  | 24-3/8 x 51-5/8 x 34-7/8 | 24 x 48             | 5 x 1-1/4 Polyurethane   | 1,400          | 101             |
| EPTRM30605PU95  | 30-3/8 x 63-5/8 x 34-7/8 | 30 x 60             | 5 x 1-1/4 Polyurethane   | 1,400          | 151             |
| EPTRM36485PU95  | 36-3/8 x 51-5/8 x 34-7/8 | 36 x 48             | 5 x 1-1/4 Polyurethane   | 1,400          | 124             |
| EPTRM36605PU95  | 36-3/8 x 63-5/8 x 34-7/8 | 36 x 60             | 5 x 1-1/4 Polyurethane   | 1,400          | 176             |
| EPTRM18488SPN95 | 18-3/8 x 51-5/8 x 38-1/2 | 18 x 48             | 8 x 2-1/4 Semi-Pneumatic | 1,200          | 109             |
| EPTRM30368SPN95 | 30-3/8 x 39-5/8 x 38-1/2 | 30 x 36             | 8 x 2-1/4 Semi-Pneumatic | 1,200          | 118             |
| EPTRM24488PN95  | 24-3/8 x 51-5/8 x 38-1/2 | 24 x 48             | 8 x 2-3/4 Pneumatic      | 1,000          | 121             |
| EPTRM30488PN95  | 30-3/8 x 51-5/8 x 38-1/2 | 30 x 48             | 8 x 2-3/4 Pneumatic      | 1,000          | 133             |
| EPTRM36488PN95  | 36-3/8 x 51-5/8 x 38-1/2 | 36 x 48             | 8 x 2-3/4 Pneumatic      | 1,000          | 145             |
| EPTRM36608PN95  | 36-3/8 x 63-5/8 x 38-1/2 | 36 x 60             | 8 x 2-3/4 Pneumatic      | 1,000          | 197             |

### High Deck Platform Trucks

- 12 gauge, all-welded, steel construction
- Removable handle
- Black Rubber Mat surface
- 8"x 3" Semi-Pneumatic casters
- 5"x 2" Phenolic casters \*
- 5"x 2" Polyurethane casters \*\*
- Tubular offset handle allows easy mobility
- Ships fully assembled
- Durable, textured, gray powder coat finish



**Model**  
**WHPTRM-ST-2448-8SPN-95**

| Model                   | Overall Dim: W x D x H (in.) | Deck Dims. (in.) | Capacity (lbs.) | Ship Wt.(lbs.) |
|-------------------------|------------------------------|------------------|-----------------|----------------|
| *WHPT-LU-ST-2448-5PH-95 | 24 x 51-5/8 x 40-3/16        | 24 x 48          | 2000            | 115            |
| **WHPT-ST-2448-5PU-95   | 24 x 51-5/8 x 36-3/16        | 24 x 48          | 1400            | 112            |
| WHPTRM-ST-2448-8SPN-95  | 24 x 51-7/16 x 41-15/16      | 24 x 48          | 1200            | 123            |
| WHPTRM-ST-3060-8SPN-95  | 30 x 63-9/16 x 41-15/16      | 30 x 60          | 1200            | 176            |

# TRUCKS

## PANEL MOVERS



**Model**  
**APT-2436-95**



**Model**  
**APT2SH24366PU95**



**Model**  
**APT10V-2472-2-5PU-95**



**Model**  
**APT8V-2448-5MR-95**



**Model**  
**APT-2460-6MR-95**



**Model**  
**APT12V-2672-5MR-95**

### Adjustable Panel Moving Trucks

- Heavy duty, 14 gauge, steel platform
- Easy to access and pick up on-board product
- Create multiple opening sizes by adjusting dividers
- All casters: 2 rigid, 2 swivel
- Allows for the storage and transportation of various sizes of panels & products
- Gray, textured, powder coat finish

| Model                | Overall Dim: WxDxH (in.) | Platform Dims (in.) | Dividers | Caster                                  | Capacity | Ship Wt.(lbs.) |
|----------------------|--------------------------|---------------------|----------|-----------------------------------------|----------|----------------|
| APT12V-3672-5MR-95   | 39-5/16 x 75-5/8 x 44    | 36 x 72             | 12       | 5 x 2 Mold-On rubber                    | 1,800    | 299            |
| APT8V-2448-5MR-95    | 27-5/16 x 51-5/8 x 45    | 24 x 48             | 8        | 5 x 2 Mold-On rubber                    | 1,800    | 179            |
| APT-2460-6MR-95      | 24 x 63-5/16 x 45        | 24 x 60             | 6        | 6" x 2" Mold-On rubber                  | 2,000    | 180            |
| APT2SH30486MR95      | 30 x 51-5/16 x 36        | 30 x 48             | 2        | 6" x 2" Mold-On rubber                  | 2,000    | 121            |
| APT2SH30606MR95      | 30 x 63-5/16 x 36        | 30 x 60             | 2        | 6" x 2" Mold-On rubber                  | 2,000    | 150            |
| APT-2436-95          | 24 x 39-5/16 x 45        | 24 x 36             | 6        | 6" x 2" Phenolic                        | 2,000    | 134            |
| APT-2448-95          | 24 x 51-5/16 x 45        | 24 x 48             | 6        | 6" x 2" Phenolic                        | 2,000    | 153            |
| APT-3048-95          | 30 x 51-5/16 x 45        | 30 x 48             | 6        | 6" x 2" Phenolic                        | 2,000    | 167            |
| APT-3060-95          | 30 x 63-5/16 x 45        | 30 x 60             | 6        | 6" x 2" Phenolic                        | 2,000    | 185            |
| APT-3672-95          | 36 x 75-5/16 x 45        | 36 x 72             | 6        | 6" x 2" Phenolic                        | 2,000    | 216            |
| APT10V-2472-2-5PU-95 | 27-5/16 x 78-1/4 x 70    | 24 x 72             | 10       | 5" x 1-1/4" Polyurethane w/ side brakes | 1,400    | 265            |
| APT2SH30365PU95      | 30 x 39-5/16 x 34-5/8    | 30 x 36             | 2        | 5" x 1-1/4" Polyurethane w/ side brakes | 1,400    | 94             |
| APT2SH36485PU95      | 36 x 51-5/16 x 34-5/8    | 36 x 48             | 2        | 5" x 1-1/4" Polyurethane w/ side brakes | 1,400    | 125            |
| APT2SH24366PU95      | 24 x 39-5/16 x 36        | 24 x 36             | 2        | 6" x 2" Polyurethane                    | 3,600    | 97             |
| APT2SH24726PU95      | 24 x 75-5/16 x 36        | 24 x 72             | 2        | 6" x 2" Polyurethane                    | 3,600    | 152            |
| APT2SH30486PU95      | 30 x 51-5/16 x 36        | 30 x 48             | 2        | 6" x 2" Polyurethane                    | 3,600    | 114            |
| APT2SH30606PU95      | 30 x 63-5/16 x 36        | 30 x 60             | 2        | 6" x 2" Polyurethane                    | 3,600    | 144            |
| APT2SH30726PU95      | 30 x 75-5/16 x 36        | 30 x 72             | 2        | 6" x 2" Polyurethane                    | 3,600    | 162            |
| APT2SH36606PU95      | 36 x 63-5/16 x 36        | 36 x 60             | 2        | 6" x 2" Polyurethane                    | 3,600    | 151            |

# TRUCKS

## PANEL MOVERS



**Model**  
**PM-2831-CR-95**



**Model**  
**PM-2831-OD-5PO-95**



**Model**  
**PMWP-2436-6PU-95**

### Panel Moving Trucks

- Heavy duty, 14 gauge, steel platform
- Easy to access and pick up on-board product
- Allows for the storage and transportation of various sizes of panels & products
- Durable, gray, textured powder coat finish

| Model             | Overall Dim: WxDxH (in.)    | Capacity | Type            | Dividers      | Casters                                         | Ship Wt. (lbs.) |
|-------------------|-----------------------------|----------|-----------------|---------------|-------------------------------------------------|-----------------|
| PM-2436-5PH-95    | 24 x 38-5/8 x 45            | 2000     | Solid Deck      | (4) Fixed     | 5" x 2" Phenolic - 2 rigid, 2 swivel            | 114             |
| PM-2831-OD-5PO-95 | 28-1/4 x 31-3/16 x 33-15/16 | 1400     | Open Deck       | (3) Removable | 5" x 1-1/4" Polyolefin w. side brakes 4 swivel  | 78              |
| PM-2439-CR-95     | 24-1/4 x 39-3/16 x 33-15/16 | 1000     | Carpeted Rails  | (3) Removable | 5" x 1-1/4" Polyurethane, side brakes, 4 swivel | 85              |
| PM-2831-CR-95     | 28-1/4 x 31-3/16 x 33-15/16 | 1200     | Carpeted Rails  | (3) Removable | 5" x 1-1/4" Polyurethane, side brakes, 4 swivel | 84              |
| PM-2831-OD-95     | 28-1/4 x 31-3/16 x 33-15/16 | 1200     | Open Deck       | (3) Removable | 5" x 1-1/4" Polyurethane, side brakes, 4 swivel | 80              |
| PM-2831-SD-95     | 28-1/4 x 31-5/16 x 33-15/16 | 2000     | Solid Deck      | (3) Removable | 5" x 2" Polyurethane, side brakes, 4 swivel     | 103             |
| PMWP-2436-6PU-95  | 24 x 36 x 45                | 2000     | Perforated Deck | (4) Fixed     | 6" x 2" Polyurethane, side brakes, 4 swivel     | 121             |
| PM6W-3048-6PU-95  | 30 x 48 x 45                | 3600     | Solid Deck      | (4) Fixed     | 6" x 2" Polyurethane casters, 2 rigid, 4 swivel | 147             |



**Model**  
**DT-3048-8MR4SW-95**



**Model**  
**DT-2448-8PU-95**



**Model**  
**DTR-20450-8PU-95**

### Drywall Trucks (3,000 Lbs. Capacity)

- Heavy duty, 14 gauge, steel platform
- Deck height 13-1/4"
- Full wrap around bumper \*except DTR model
- Load capacity 3,000 Lbs.
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model             | Overall Dim: W x D x H (in.) | Type of Caster                                                   | Deck Dim: W x D x H (in.) | Ship Wt.(lbs.) |
|-------------------|------------------------------|------------------------------------------------------------------|---------------------------|----------------|
| DT-2448-8MR-95    | 23-1/8 x 49-13/16 x 47-9/16  | 8" x 2" Mold-on Rubber (2) rigid and (2) swivel with side brakes | 12 x 43-5/16              | 128            |
| DT-3048-8MR-95    | 30 x 52 x 47-9/16            | 8" x 2" Mold-on Rubber (2) rigid and (2) swivel                  | 18 x 47-3/8               | 137            |
| DT-3048-8MR4SW-95 | 30 x 52 x 47-9/16            | (4) Swivel 8" x 2" Mold-on Rubber                                | 18 x 47-3/8               | 140            |
| DT-2448-8PU-95    | 23-1/8 x 49-13/16 x 47-9/16  | (4) Swivel 8" x 2" Polyurethane                                  | 12 x 43-5/16              | 117            |
| DTR-2045-8PU-95   | 20-1/16 x 43-5/16 x 47-9/16  | (4) Swivel 8" x 2" Polyurethane                                  | 12 x 43-5/16              | 101            |



# TRUCKS

## PORTABLE TABLES



**Model**  
**HMT-2436-2-95**



**Model**  
**HMT-2436-2-MT-95**



**Model**  
**HMT-2436-2-4SWB-95**



**Model**  
**HMT-2436-3-95**

### High Deck Portable Tables (1,200 Lbs. capacity)

- All-welded, 14 gauge, steel shelves
- 1-1/2" x 1/8" angle iron frame
- Models with 2 or 3 shelves
- Shelves have lips down
- 5" x 1-1/4" polyurethane casters with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.)   | Shelves     | Shelf Clearance (in.) | Caster Type       | Top Material | Ship Wt. (lbs.) |
|--------------------|----------------------------|-------------|-----------------------|-------------------|--------------|-----------------|
| HMT-1836-2-95      | 18-1/4 x 36-1/4 x 30-1/16  | (2) 18 x 36 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 82              |
| HMT-2436-2-95      | 24-1/4 x 36-1/4 x 30-1/16  | (2) 24 x 36 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 94              |
| HMT-2448-2-95      | 24-1/4 x 48-1/4 x 30-1/16  | (2) 24 x 48 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 107             |
| HMT-3048-2-95      | 30-1/4 x 48-1/4 x 30-1/16  | (2) 30 x 48 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 121             |
| HMT-3060-2-95      | 30-1/4 x 60-1/4 x 30-1/16  | (2) 30 x 60 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 147             |
| HMT-3672-2-95      | 36-1/4 x 72-1/4 x 30-1/16  | (2) 36 x 72 | 20-3/4                | 2 Rigid, 2 swivel | Steel        | 184             |
| HMT-2424-2-MT-95   | 24-1/4 x 24-1/4 x 31-13/16 | (2) 24 x 24 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 103             |
| HMT-2436-2-MT-95   | 24-1/4 x 36-1/4 x 31-13/16 | (2) 24 x 36 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 131             |
| HMT-2448-2-MT-95   | 24-1/4 x 48-1/4 x 31-13/16 | (2) 24 x 48 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 164             |
| HMT-3048-2-MT-95   | 30-1/4 x 48-1/4 x 31-13/16 | (2) 30 x 48 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 180             |
| HMT-3060-2-MT-95   | 30-1/4 x 60-1/4 x 31-13/16 | (2) 30 x 60 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 240             |
| HMT-3072-2-MT-95   | 30-1/4 x 72-1/4 x 31-13/16 | (2) 30 x 72 | 20-3/4                | 2 Rigid, 2 swivel | Maple Wood   | 282             |
| HMT-1830-2-4SWB-95 | 18-1/4 x 30-1/4 x 30-1/16  | (2) 18 x 30 | 20-3/4                | 4 Swivel          | Steel        | 79              |
| HMT-2436-2-4SWB-95 | 24-1/4 x 36-1/4 x 30-1/16  | (2) 24 x 36 | 20-3/4                | 4 Swivel          | Steel        | 95              |
| HMT-2448-2-4SWB-95 | 24-1/4 x 48-1/4 x 30-1/16  | (2) 24 x 48 | 20-3/4                | 4 Swivel          | Steel        | 108             |
| HMT-2460-2-4SWB-95 | 24-1/4 x 60-1/4 x 30-1/16  | (2) 24 x 60 | 20-3/4                | 4 Swivel          | Steel        | 120             |
| HMT-3048-2-4SWB-95 | 30-1/4 x 48-1/4 x 30-1/16  | (2) 30 x 48 | 20-3/4                | 4 Swivel          | Steel        | 122             |
| HMT-3060-2-4SWB-95 | 30-1/4 x 60-1/4 x 30-1/16  | (2) 30 x 60 | 20-3/4                | 4 Swivel          | Steel        | 149             |
| HMT-3072-2-4SWB-95 | 30-1/4 x 72-1/4 x 30-1/16  | (2) 30 x 72 | 20-3/4                | 4 Swivel          | Steel        | 166             |
| HMT-1836-3-95      | 18-1/4 x 36-1/4 x 30-1/16  | (2) 18 x 36 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 99              |
| HMT-2436-3-95      | 24-1/4 x 36-1/4 x 30-1/16  | (3) 24 x 36 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 115             |
| HMT-2448-3-95      | 24-1/4 x 48-1/4 x 30-1/16  | (3) 24 x 48 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 135             |
| HMT-3048-3-95      | 30-1/4 x 48-1/4 x 30-1/16  | (3) 30 x 48 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 154             |
| HMT-3060-3-95      | 30-1/4 x 60-1/4 x 30-1/16  | (3) 30 x 60 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 195             |
| HMT-3672-3-95      | 36-1/4 x 72-1/4 x 30-1/16  | (3) 36 x 72 | 9-9/16                | 2 Rigid, 2 swivel | Steel        | 249             |

# TRUCKS

## PORTABLE TABLES



**Model**  
**HET-3048-2-95**



**Model**  
**HET-2448-2-5K-FL-95**



**Model**  
**HET-2436-3-5K-95**

### Heavy Duty Portable Table

- 2" x 3/16" angle iron frame
- 4,000 lb. capacity unit is welded 14 gauge steel shelves with channel formed sides. 5,000 lb. capacity unit is welded 12 gauge steel shelves.
- Shelves are reinforced and have lips down
- All Casters (2) swivel and (2) rigid
- Sturdy tubular push handle
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                   | Overall Dim: WxLxH (in.)  | Shelves     | Shelf Clearance (in.) | Casters                  | Capacity (lbs.) | Ship Wt. (lbs.) |
|-----------------------------------------|---------------------------|-------------|-----------------------|--------------------------|-----------------|-----------------|
| HET-2436-2-95                           | 24-3/8 x 42-3/8 x 37-7/16 | (2) 24 x 36 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 132             |
| HET-2448-2-95                           | 24-3/8 x 54-3/8 x 37-7/16 | (2) 24 x 48 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 148             |
| HET-3048-2-95                           | 30-3/8 x 54-3/8 x 37-7/16 | (2) 30 x 48 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 175             |
| HET-3060-2-95                           | 30-3/8 x 66-3/8 x 37-7/16 | (2) 30 x 60 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 198             |
| HET-3648-2-95                           | 36-3/8 x 54-3/8 x 37-7/16 | (2) 36 x 48 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 186             |
| HET-3672-2-95                           | 36-3/8 x 78-3/8 x 37-7/16 | (2) 36 x 72 | 26-3/4                | 6" x 2" Phenolic Casters | 4,000           | 237             |
| HET-2436-2-5K-95                        | 24-3/8 x 42-3/8 x 39-1/2  | (2) 24 x 36 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 168             |
| HET-243636-2-5K-95                      | 24-3/8 x 42-3/8 x 36      | (2) 24 x 36 | 23-1/4                | 8" x 2" Phenolic Casters | 5,000           | 158             |
| HET-2448-2-5K-95                        | 24-3/8 x 54-3/8 x 39-1/2  | (2) 24 x 48 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 188             |
| HET-244836-2-5K-95                      | 24-3/8 x 54-3/8 x 36      | (2) 24 x 48 | 23-1/4                | 8" x 2" Phenolic Casters | 5,000           | 185             |
| HET-3048-2-5K-95                        | 30-3/8 x 54-3/8 x 39-1/2  | (2) 30 x 48 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 219             |
| HET-304836-2-5K-95                      | 30-3/8 x 54-3/8 x 36      | (2) 30 x 48 | 23-1/4                | 8" x 2" Phenolic Casters | 5,000           | 216             |
| HET-3060-2-5K-95                        | 30-3/8 x 66-3/8 x 39-1/2  | (2) 30 x 60 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 250             |
| HET-3672-2-5K-95                        | 36-3/8 x 78-3/8 x 39-1/2  | (2) 36 x 72 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 304             |
| HET-367236-2-5K-95                      | 36-3/8 x 78-3/8 x 36      | (2) 36 x 72 | 23-1/4                | 8" x 2" Phenolic Casters | 5,000           | 301             |
| HET-2436-3-5K-95                        | 24-3/8 x 42-3/8 x 39-1/2  | (3) 24 x 36 | 12-9/16               | 8" x 2" Phenolic Casters | 5,000           | 194             |
| HET-2448-3-5K-95                        | 24-3/8 x 54-3/8 x 39-1/2  | (3) 24 x 48 | 12-9/16               | 8" x 2" Phenolic Casters | 5,000           | 232             |
| HET-3048-3-5K-95                        | 30-3/8 x 54-3/8 x 39-1/2  | (3) 30 x 48 | 12-9/16               | 8" x 2" Phenolic Casters | 5,000           | 277             |
| HET-3060-3-5K-95                        | 30-3/8 x 66-3/8 x 39-1/2  | (3) 30 x 60 | 12-9/16               | 8" x 2" Phenolic Casters | 5,000           | 322             |
| HET-3672-3-5K-95                        | 36-3/8 x 78-3/8 x 39-1/2  | (3) 36 x 72 | 12-9/16               | 8" x 2" Phenolic Casters | 5,000           | 404             |
| <b>Includes Floor Locks</b>             |                           |             |                       |                          |                 |                 |
| HET-2448-2-5K-FL-95                     | 24-3/8 x 54-3/8 x 39-1/2  | (2) 24 x 48 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 193             |
| HET-2460-2-5K-FL-95                     | 24-3/8 x 66-3/8 x 39-1/2  | (2) 24 x 60 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 217             |
| HET-3048-2-5K-FL-95                     | 30-3/8 x 54-3/8 x 39-1/2  | (2) 30 x 48 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 223             |
| HET-3060-2-5K-FL-95                     | 30-3/8 x 66-3/8 x 39-1/2  | (2) 30 x 60 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 254             |
| HET-306036-2-5K-FL-95                   | 30-3/8 x 66-3/8 x 36      | (2) 30 x 60 | 23-1/4                | 8" x 2" Phenolic Casters | 5,000           | 252             |
| <b>Includes Floor Locks • No Handle</b> |                           |             |                       |                          |                 |                 |
| HET-3072-2-5K-FLNH-95                   | 30-3/8 x 72-3/8 x 39-1/2  | (2) 30 x 72 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 284             |
| HET-3672-2-5K-FLNH-95                   | 36-3/8 x 72-3/8 x 39-1/2  | (2) 36 x 72 | 26-3/4                | 8" x 2" Phenolic Casters | 5,000           | 306             |

# TRUCKS

## PORTABLE TABLES

### Mobile High Deck Portable Table (1,200 Lbs. capacity)



**Model**  
**HMT12G18325PU295**

- All-welded, 12 gauge, steel shelves
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Shelves have lips down
- 1-1/2" x 1/8" angle iron frame
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model            | Overall Dim: WxDxH (in.) | Shelves Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|------------------|--------------------------|--------------------------|-----------------|
| HMT12G18325PU295 | 18-1/4 x 32-1/4 x 30-1/8 | (2) 18 x 32              | 92              |
| HMT12G24365PU295 | 24-1/4 x 36-1/4 x 30-1/8 | (2) 24 x 36              | 111             |
| HMT12G24485PU295 | 24-1/4 x 48-1/4 x 30-1/8 | (2) 24 x 48              | 128             |
| HMT12G30485PU295 | 30-1/4 x 48-1/4 x 30-1/8 | (2) 30 x 48              | 151             |
| HMT12G30605PU295 | 30-1/4 x 60-1/4 x 30-1/8 | (2) 30 x 60              | 175             |
| HMT12G30725PU295 | 30-1/4 x 72-1/4 x 30-1/8 | (2) 30 x 72              | 203             |

### Mobile High Deck Portable Table with Drawers (1,200 Lbs. capacity)



**Model**  
**HMT-2436-2-MT-2DR-95**

- All-welded, 14 gauge, steel shelves
- Top surface has back stop
- Convenient sturdy work surface
- Maple Top surface
- Workbench with lips down
- 5" polyurethane bolt-on casters; (4) swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                | Overall Dim: WxDxH (in.)   | Drawers Dim: WxDxH (in.)         | Ship Wt. (lbs.) |
|----------------------|----------------------------|----------------------------------|-----------------|
| HMT-2436-2-MT-2DR-95 | 24-1/4 x 36-1/4 x 31-13/16 | (2) 12-15/32 x 19-7/16 x 4-15/16 | 168             |
| HMT-2448-2-MT-2DR-95 | 24-1/4 x 48-1/4 x 31-13/16 | (2) 12-15/32 x 19-7/16 x 4-15/16 | 200             |
| HMT-3060-2-MT-2DR-95 | 30-1/4 x 60-1/4 x 31-13/16 | (2) 12-15/32 x 19-7/16 x 4-15/16 | 288             |

# TRUCKS

## LOW DECK SERVICE TRUCK

### Low Deck Service Truck (2,400 Lbs. capacity)



**Model**  
**LDO-243641-2-8PHFL-95**

- All-welded, 14 gauge, steel shelves
- Raised offset handle allows easy mobility
- Standard units have bottom shelf 1-1/2" lips up. ALU units have all lips up
- 8" x 2" phenolic casters; (2) rigid and (2) swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Floor lock keeps unit securely in place
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                 | Overall Dim: WxDxH (in.) | Shelves     | Ship Wt. (lbs.) |
|-----------------------|--------------------------|-------------|-----------------|
| LDO-243041-2-8PHFL-95 | 24-1/4 x 33-3/4 x 41     | (2) 24 x 30 | 114             |
| LDO-243641-2-8PHFL-95 | 24-1/4 x 39-3/4 x 41     | (2) 24 x 36 | 121             |
| LDO-244841-2-8PHFL-95 | 24-1/4 x 51-3/4 x 41     | (2) 24 x 48 | 134             |
| LDO-246041-2-8PHFL-95 | 24-1/4 x 63-3/4 x 41     | (2) 24 x 60 | 146             |
| LDO-303641-2-8PHFL-95 | 30-1/4 x 39-3/4 x 41     | (2) 30 x 36 | 132             |
| LDO-304841-2-8PHFL-95 | 30-1/4 x 51-3/4 x 41     | (2) 30 x 48 | 148             |
| LDO-306041-2-8PHFL-95 | 30-1/4 x 63-3/4 x 41     | (2) 30 x 60 | 163             |
| LDO-307241-2-8PHFL-95 | 30-1/4 x 75-3/4 x 41     | (2) 30 x 72 | 191             |
| LDO-364841-2-8PHFL-95 | 36-1/4 x 51-3/4 x 41     | (2) 36 x 48 | 159             |
| LDO-366041-2-8PHFL-95 | 36-1/4 x 63-3/4 x 41     | (2) 36 x 60 | 178             |
| LDO-367241-2-8PHFL-95 | 36-1/4 x 75-3/4 x 41     | (2) 36 x 72 | 209             |

# TRUCKS

## LOW DECK STOCK TRUCK



**Model**  
**LDO-2436-2-95**



**Model**  
**LDO-2448-2-ALU-95**

### Low Deck Service Truck

- All-welded, 14 gauge, steel shelves
  - Raised offset handle allows easy mobility
  - Standard units have 1-1/2" lips up on bottom shelf
  - 1-1/2" x 1/8" angle iron uprights for added strength
  - Ships fully assembled
  - Durable, textured, gray powder coat finish
- ALU units have all 1-1/2" lips up**

| Model               | Overall Dim: WxDxH (in.) | Shelves     | Casters                  | Capacity (lbs.) | Side Brake | Ship Wt. (lbs.) |
|---------------------|--------------------------|-------------|--------------------------|-----------------|------------|-----------------|
| LDO-1830-2-95       | 18-1/4 x 33 x 37-1/2     | (2) 18 x 30 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 80              |
| LDO-2436-2-95       | 24-1/4 x 39 x 37-1/2     | (2) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 96              |
| LDO-2448-2-95       | 24-1/4 x 51 x 37-1/2     | (2) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 109             |
| LDO-3048-2-95       | 30-1/4 x 51 x 37-1/2     | (2) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 123             |
| LDO-3060-2-95       | 30-1/4 x 63 x 37-1/2     | (2) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 139             |
| LDO-2436-2-ALU-95   | 24-1/4 x 39 x 37-1/2     | (2) 24 x 36 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 96              |
| LDO-2448-2-ALU-95   | 24-1/4 x 51 x 37-1/2     | (2) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 109             |
| LDO-3048-2-ALU-95   | 30-1/4 x 51 x 37-1/2     | (2) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 123             |
| LDO-3060-2-ALU-95   | 30-1/4 x 63 x 37-1/2     | (2) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 139             |
| LDO-182436-2-ALU-95 | 18-1/4 x 27 x 36         | (2) 18 x 24 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 74              |
| LDO-183236-2-ALU-95 | 18-1/4 x 35 x 36         | (2) 18 x 32 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 81              |
| LDO-244836-2-ALU-95 | 24-1/4 x 51 x 36         | (2) 24 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 108             |
| LDO-304836-2-ALU-95 | 30-1/4 x 51 x 36         | (2) 30 x 48 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 122             |
| LDO-306036-2-ALU-95 | 30-1/4 x 63 x 36         | (2) 30 x 60 | 5" x 1-1/4" Polyurethane | 1,200           | Yes        | 138             |
| LDO-2436-2-2K-95    | 24-1/4 x 39 x 38-3/4     | (2) 24 x 36 | 6" x 2" Phenolic         | 2,000           | Yes        | 112             |
| LDO-2448-2-2K-95    | 24-1/4 x 51 x 38-3/4     | (2) 24 x 48 | 6" x 2" Phenolic         | 2,000           | Yes        | 124             |
| LDO-3048-2-2K-95    | 30-1/4 x 51 x 38-3/4     | (2) 30 x 48 | 6" x 2" Phenolic         | 2,000           | Yes        | 139             |

### Low Deck Service Truck (1,200 Lbs. capacity)

- All-welded, 14 gauge, steel shelves
- Raised offset handle allows easy mobility
- Standard units have bottom shelf 1-1/2" lips up
- 4" x 1-1/4" polyurethane casters; (2) rigid and (2) swivel with side brakes
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, black powder coat finish

| Model                | Overall Dim: WxDxH (in.)   | Shelves     | Ship Wt. (lbs.) |
|----------------------|----------------------------|-------------|-----------------|
| LDO-183040-2-4PU-08T | 18-1/4 x 36-3/8 x 40-11/16 | (2) 18 x 30 | 82              |
| LDO-183640-2-4PU-08T | 18-1/4 x 42-3/8 x 40-11/16 | (2) 18 x 36 | 86              |
| LDO-243640-2-4PU-08T | 24-1/4 x 42-1/16 x 40-1/16 | (2) 24 x 36 | 98              |



**Model**  
**LDO-183040-2-4PU-08T**

# TRUCKS

## LOW DECK STOCK TRUCKS



**Model**  
**LDO-3036-2-5PO-95**



**Model**  
**LDO-2436-2-8PN-95**



**Model**  
**LDO-243641-2-1DR-8SPN-95**

### Low Deck Service Truck

- All-welded, 14 gauge, steel shelves
- Raised offset handle allows easy mobility
- Standard units have 1-1/2" lips up on bottom shelf  
ALU units have all 1-1/2" lips up
- All casters: 2 rigid, 2 Swivel
- 1-1/2" x 1/8" angle iron uprights for added strength
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                                                | Overall Dim: WxDxH (in.) | Shelves     | Casters                    | Capacity (lbs.) | Side Brake | Ship Wt. (lbs.) |
|----------------------------------------------------------------------|--------------------------|-------------|----------------------------|-----------------|------------|-----------------|
| LDO-2436-2-8PN-95                                                    | 24-1/4 x 39 x 41-3/16    | (2) 24 x 36 | 8" x 2-3/4" Pneumatic      | 1,200           | No         | 117             |
| LDO-243641-2-8PN-95                                                  | 24-1/4 x 39 x 40-15/16   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic      | 1,200           | No         | 117             |
| LDO-243641-2-8PN-ALU-95                                              | 24-1/4 x 39 x 40-15/16   | (2) 24 x 36 | 8" x 2-3/4" Pneumatic      | 1,200           | No         | 117             |
| LDO-304841-2-8PN-95                                                  | 30-1/4 x 51 x 40-15/16   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic      | 1,200           | No         | 144             |
| LDO-304841-2-8PN-ALU-95                                              | 30-1/4 x 51 x 40-15/16   | (2) 30 x 48 | 8" x 2-3/4" Pneumatic      | 1,200           | No         | 144             |
| LDO-243641-2-8SPN-95                                                 | 24-1/4 x 39 x 41-3/16    | (2) 24 x 36 | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No         | 116             |
| LDO-244841-2-8SPN-95                                                 | 24-1/4 x 51 x 41-3/16    | (2) 24 x 48 | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No         | 128             |
| LDO-2436-3-95                                                        | 24-1/4 x 39 x 37-1/2     | (3) 24 x 36 | 5" x 1-1/4" Polyurethane   | 1,200           | Yes        | 117             |
| LDO-2448-3-95                                                        | 24-1/4 x 51 x 37-1/2     | (3) 24 x 48 | 5" x 1-1/4" Polyurethane   | 1,200           | Yes        | 136             |
| LDO-3048-3-95                                                        | 30-1/4 x 51 x 37-1/2     | (3) 30 x 48 | 5" x 1-1/4" Polyurethane   | 1,200           | Yes        | 156             |
| LDO-3060-3-95                                                        | 30-1/4 x 63 x 37-1/2     | (3) 30 x 60 | 5" x 1-1/4" Polyurethane   | 1,200           | Yes        | 179             |
| LDO-243639-3-5PO-95                                                  | 24-1/4 x 39 x 39-5/8     | (3) 24 x 36 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 117             |
| LDO-3036-2-5PO-95                                                    | 30-1/4 x 39 x 37-1/2     | (2) 30 x 36 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 113             |
| LDO-183039-2-5PO-95                                                  | 18-1/4 x 33 x 39-5/8     | (2) 18 x 30 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 80              |
| LDO-183639-2-5PO-95                                                  | 18-1/4 x 39 x 39-5/8     | (2) 18 x 36 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 85              |
| LDO-243639-2-5PO-95                                                  | 24-1/4 x 39 x 39-5/8     | (2) 24 x 36 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 96              |
| LDO-244839-2-5PO-95                                                  | 24-1/4 x 51 x 39-5/8     | (2) 24 x 48 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 109             |
| LDO-304839-2-5PO-95                                                  | 30-1/4 x 51 x 39-5/8     | (2) 30 x 48 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 123             |
| LDO-307239-2-5PO-95                                                  | 30-1/4 x 75 x 39-5/8     | (2) 30 x 72 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 155             |
| LDO-367239-2-5PO-95                                                  | 36-1/4 x 75 x 39-5/8     | (2) 36 x 72 | 5" x 1-1/4" Polyolefin     | 1,400           | Yes        | 184             |
| LDO-243639-2-6PO-95                                                  | 24-1/4 x 39 x 39-3/8     | (2) 24 x 36 | 6" x 2" Polyolefin         | 1,200           | No         | 108             |
| LDO-243641-2-8PO-95                                                  | 24-1/4 x 39 x 41-7/16    | (2) 24 x 36 | 8" x 2" Polyolefin         | 1,200           | No         | 112             |
| LDO-306041-3-8PH-95                                                  | 30-1/4 x 63 x 41-3/8     | (3) 24 x 36 | 8" x 2" Semi-Phenolic      | 4,800           | No         | 200             |
| Includes Rubber Matting and 1 Drawer - 13-5/16" x 19-1/4" x 4-15/16" |                          |             |                            |                 |            |                 |
| LDO-243641-2-1DR-8SPN-95                                             | 24-1/4 x 39 x 41-11/16   | (2) 24 x 36 | 8" x 2-1/4" Semi-Pneumatic | 1,200           | No         | 142             |



# TRUCKS

## 2 SIDED STOCK TRUCKS

### 2 or 3 Shelf Package and Stock Truck (2,000 Lbs. capacity)

- All-welded, heavy duty 14 or 12 gauge steel
- Shelves have lips down
- Tubular handle allows easy mobility
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

| Model                                                | Overall Dim: WxLxH (in.)   | Shelves     | Casters                                              | Ship Wt. (lbs.) |
|------------------------------------------------------|----------------------------|-------------|------------------------------------------------------|-----------------|
| 2SPT-3048-2-2K-95                                    | 30-5/16 x 54-1/8 x 57-1/16 | (2) 30 X 48 | 6" x 2" Phenolic                                     | 204             |
| 2SPT-3048-3-2K-95                                    | 30-5/16 x 54-1/8 x 57-1/16 | (3) 30 X 48 | 6" x 2" Phenolic                                     | 236             |
| 2SPT-3060-2-2K-95                                    | 30-5/16 x 66-1/8 x 57-1/16 | (2) 30 X 60 | 6" x 2" Phenolic                                     | 221             |
| 2SPT-3060-3-2K-95                                    | 30-5/16 x 66-1/8 x 57-1/16 | (3) 30 X 60 | 6" x 2" Phenolic                                     | 261             |
| 2SPT-EX3048-2-2K-95                                  | 30-1/4 x 54-1/2 x 56-7/16  | (2) 30 X 48 | 6" x 2" Phenolic                                     | 180             |
| 2SPT-EX3060-4-2K-6PU-95                              | 30-1/4 x 66-1/2 x 56-7/16  | (4) 30 X 60 | 6" x 2" Polyurethane                                 | 279             |
| 2SPT-EX3660-4-2K-95                                  | 36-1/4 x 66-1/2 x 56-7/16  | (4) 36 X 60 | 6" x 2" Phenolic                                     | 320             |
| <b>1 Adjustable Shelf Unit</b>                       |                            |             |                                                      |                 |
| 2SPT-EX3060-1A-2K-6PU-95                             | 30-1/4 x 66-1/2 x 56-7/16  | (2) 30 X 60 | 6" x 2" Polyurethane                                 | 235             |
| <b>12 Gauge Unit with casters in diamond pattern</b> |                            |             |                                                      |                 |
| 2SPT12G244825/8PU95                                  | 24-1/4 x 54-3/16 x 57-1/16 | (2) 24 X 48 | (2) 8" x 2" Polyurethane<br>(4) 5" x 2" Polyurethane | 236             |



**Model**  
**2SPT-3048-3-2K-95**

## 3 SIDED MESH TRUCKS

### 3 Sided Mesh Trucks with Adjustable, Fixed and Base Shelves

- 12 Gauge steel construction
- Angle iron and expanded metal construction
- Sturdy tubular push handle
- (2) swivel and (2) rigid casters for all models
- Ships fully assembled and ready for use
- Gray, textured, powder coat finish

| Model                                                                         | Overall Dims: WxDxH (in.) | Shelf Dims: (in.) | Shelf Type | Ship Wt. (lbs.) |
|-------------------------------------------------------------------------------|---------------------------|-------------------|------------|-----------------|
| <b>3 Sided Trucks with 6" x 2" Phenolic casters • 3,000 Lbs. capacity</b>     |                           |                   |            |                 |
| 3ST12G-EX2436-ALU-95                                                          | 24-3/8 x 42-1/2 x 58      | (1) 24 x 36       | Base Shelf | 166             |
| 3ST12G-SM2448-ALU-1AS-95                                                      | 24-3/8 x 54-1/2 x 58      | (1) 24 x 48       | Adjustable | 292             |
| 3ST12G-EX2460-1AS-95                                                          | 24-3/8 x 66-1/2 x 56-1/2  | (1) 24 x 60       | Adjustable | 260             |
| 3ST12G-EX3048-2AS-95                                                          | 30-3/8 x 54-1/2 x 56-1/2  | (2) 30 x 48       | Adjustable | 298             |
| 3ST12G-EX2436-ALU-2-95                                                        | 24-3/8 x 42-1/2 x 58      | (2) 24 x 36       | Fixed      | 195             |
| 3ST12G-EX2448-ALU-2-95                                                        | 24-3/8 x 54-1/2 x 58      | (2) 24 x 48       | Fixed      | 220             |
| 3ST12G-EX2460-ALU-2-95                                                        | 24-3/8 x 66-1/2 x 56-1/2  | (2) 24 x 60       | Fixed      | 246             |
| 3ST12G-EX3060-ALU-2-95                                                        | 30-3/8 x 66-1/2 x 58      | (2) 30 x 60       | Fixed      | 270             |
| 3ST12G-EX3672-ALU-2-95                                                        | 36-3/8 x 78-1/2 x 58      | (2) 36 x 72       | Fixed      | 334             |
| 3ST12G-EX2436-ALU-3-95                                                        | 24-3/8 x 42-1/2 x 58      | (3) 24 x 36       | Fixed      | 224             |
| 3ST12G-EX2460-ALU-3-95                                                        | 24-3/8 x 66-1/2 x 56-1/2  | (3) 24 x 60       | Fixed      | 293             |
| 3ST12G-EX3060-ALU-3-95                                                        | 30-3/8 x 66-1/2 x 58      | (3) 30 x 60       | Fixed      | 327             |
| 3ST12G-EX3672-ALU-3-95                                                        | 36-3/8 x 78-1/2 x 58      | (3) 36 x 72       | Fixed      | 408             |
| 3ST12G-EX2448-ALU-4-95                                                        | 24-3/8 x 54-1/2 x 58      | (4) 24 x 48       | Fixed      | 296             |
| 3ST12G-EX3048-ALU-4-95                                                        | 30-3/8 x 54-1/2 x 58      | (4) 30 x 48       | Fixed      | 331             |
| 3ST12G-SM2448-ALU-2-95                                                        | 24-3/8 x 54-1/2 x 58      | (2) 24 x 48       | Fixed      | 281             |
| 3ST12G-SM2460-ALU-2-95                                                        | 24-3/8 x 66-1/2 x 56-1/2  | (2) 24 x 60       | Fixed      | 314             |
| <b>3 Sided Trucks with 6" x 2" Polyurethane casters • 3,600 Lbs. capacity</b> |                           |                   |            |                 |
| 3SLT12G-EX2436-6PU-2-95                                                       | 24-3/8 x 42-1/2 x 40      | (2) 24 x 36       | Fixed      | 146             |
| 3SLT12G-EX2448-6PU-2-95                                                       | 24-3/8 x 54-1/2 x 40      | (2) 24 x 48       | Fixed      | 179             |
| 3ST12G-EX2460-6PU-2-95                                                        | 24-3/8 x 66-3/8 x 56-1/2  | (2) 24 x 60       | Fixed      | 246             |
| 3ST12G-EX3048-6PU-2-95                                                        | 30-3/8 x 54-1/2 x 56-1/2  | (2) 30 x 48       | Fixed      | 239             |
| 3ST12G-EX304845-6PU-1-95                                                      | 30-3/8 x 54-1/2 x 45-1/8  | (1) 30 x 48       | Base Shelf | 187             |
| 3ST12G-EX3060-6PU-2-95                                                        | 30-3/8 x 66-1/2 x 56-1/2  | (2) 30 x 60       | Fixed      | 267             |
| 3SLT12G-SM3060-6PU-2-95                                                       | 30-3/8 x 66-1/2 x 56-1/2  | (2) 30 x 60       | Fixed      | 284             |



**Model**  
**3ST12G-SM2448-ALU-1AS-95**



**Model**  
**3SLT12G-EX2448-6PU-2-95**

# TRUCKS

## 3 SIDED MESH TRUCKS



**Model**  
**3ST-EX2436-1AS-95**



**Model**  
**3ST-EX3048-2AS-95**

### 3 Sided Mesh Trucks & Optional Shelves

- Angle iron and expanded metal construction
- Sturdy tubular push handle
- Shelves adjust on 2-1/4" centers
- (2) swivel and (2) rigid casters for all models
- Durable, gray, textured powder coat finish
- Ships fully assembled and ready for use

| Model                                                     | Overall Dims: WxDxH (in.) | Adj. Shelf Dimensions (in.) | Ship Wt. (lbs.) |
|-----------------------------------------------------------|---------------------------|-----------------------------|-----------------|
| <b>6" x 2" Phenolic casters • 3,000 Lbs. capacity</b>     |                           |                             |                 |
| 3ST-EX2436-1AS-95                                         | 24-3/8 x 42-1/2 x 56-7/16 | (1) 20-7/8 x 33-15/16       | 183             |
| 3ST-EX2448-1AS-95                                         | 24-3/8 x 54-1/2 x 56-7/16 | (1) 20-7/8 x 45-15/16       | 208             |
| 3ST-EX3048-1AS-95                                         | 30-3/8 x 54-1/2 x 56-7/16 | (1) 26-7/8 x 45-15/16       | 230             |
| 3ST-EX3060-1AS-95                                         | 30-3/8 x 66-1/2 x 56-7/16 | (1) 20-7/8 x 57-15/16       | 257             |
| 3ST-EX3660-1AS-95                                         | 36-3/8 x 66-1/2 x 56-7/16 | (1) 32-7/8 x 57-15/16       | 282             |
| 3ST-EX3672-1AS-95                                         | 36-3/8 x 78-1/2 x 56-7/16 | (1) 32-7/8 x 69-15/16       | 316             |
| 3ST-EX2436-2AS-95                                         | 24-3/8 x 42-1/2 x 56-7/16 | (2) 20-7/8 x 33-15/16       | 202             |
| 3ST-EX3048-2AS-95                                         | 30-3/8 x 54-1/2 x 56-7/16 | (2) 26-7/8 x 45-15/16       | 271             |
| 3ST-EX3060-2AS-95                                         | 30-3/8 x 66-1/2 x 56-7/16 | (2) 20-7/8 x 57-15/16       | 305             |
| 3ST-EX3660-2AS-95                                         | 36-3/8 x 66-1/2 x 56-7/16 | (2) 32-7/8 x 57-15/16       | 339             |
| 3ST-EX3672-2AS-95                                         | 36-3/8 x 78-1/2 x 56-7/16 | (2) 32-7/8 x 69-15/16       | 384             |
| 3ST-EX2436-3AS-95                                         | 24-3/8 x 42-1/2 x 56-7/16 | (3) 20-7/8 x 33-15/16       | 224             |
| 3ST-EX3048-3AS-95                                         | 30-3/8 x 54-1/2 x 56-7/16 | (3) 26-7/8 x 45-15/16       | 311             |
| 3ST-EX3060-3AS-95                                         | 30-3/8 x 66-1/2 x 56-7/16 | (3) 20-7/8 x 57-15/16       | 354             |
| 3ST-EX3660-3AS-95                                         | 36-3/8 x 66-1/2 x 56-7/16 | (3) 32-7/8 x 57-15/16       | 396             |
| 3ST-EX3672-3AS-95                                         | 36-3/8 x 78-1/2 x 56-7/16 | (3) 32-7/8 x 69-15/16       | 452             |
| <b>6" x 2" Polyurethane casters • 3,600 Lbs. capacity</b> |                           |                             |                 |
| 3ST-EX2460-1AS-6PU-95                                     | 24-3/8 x 66-1/2 x 56-7/16 | (1) 20-7/8 x 57-15/16       | 237             |
| 3ST-EX3048-1AS-6PU-95                                     | 30-3/8 x 54-1/2 x 56-7/16 | (1) 26-7/8 x 45-15/16       | 227             |
| <b>Optional Shelves</b>                                   |                           |                             |                 |
| Model                                                     | Overall Dims: WxDxH (in.) | Shelf capacity              | Ship Wt. (lbs.) |
| HDC-SH-2436CLIP-95                                        | 20-13/16 x 33-15/16       | 500 Lbs.                    | 21              |
| HDC-SH-2448CLIP-95                                        | 20-13/16 x 45-15/16       | 1,200 Lbs.                  | 28              |
| HDC-SH-3048CLIP-95                                        | 26-13/16 x 45-15/16       | 500 Lbs.                    | 41              |
| HDC-SH-3060CLIP-95                                        | 26-13/16 x 57-15/16       | 500 Lbs.                    | 50              |
| HDC-SH-3660CLIP-95                                        | 32-13/16 x 57-15/16       | 500 Lbs.                    | 57              |
| HDC-SH-3672CLIP-95                                        | 32-13/16 x 69-15/16       | 400 Lbs.                    | 69              |

### 3 Sided Mesh Trucks with Fixed Shelves

- Angle iron and expanded metal construction
- Sturdy tubular push handle
- (2) swivel and (2) rigid casters for all models
- Ships fully assembled and ready for use
- Gray, textured, powder coat finish



**Model**  
**3ST-EX2448-3-95**

| Model                                                                         | Overall Dims: WxDxH (in.) | Shelf Dimension | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|-------------------------------------------------------------------------------|---------------------------|-----------------|-----------------------|-----------------|
| <b>3 Sided Trucks with 6" x 2" Phenolic casters • 3,000 Lbs. capacity</b>     |                           |                 |                       |                 |
| 3ST-EX3048-2-95                                                               | 30-3/8 x 54-1/2 x 56-7/16 | (2) 30 x 48     | 22                    | 205             |
| 3ST-EX2448-3-95                                                               | 24-3/8 x 54-1/2 x 56-7/16 | (3) 24 x 48     | 14-11/16              | 219             |
| 3ST-EX3048-3-95                                                               | 30-3/8 x 54-1/2 x 56-7/16 | (3) 30 x 48     | 14-11/16              | 238             |
| 3ST-EX3648-3-95                                                               | 36-3/8 x 54-1/2 x 56-7/16 | (3) 36 x 48     | 14-11/16              | 264             |
| 3ST-EX2436-4-95                                                               | 24-3/8 x 42-1/2 x 56-7/16 | (4) 24 x 36     | 13                    | 207             |
| 3ST-EX2460-4-95                                                               | 24-3/8 x 66-1/2 x 56-7/16 | (4) 24 x 60     | 13                    | 279             |
| 3ST-EX3060-4-95                                                               | 30-3/8 x 66-1/2 x 56-7/16 | (4) 30 x 60     | 13                    | 312             |
| 3ST-EX3072-4-95                                                               | 30-3/8 x 78-1/2 x 56-7/16 | (4) 30 x 72     | 13                    | 356             |
| <b>3 Sided Trucks with 6" x 2" Polyurethane casters • 3,600 Lbs. capacity</b> |                           |                 |                       |                 |
| 3ST-EX2460-2-6PU-95                                                           | 24-3/8 x 66-1/2 x 56-7/16 | (2) 24 x 60     | 22-7/8                | 210             |
| 3ST-EX2448-3-6PU-95                                                           | 24-3/8 x 54-1/2 x 56-7/16 | (3) 24 x 48     | 14-11/16              | 216             |
| 3ST-EX3060-3-6PU-95                                                           | 30-3/8 x 66-1/2 x 56-7/16 | (3) 30 x 60     | 14-11/16              | 268             |

# TRUCKS

## 3 SIDED MESH TRUCKS

### 3 Sided Mesh Trucks with Fork Lift Pockets

- Angle iron and expanded metal construction
- 6" x 2" polyurethane bolt-on casters; (2) swivel and (2) rigid, 3,600 Lbs. of capacity
- Forklift pocket allow for easy moving
- Durable, gray, textured powder coat finish
- Ships fully assembled and ready for use

| Model                 | Overall Dims: WxDxH (in.) | No. of Shelves | Shelf Clearance | Ship Wt. (lbs.) |
|-----------------------|---------------------------|----------------|-----------------|-----------------|
| 3STFP-EX2448-3-6PU-95 | 24-3/8 x 48-1/2 x 69      | (3) 24 x 48    | 19"             | 224             |
| 3STFP-EX3048-3-6PU-95 | 30-3/8 x 48-1/2 x 69      | (3) 30 x 48    | 19"             | 249             |



**Model**  
**3STFP-EX3048-3-6PU-95**

### 3 Sided Mesh Trucks - Base Shelf Only

- Angle iron and expanded metal construction
- Sturdy tubular push handle
- (2) swivel and (2) rigid casters
- Ships fully assembled and ready for use
- Gray, textured, powder coat finish

| Model               | Overall Dims: WxDxH (in.) | Deck Dims | Caster                 | Capacity | Ship Wt. (lbs.) |
|---------------------|---------------------------|-----------|------------------------|----------|-----------------|
| 3ST-EX2436-95       | 24-3/8 x 42-1/2 x 56-7/16 | 24 x 36   | 6" x 2" Phenolic       | 2,000    | 145             |
| 3ST-EX2448-95       | 24-3/8 x 54-1/2 x 56-7/16 | 24 x 48   | 6" x 2" Phenolic       | 2,000    | 165             |
| 3ST-EX2460-95       | 24-3/8 x 66-1/2 x 56-7/16 | 24 x 60   | 6" x 2" Phenolic       | 2,000    | 181             |
| 3ST-EX3048-95       | 30-3/8 x 54-1/2 x 56-7/16 | 30 x 48   | 6" x 2" Phenolic       | 2,000    | 172             |
| 3ST-EX3060-95       | 30-3/8 x 66-1/2 x 56-7/16 | 30 x 60   | 6" x 2" Phenolic       | 2,000    | 190             |
| 3ST-EX3648-95       | 36-3/8 x 54-1/2 x 56-7/16 | 36 x 48   | 6" x 2" Phenolic       | 2,000    | 187             |
| 3ST-EX3660-95       | 36-3/8 x 66-1/2 x 56-7/16 | 36 x 60   | 6" x 2" Phenolic       | 2,000    | 206             |
| 3ST-EX3672-95       | 36-3/8 x 78-1/2 x 56-7/16 | 36 x 72   | 6" x 2" Phenolic       | 2,000    | 230             |
| 3ST-EX244843-6MR-95 | 24-3/8 x 54-1/2 x 43-7/16 | 24 x 48   | 6" x 2" Mold-on rubber | 2,000    | 151             |
| 3ST-EX304843-6MR-95 | 30-3/8 x 54-1/2 x 43-7/16 | 30 x 48   | 6" x 2" Mold-on rubber | 2,000    | 162             |
| 3ST-EX304845-8MR-95 | 30-3/8 x 54-1/2 x 45-7/16 | 30 x 48   | 8" x 2" Mold-on rubber | 2,400    | 163             |
| 3ST-EX2448-6PU-95   | 24-3/8 x 54-1/2 x 56-7/16 | 24 x 48   | 6" x 2" Polyurethane   | 3,600    | 161             |
| 3ST-EX2460-6PU-95   | 24-3/8 x 66-1/2 x 56-7/16 | 24 x 60   | 6" x 2" Polyurethane   | 3,600    | 177             |
| 3ST-EX3048-6PU-95   | 30-3/8 x 54-1/2 x 56-7/16 | 30 x 48   | 6" x 2" Polyurethane   | 3,600    | 169             |
| 3ST-EX3060-6PU-95   | 30-3/8 x 66-1/2 x 56-7/16 | 30 x 60   | 6" x 2" Polyurethane   | 3,600    | 186             |
| 3ST-EX244845-8PU-95 | 24-3/8 x 54-1/2 x 45-7/16 | 24 x 48   | 8" x 2" Polyurethane   | 3,600    | 142             |
| 3ST-EX246045-8PU-95 | 24-3/8 x 66-1/2 x 45-7/16 | 24 x 60   | 8" x 2" Polyurethane   | 3,600    | 157             |
| 3ST-EX306045-8PU-95 | 30-3/8 x 66-1/2 x 45-7/16 | 30 x 60   | 8" x 2" Polyurethane   | 3,600    | 169             |



**Model**  
**3ST-EX2436-95**

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing**  
Involving Colors, Company Names and Logos. (Minimums apply)
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders:**  
[orders@durhammfg.com](mailto:orders@durhammfg.com)
- **Other Information:**  
[info@durhammfg.com](mailto:info@durhammfg.com)

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets**

**Available at: <https://www.durhammfg.com/request-a-catalog/>**

# TRUCKS

## 3 SIDED TRUCKS



**Model**  
**3SLT-2436-1.2K-95**



**Model**  
**3SLT-EX2436-1.2K-95**

### 3 Sided Low Deck Stock Trucks

- All-welded, 14 gauge, steel construction
- 9-5/8" storage clearance between shelves
- All caters - 2 rigid, 2 swivel
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                        | Overall Dim: WxDxH (In)   | Caster                   | Capacity | Shelves | Ship Wt. |
|------------------------------|---------------------------|--------------------------|----------|---------|----------|
| <b>Cart with Solid sides</b> |                           |                          |          |         |          |
| 3SLT-1836-1.2K-95            | 18-3/16 x 42-1/8 x 39-7/8 | 5" x 1-1/4" Polyurethane | 1,200    | 18 x 36 | 118      |
| 3SLT-2436-1.2K-95            | 24-3/16 x 42-1/8 x 39-7/8 | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 36 | 144      |
| 3SLT-2448-1.2K-95            | 24-3/16 x 54-1/8 x 39-7/8 | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 48 | 175      |
| 3SLT-1836-2K-95              | 18-3/16 x 42-1/8 x 41-1/4 | 6" x 2" Phenolic         | 2,000    | 18 x 36 | 133      |
| 3SLT-2436-2K-95              | 24-3/16 x 42-1/8 x 41-1/4 | 6" x 2" Phenolic         | 2,000    | 24 x 36 | 159      |
| 3SLT-2448-2K-95              | 24-3/16 x 54-1/8 x 41-1/4 | 6" x 2" Phenolic         | 2,000    | 24 x 48 | 191      |
| 3SLT-3048-2K-95              | 30-3/16 x 54-1/8 x 41-1/4 | 6" x 2" Phenolic         | 2,000    | 30 x 48 | 212      |
| <b>Cart with Mesh Sides</b>  |                           |                          |          |         |          |
| 3SLT-EX1832-1.2K-95          | 18-3/8 x 38-1/2 x 40-1/8  | 5" x 1-1/4" Polyurethane | 1,200    | 18 x 32 | 105      |
| 3SLT-EX2436-1.2K-95          | 24-3/8 x 42-1/2 x 40-1/8  | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 36 | 125      |
| 3SLT-EX2448-1.2K-95          | 24-3/8 x 54-1/2 x 40-1/8  | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 48 | 154      |
| 3SLT-EX3036-1.2K-95          | 30-3/8 x 42-1/2 x 40-1/8  | 5" x 1-1/4" Polyurethane | 1,200    | 30 x 36 | 139      |
| 3SLT-EX3048-2K-6PU-95        | 30-3/8 x 54-1/2 x 41-1/2  | 6" x 2" Polyurethane     | 2,000    | 30 x 48 | 182      |



**Model**  
**3STDG-EX3048-8PU-95**



**Model**  
**3STDGT-SM3060-6MR-95**

### 3 Sided Trucks with Drop Gate

- Angle iron and expanded metal construction
- Sturdy tubular push handle
- (2) swivel and (2) rigid casters for all models
- Drop gate for easy access to contents
- Ships fully assembled and ready for use
- Gray, textured, powder coat finish

| Model                                                    | Overall Dims: WxDxH (in.)  | Type of Caster         | Capacity (lbs.) | Shelf   | Ship Wt. (lbs.) |
|----------------------------------------------------------|----------------------------|------------------------|-----------------|---------|-----------------|
| <b>Mesh Box Trucks with Front Drop Gate</b>              |                            |                        |                 |         |                 |
| 3STDG-EX3060-5PO-95                                      | 30-1/2 x 66-1/2 x 43-11/16 | Polyolefin 5" x 1-1/2" | 1,400           | 30 x 60 | 212             |
| 3STDG-EX3060-6PU-95                                      | 30-1/2 x 66-1/2 x 45-1/16  | Polyurethane 6" x 2"   | 3,600           | 30 x 60 | 224             |
| 3STDG-EX3048-8PU-95                                      | 30-1/2 x 54-1/2 x 47-1/16  | Polyurethane 8" x 2"   | 3,600           | 30 x 48 | 191             |
| <b>Mesh Box Trucks with Front Drop Gate &amp; Cover</b>  |                            |                        |                 |         |                 |
| 3STDGT-EX2448-6PU-95                                     | 24-1/2 x 54-1/2 x 46-1/4   | Polyurethane 6" x 2"   | 3,600           | 24 x 48 | 204             |
| 3STDGT-EX3060-6PU-95                                     | 30-1/2 x 66-1/2 x 46-1/4   | Polyurethane 6" x 2"   | 3,600           | 30 x 60 | 269             |
| <b>Steel Box Trucks with Front Drop Gate &amp; Cover</b> |                            |                        |                 |         |                 |
| 3STDGT-SM3060-6MR-95                                     | 30-3/8 x 66-1/8 x 46-1/4   | Mold On Rubber 6" x 2" | 2,000           | 30 x 60 | 316             |

# TRUCKS

## 4 SIDED BOX TRUCKS

### 4 Sided Low Deck Stock Trucks

- All-welded, 14 gauge, steel construction
- 9-5/8" storage clearance between shelves
- All casters: 2 rigid, 2 swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                        | Overall Dim: WxDxH (In)   | Caster                   | Capacity | Shelves | Ship Wt. |
|------------------------------|---------------------------|--------------------------|----------|---------|----------|
| <b>Cart with Solid sides</b> |                           |                          |          |         |          |
| 4SLT-2436-1.2K-95            | 24-3/16 x 42-1/8 x 39-7/8 | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 36 | 144      |
| 4SLT-2436-5PO-95             | 24-3/16 x 42-1/8 x 39-7/8 | 5" x 1-1/4" Polyolefin   | 1,400    | 24 x 36 | 144      |
| 4SLT-2448-1.2K-95            | 24-3/16 x 54-1/8 x 39-7/8 | 5" x 1-1/4" Polyurethane | 1,200    | 24 x 48 | 167      |
| 4SLT-3036-5PO-95             | 30-3/16 x 42-1/8 x 39-7/8 | 5" x 1-1/4" Polyolefin   | 1,400    | 30 x 36 | 160      |
| <b>Cart with Mesh Sides</b>  |                           |                          |          |         |          |
| 4SLT-EX1832-1.2K-95          | 18-1/2 x 38-1/2 x 40-1/8  | 5" x 1-1/4" Polyurethane | 1,200    | 18 x 32 | 106      |
| 4SLT-EX1836-5PO-95           | 18-1/2 x 42-1/2 x 40-1/8  | 5" x 1-1/4" Polyolefin   | 1,400    | 18 x 36 | 111      |
| 4SLT-EX3048-5PO-95           | 30-1/2 x 54-1/2 x 40-1/8  | 5" x 1-1/4" Polyolefin   | 1,400    | 30 x 48 | 160      |



**Model**  
**4SLT-EX1832-1.2K-95**



**Model**  
**4SLT-2436-1.2K-95**

### 4 Sided Box Trucks with Ergonomic Handle

- All-welded, 14 gauge, steel construction
- Ergonomic push handle for maximum comfort
- Casters (2) rigid, (2) swivel with side brakes
- 1-1/2" x 1/8" angle iron uprights for added strength (only mesh units)
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                                         | Overall Dim: WxDxH (in.)   | Side Style | Shelves | Ship Wt. (lbs.) |
|---------------------------------------------------------------|----------------------------|------------|---------|-----------------|
| <b>2,000 Lbs. capacity • 6" x 2" Phenolic Casters</b>         |                            |            |         |                 |
| 4STE-EX-2436-95                                               | 24-1/2 x 42-1/2 x 35-3/16  | Mesh       | 24 x 36 | 120             |
| 4STE-EX-2448-95                                               | 24-1/2 x 54-1/2 x 35-3/16  | Mesh       | 24 x 48 | 133             |
| 4STE-EX-3048-95                                               | 30-1/2 x 54-1/2 x 35-3/16  | Mesh       | 30 x 48 | 145             |
| 4STE-EX-3060-95                                               | 30-1/2 x 66-1/2 x 35-3/16  | Mesh       | 30 x 60 | 158             |
| 4STE-SM-2436-95                                               | 24-1/4 x 42-1/8 x 34-5/8   | Solid      | 24 x 36 | 143             |
| 4STE-SM-2448-95                                               | 24-1/4 x 54-1/8 x 34-5/8   | Solid      | 24 x 48 | 161             |
| 4STE-SM-3048-95                                               | 30-1/4 x 54-1/8 x 34-5/8   | Solid      | 30 x 48 | 176             |
| 4STE-SM-3060-95                                               | 30-1/4 x 66-1/8 x 34-5/8   | Solid      | 30 x 60 | 195             |
| <b>1,200 Lbs. capacity • 5" x 1-1/4" Polyurethane Casters</b> |                            |            |         |                 |
| 4STE-EX-2448-5PU-95                                           | 24-1/2 x 54-1/2 x 33-13/16 | Mesh       | 24 x 48 | 117             |
| 4STE-EX-3048-5PU-95                                           | 30-1/2 x 54-1/2 x 33-13/16 | Mesh       | 30 x 48 | 130             |
| <b>2,000 Lbs. capacity • 6" x 2" Mold on Rubber Casters</b>   |                            |            |         |                 |
| 4STE-SM-3048-6MR-95                                           | 30-5/16 x 54-1/8 x 34-9/16 | Solid      | 30 x 48 | 179             |



**Model**  
**4STE-EX-2436-95**



**Model**  
**4STE-SM-3048-6MR-95**



# TRUCKS

## 4 SIDED BOX TRUCKS



**Model**  
**4ST-SM-2436-5PO-95**



**Model**  
**4ST-EX-2436-6MR-95**

### Solid or Expanded Metal Trucks (1,400 Lbs. capacity)

- All-welded, 14 gauge, steel construction
- Tubular push handle allows easy mobility
- 5" x 1-1/4" polyolefin casters (2) rigid, (2) swivel with side brakes
- 1-1/2" x 1/8" angle iron uprights for added strength (only mesh units)
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                                                             | Overall Dim: WxDxH (in.)  | Side Style | Shelves | Ship Wt. (lbs.) |
|-----------------------------------------------------------------------------------|---------------------------|------------|---------|-----------------|
| 4ST-EX-1836-5PO-95                                                                | 18-1/2 x 42-1/2 x 28-1/16 | Mesh       | 18 x 36 | 91              |
| 4ST-EX-2436-5PO-95                                                                | 24-1/2 x 42-1/2 x 28-1/16 | Mesh       | 24 x 36 | 101             |
| 4ST-SM-1836-5PO-95                                                                | 18-1/4 x 42-1/8 x 28-3/16 | Solid      | 18 x 36 | 110             |
| 4ST-SM-2436-5PO-95                                                                | 24-1/4 x 42-1/8 x 28-3/16 | Solid      | 24 x 36 | 124             |
| 4ST-SM-2448-5PO-95                                                                | 24-1/4 x 54-1/8 x 28-3/16 | Solid      | 24 x 48 | 142             |
| 4ST-SM-3048-5PO-95                                                                | 30-1/4 x 54-1/8 x 28-3/16 | Solid      | 30 x 48 | 157             |
| <b>2,000 Lbs. capacity • 6" x 2" Mold on Rubber Casters (2) rigid, (2) swivel</b> |                           |            |         |                 |
| 4ST-EX-2436-6MR-95                                                                | 24-1/2 x 42-1/2 x 29-7/16 | Mesh       | 24 x 36 | 126             |
| 4ST-EX-306033-6MR-95                                                              | 30-1/2 x 66-1/2 x 33      | Mesh       | 30 x 60 | 164             |



**Model**  
**4STEDG-SM-2436-6PU-95**

### Solid or Expanded Metal Trucks with Drop Gate (2,000 Lbs. capacity)

- All-welded, 14 gauge, steel construction
- Tubular push handle allows easy mobility
- 6" x 2" polyurethane casters (2) rigid, (2) swivel
- 1-1/2" x 1/8" angle iron uprights for added strength (only mesh units)
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                 | Overall Dim: WxDxH (in.)  | Side Style | Shelves     | Ship Wt. (lbs.) |
|-----------------------|---------------------------|------------|-------------|-----------------|
| 4STEDG-EX-3048-6PU-95 | 30-3/8 x 54-1/2 x 40      | Mesh       | (2) 30 x 48 | 186             |
| 4STEDG-SM-2436-6PU-95 | 24-3/16 x 42-1/8 x 41-1/4 | Solid      | (2) 24 x 36 | 154             |
| 4STEDG-SM-3048-6PU-95 | 30-3/16 x 54-1/8 x 41-1/4 | Solid      | (2) 30 x 48 | 200             |



**Model**  
**4STHC-EX-2436-6MR-95**

### Solid or Expanded Metal Trucks with Hinged Cover (2,000 Lbs. capacity)

- All-welded, 14 gauge, steel construction
- Tubular push handle allows easy mobility
- 6" x 2" mold on rubber casters (2) rigid, (2) swivel
- 1-1/2" x 1/8" angle iron uprights for added strength (only mesh units)
- Pad-lockable, hinged cover (padlock is not included)
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                | Overall Dim: WxDxH (in.) | Side Style | Shelves | Ship Wt. (lbs.) |
|----------------------|--------------------------|------------|---------|-----------------|
| 4STHC-EX-2436-6MR-95 | 24-1/4 x 42-1/4 x 32-5/8 | Mesh       | 24 x 36 | 151             |
| 4STHC-EX-3048-6MR-95 | 30-1/4 x 54-1/4 x 32-5/8 | Mesh       | 30 x 48 | 193             |
| 4STHC-SM-2436-6MR-95 | 25-3/4 x 42-1/8 x 32-3/4 | Solid      | 24 x 36 | 174             |
| 4STHC-SM-3060-6MR-95 | 30-1/4 x 66-1/8 x 32-3/4 | Solid      | 30 x 60 | 269             |

# TRUCKS

## OPEN PORTBLE TRUCKS

### Open Portable Trucks

- Frame is made of 14 gauge, flat bars
- 1-1/2" x 1/8" flat bars on sides and back
- 6" x 2" casters;  
(2) rigid (2) swivel
- Handle included for easy maneuverability
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                      | Overall Dim: WxDxH (in.)  | Shelves | Shelf Dims (WxL) | Ship Wt.(lbs.) |
|--------------------------------------------------------------------------------------------|---------------------------|---------|------------------|----------------|
| <b>2,000 Lbs. Capacity • Mold-On Rubber casters, (2) rigid and (2) swivel</b>              |                           |         |                  |                |
| OPTFB-4830-1-6MR-95                                                                        | 30-1/4 x 54-3/8 x 57-5/16 | Base    | 30 x 48          | 189            |
| OPTFB-6030-1-6MR-95                                                                        | 30-1/4 x 66-3/8 x 57-5/16 | Base    | 30 x 60          | 202            |
| <b>3,000 Lbs. Capacity • Adjustable Shelf • Phenolic casters, (2) rigid and (2) swivel</b> |                           |         |                  |                |
| OPTFB-7230-1AS-95                                                                          | 30-1/4 x 78-3/8 x 57-5/16 | 1       | 30 x 72          | 313            |



**Model  
OPTFB-4830-1-6MR-95**

### Open Portable Tube Trucks (3,600 Lbs. capacity)

- All-welded, 14 gauge, steel shelf
- All-welded, 1" diameter tubing
- Deck height: 9-1/16"
- 6" x 2" Phenolic bolt-on casters;  
(2) rigid (2) swivel
- Handle included for easy maneuverability
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                                                       | Overall Dim: WxLxH (in.) | Shelves | Base shelf Dims (WxL) | Ship Wt.(lbs.) |
|---------------------------------------------------------------------------------------------|--------------------------|---------|-----------------------|----------------|
| <b>Tubular 3 Sided Open Trucks • 6" x 2" Polyurethane casters, (2) rigid and (2) swivel</b> |                          |         |                       |                |
| OPTT-3624-1-6PU-95                                                                          | 25-1/16 x 44-1/8 x 57    | Base    | 24 x 36               | 140            |
| OPTT-4824-1-6PU-95                                                                          | 25-1/16 x 56-1/8 x 57    | Base    | 24 x 48               | 147            |



**Model  
OPTT-4824-1-6PU-95**

### Open Portable Shelf Trucks

- All-welded, 14 gauge, steel shelves
- Frame is made of 1" diameter tubing
- 1-1/2" x 1/8" flat bars on sides and back
- Shelves are sloped 1" to the rear to retain cargo during transport
- 13" clearance between shelves
- 6" x 2" Phenolic bolt-on casters;  
(2) rigid (2) swivel
- Handle included for easy maneuverability
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                      | Overall Dim: WxLxH (in.) | Shelves | Shelf Dims (WxL) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|----------------------------|--------------------------|---------|------------------|-----------------------|-----------------|
| <b>3,600 Lbs. capacity</b> |                          |         |                  |                       |                 |
| OPT-3624-95                | 25-1/8 x 44-1/8 x 57-1/2 | 4       | 36 x 24          | 13"                   | 213             |
| OPT-4224-95                | 25-1/8 x 50-1/8 x 57-1/2 | 4       | 42 x 24          | 13"                   | 229             |
| OPT-4824-95                | 25-1/8 x 56-1/8 x 57-1/2 | 4       | 48 x 24          | 13"                   | 245             |
| OPT-4830-95                | 31-1/8 x 56-1/8 x 57-1/2 | 4       | 48 x 30          | 13"                   | 277             |
| OPT-6030-95                | 31-1/8 x 68-1/8 x 57-1/2 | 4       | 60 x 30          | 13"                   | 315             |
| OPT-7224-95                | 25-1/8 x 80-1/8 x 57-1/2 | 4       | 72 x 24          | 13"                   | 308             |
| OPT-7230-95                | 31-1/8 x 80-1/8 x 57-1/2 | 4       | 72 x 30          | 13"                   | 353             |
| OPT-7236-95                | 37-1/8 x 80-1/8 x 57-1/2 | 4       | 72 x 36          | 13"                   | 384             |
| <b>3,000 Lbs. capacity</b> |                          |         |                  |                       |                 |
| OPT-4824-2-6PH-95          | 25-1/8 x 56-1/8 x 57-1/2 | 2       | 48 x 24          | 22"                   | 192             |
| OPT-4824-3-6PH-95          | 25-1/8 x 56-1/8 x 57-1/2 | 3       | 48 x 24          | 15.5"                 | 219             |
| OPT-4824-4-6PH-95          | 25-1/8 x 56-1/8 x 57-1/2 | 4       | 48 x 24          | 13"                   | 245             |
| OPT-4836-4-6PH-95          | 37-1/8 x 56-1/8 x 57-1/2 | 4       | 48 x 36          | 13"                   | 291             |
| OPT-6024-3-6PH-95          | 25-1/8 x 68-1/8 x 57-1/2 | 3       | 60 x 24          | 15.5"                 | 249             |
| OPT-6030-2-6PH-95          | 31-1/8 x 68-1/8 x 57-1/2 | 2       | 60 x 30          | 22"                   | 235             |
| OPT-6030-3-6PH-95          | 31-1/8 x 68-1/8 x 57-1/2 | 3       | 60 x 30          | 15.5"                 | 276             |
| OPT-6030-4-6PH-95          | 31-1/8 x 68-1/8 x 57-1/2 | 4       | 60 x 30          | 13"                   | 316             |
| OPT-7236-1-6PH-95          | 37-1/8 x 80-1/8 x 57-1/2 | Base    | 72 x 36          | -                     | 215             |



**Model  
OPT-4830-95**

# TRUCKS

## SECURITY MESH TRUCK

### Security Mesh Style Trucks with Adjustable Shelves



**Model**  
**HTL-2448-DD-1AS-95**



**Model**  
**HTL-2448-DD-2AS-95**



**Model**  
**HTL-2448-DD-3AS-95**

- All-welded, 14 gauge, steel construction
- Sturdy tubular push handle
- 3 point locking system (padlock not included)
- Adjustable shelves included with "AS" model only
- All HTL trucks are 56-7/16" high
- 6"x 2" bolt-on casters, (2) rigid and (2) swivel
- Angle iron and expanded metal construction
- Double doors with pad lockable hasp (padlock not included)
- Shelves adjust on 2-1/4" centers
- Additional shelves can be purchased as an accessory
- Durable, textured, gray powder coat finish
- Ships fully assembled

| Model                                                                        | Overall Dim: WxDxH (in.) | Shelf Dimensions: WxD (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------|--------------------------|-----------------------------|-----------------|
| <b>6" x 2" Phenolic Casters, 2 rigid, 2 swivel • 2,000 Lbs. capacity</b>     |                          |                             |                 |
| HTL-2448-DD-1AS-95                                                           | 26 x 54-1/2 x 56-7/16    | 20-7/8 x 45-15/16           | 261             |
| HTL-2460-DD-1AS-95                                                           | 26 x 66-1/2 x 56-7/16    | 20-7/8 x 57-15/16           | 303             |
| HTL-3048-DD-1AS-95                                                           | 32 x 54-1/2 x 56-7/16    | 26-7/8 x 45-15/16           | 289             |
| HTL-3060-DD-1AS-95                                                           | 32 x 66-1/2 x 56-7/16    | 26-7/8 x 57-15/16           | 329             |
| HTL-3660-DD-1AS-95                                                           | 38 x 66-1/2 x 56-7/16    | 32-7/8 x 57-15/16           | 349             |
| HTL-3672-DD-1AS-95                                                           | 38 x 78-1/2 x 56-7/16    | 32-7/8 x 69-15/16           | 399             |
| HTL-4474-DD-1AS-95                                                           | 46 x 80-1/2 x 56-7/16    | 40-7/8 x 71-15/16           | 444             |
| HTL-2448-DD-2AS-95                                                           | 26 x 54-1/2 x 56-7/16    | (2) 20-7/8 x 45-15/16       | 286             |
| HTL-2460-DD-2AS-95                                                           | 26 x 66-1/2 x 56-7/16    | (2) 20-7/8 x 57-15/16       | 344             |
| HTL-3048-DD-2AS-95                                                           | 32 x 54-1/2 x 56-7/16    | (2) 26-7/8 x 45-15/16       | 329             |
| HTL-3060-DD-2AS-95                                                           | 32 x 66-1/2 x 56-7/16    | (2) 26-7/8 x 57-15/16       | 377             |
| HTL-3660-DD-2AS-95                                                           | 38 x 66-1/2 x 56-7/16    | (2) 32-7/8 x 57-15/16       | 406             |
| HTL-3672-DD-2AS-95                                                           | 38 x 78-1/2 x 56-7/16    | (2) 32-7/8 x 69-15/16       | 481             |
| HTL-4474-DD-2AS-95                                                           | 46 x 80-1/2 x 56-7/16    | (2) 40-7/8 x 71-15/16       | 523             |
| HTL-2448-DD-3AS-95                                                           | 26 x 54-1/2 x 56-7/16    | (3) 20-7/8 x 45-15/16       | 311             |
| HTL-2460-DD-3AS-95                                                           | 26 x 66-1/2 x 56-7/16    | (3) 20-7/8 x 57-15/16       | 385             |
| HTL-3048-DD-3AS-95                                                           | 32 x 54-1/2 x 56-7/16    | (3) 26-7/8 x 45-15/16       | 370             |
| HTL-3060-DD-3AS-95                                                           | 32 x 66-1/2 x 56-7/16    | (3) 26-7/8 x 57-15/16       | 426             |
| HTL-3660-DD-3AS-95                                                           | 38 x 66-1/2 x 56-7/16    | (3) 32-7/8 x 57-15/16       | 477             |
| HTL-3672-DD-3AS-95                                                           | 38 x 78-1/2 x 56-7/16    | (3) 32-7/8 x 69-15/16       | 549             |
| HTL-4474-DD-3AS-95                                                           | 46 x 80-1/2 x 56-7/16    | (3) 40-7/8 x 71-15/16       | 601             |
| <b>6" x 2" Polyurethane Casters, 2 rigid, 2 swivel • 2,000 Lbs. capacity</b> |                          |                             |                 |
| HTL-3060-DD-1AS-6PU-95                                                       | 32 x 66-1/2 x 56-7/16    | 26-7/8 x 57-15/16           | 326             |
| <b>Optional Shelves</b>                                                      |                          |                             |                 |
| HDC-SH-2448CLIP-95                                                           | 20-13/16 x 45-15/16      | 1,200 Lbs. capacity         | 28              |
| HDC-SH-2460CLIP-95                                                           | 20-13/16 x 57-15/16      | 1,650 Lbs. capacity         | 43              |
| HDC-SH-3048CLIP-95                                                           | 26-13/16 x 45-15/16      | 500 Lbs. capacity           | 41              |
| HDC-SH-3060CLIP-95                                                           | 26-13/16 x 57-15/16      | 500 Lbs. capacity           | 50              |
| HDC-SH-3660CLIP-95                                                           | 32-13/16 x 57-15/16      | 500 Lbs. capacity           | 57              |
| HDC-SH-3672CLIP-95                                                           | 32-13/16 x 69-15/16      | 400 Lbs. capacity           | 69              |
| HDC-SH-4474CLIP-95                                                           | 40-13/16 x 71-15/16      | 400 Lbs. capacity           | 80              |

# TRUCKS

## SECURITY MESH TRUCKS



**Model**  
**HTL-2460-DD-4-95**



**Model**  
**HTL-2448-DD-2-6PU-95**



**Model**  
**HTL-2448-DD-3-6PU-95**

### Security Mesh Style Truck with Fixed Shelves


- All-welded, 14 gauge, steel construction
- Sturdy tubular push handle
- 3 point locking system (padlock not included)
- Units include fixed shelves
- All HTL trucks are 56-7/16" high
- 6"x 2" bolt-on casters, (2) rigid and (2) swivel
- Angle iron and expanded metal construction
- Double doors with pad lockable hasp (padlock not included)
- Shelves adjust on 2-1/4" centers
- Additional shelves can be purchased as an accessory
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model                                                                        | Overall Dim: WxDxH (in.) | Shelves | Shelf Dimensions: WxD (in.) | Shelf Clearance (in.) | Ship Wt. (lbs.) |
|------------------------------------------------------------------------------|--------------------------|---------|-----------------------------|-----------------------|-----------------|
| <b>6" x 2" Polyurethane Casters, 2 rigid, 2 swivel • 2,000 Lbs. capacity</b> |                          |         |                             |                       |                 |
| HTL-2448-DD-2-6PU-95                                                         | 26 x 54-1/2 x 56-7/16    | 2       | 24 x 48                     | 22"                   | 242             |
| HTL-3672-DD-2-6PU-95                                                         | 38 x 78-1/2 x 56-7/16    | 2       | 36 x 72                     | 22"                   | 366             |
| HTL-2448-DD-3-6PU-95                                                         | 26 x 54-1/2 x 56-7/16    | 3       | 24 x 48                     | 14-3/16"              | 269             |
| <b>6" x 2" Phenolic Casters, 2 rigid, 2 swivel • 2,000 Lbs. capacity</b>     |                          |         |                             |                       |                 |
| HTL-2448-DD-4-95                                                             | 26 x 54-1/2 x 56-7/16    | 4       | 24 x 48                     | 10-1/8"               | 299             |
| HTL-2460-DD-4-95                                                             | 26 x 66-1/2 x 56-7/16    | 4       | 24 x 60                     | 10-1/8"               | 343             |
| HTL-3060-DD-4-95                                                             | 32 x 66-1/2 x 56-7/16    | 4       | 30 x 60                     | 10-1/8"               | 385             |
| HTL-3660-DD-4-95                                                             | 38 x 66-1/2 x 56-7/16    | 4       | 36 x 60                     | 10-1/8"               | 424             |


### Cage Trucks without Shelves (2,000 Lbs. Capacity)

- All-welded, 14 gauge, steel construction
- Sturdy tubular push handle
- 3 point locking system (padlock not included)
- All HTL trucks are 56-7/16" high
- 6"x 2" Phenolic bolt-on casters, (2) rigid and (2) swivel
- Angle iron and expanded metal construction
- Double doors with pad lockable hasp (padlock not included)
- Additional shelves can be purchased as an accessory
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------|
| HTL-2448-DD-95 | 26 x 54-1/2 x 56-7/16    | 217             |
| HTL-2460-DD-95 | 26 x 66-1/2 x 56-7/16    | 243             |
| HTL-3048-DD-95 | 32 x 54-1/2 x 56-7/16    | 231             |
| HTL-3060-DD-95 | 32 x 66-1/2 x 56-7/16    | 262             |
| HTL-3660-DD-95 | 38 x 66-1/2 x 56-7/16    | 280             |
| HTL-3672-DD-95 | 38 x 78-1/2 x 56-7/16    | 313             |
| HTL-4474-DD-95 | 46 x 80-1/2 x 56-7/16    | 348             |



**Model**  
**HTL-2448-DD-95**



**Model**  
**HTL-3048-DD-95**

# TRUCKS

## STOCK TRUCKS WITH SHELVES



**Model**  
**EX-3060-2SC-6PH-95**

### Two Sided Stock Trucks (2,000 Lbs. capacity)

- All-welded, 14 gauge, steel construction
- Punched diamond pattern on sides
- 4 heavy duty shelves are adjustable on 6" centers
- Shelves are sloped to the rear to retain cargo during transport
- Overall height is 57"; above deck height is 48"
- 6" x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Casters are located in diamond pattern, allowing unit to make sharp turns
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxLxH (in.)  | Shelf Dims (WxL) | Ship Wt. (lbs.) |
|--------------------|---------------------------|------------------|-----------------|
| EX-3048-2SC-6PH-95 | 30-1/4 x 48-1/8 x 57-1/16 | 48 x 15          | 268             |
| EX-3060-2SC-6PH-95 | 30-1/4 x 60-1/8 x 57-1/16 | 60 x 15          | 362             |



**Model**  
**PAT-24-4-14-95**  
tray sold separately

### Pan & Tray Truck (1,200 Lbs. capacity)

- 1-1/2" x 1/8" angle iron construction
- 16 gauge steel trays (sold separately)
- Choose perforated or solid trays
- Available with 4" or 6" spacing between shelves
- 5" x 1-1/4" bolt-on polyurethane casters; (4) swivel with side brakes
- Trucks ship fully assembled
- Trays slide easily into place
- Durable, gray, textured powder coat finish

| Model          | Overall Dim: WxDxH (in.) | Spacing | No. of Trays | Ship Wt. (lbs.) |
|----------------|--------------------------|---------|--------------|-----------------|
| PAT-24-4-14-95 | 24 x 33-1/2 x 67-1/8     | 4       | 14           | 146             |
| PAT-24-6-9-95  | 24 x 33-1/2 x 67-1/8     | 6       | 9            | 123             |
| PAT-36-4-14-95 | 36 x 33-1/2 x 67-1/8     | 4       | 14           | 181             |
| PAT-36-6-9-95  | 36 x 33-1/2 x 67-1/8     | 6       | 9            | 146             |

### Trays for Pan & Tray Trucks (Perforated & Solid)

| Model       | Description     | Overall Dim: WxD (in) | For use with    | Ship Wt. (lbs.) |
|-------------|-----------------|-----------------------|-----------------|-----------------|
| TRM-2430-95 | Perforated Tray | 23-15/16 x 29-15/16   | 24" deep models | 14              |
| TRM-3630-95 | Perforated Tray | 29-15/16 x 35-15/16   | 36" deep models | 20              |
| TRS-2430-95 | Solid Tray      | 23-15/16 x 29-15/16   | 24" deep models | 17              |
| TRS-3630-95 | Solid Tray      | 29-15/16 x 35-15/16   | 36" deep models | 26              |

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**



# TRUCKS

## ADJUST-A-TRAY



**Model**  
**ATT-2438-95**  
Trays sold separately



**Model**  
**ATT-4038-2TR1500-95**  
Include 2 Trays



**Model**  
**ATT-4038-95**



**Model**  
**ATT-4038-BR-95**  
Include 4 Hanger Arms

### Adjust-A-Tray Trucks

- 12 gauge formed channel uprights are slotted on 3-1/2" centers
- Hanger bars/arms and spindles are available as options
- 6" x 2" phenolic casters (2) rigid, (2) swivel
- Single side units holds up to 7 trays, double sided units holds 14 trays
- 1-1/2" angle iron frames
- 9-1/4" for deck high
- 16 gauge steel Hook-on Trays are sold separately
- Ships fully assembled
- Durable, textured, gray powder coat finish

| Model               | Description                     | Overall Dim: WxDxH (in.) | Capacity (lbs.) | Deck (in.)          | Ship Wt. (lbs.) |
|---------------------|---------------------------------|--------------------------|-----------------|---------------------|-----------------|
| ATT-2438-95         | Single Sided                    | 24-1/8 x 38-1/4 x 67-1/2 | 2,000           | 15 x 38-1/4         | 100             |
| ATT-4038-95         | Double Sided                    | 40 x 38-1/4 x 67-1/4     | 2,000           | (2) 10-1/4 x 38-1/4 | 112             |
| ATT-4038-2TR1500-95 | Double Sided with 2 Trays       | 40 x 38-1/4 x 67-1/4     | 2,400           | (2) 10-1/4 x 38-1/4 | 160             |
| ATT-4038-BR-95      | Double Sided with 4 Hanger Arms | 40 x 38-1/4 x 67-1/4     | 2,400           | (2) 10-1/4 x 38-1/4 | 120             |

### Hook-On Trays

- 2 Hook-on Tray options; open front or closed front with 3" lip
- Trays have Heavy duty drop down handles
- Trays hook easily into place

| Model      | Style           | Overall Dim: WxDxH (in.)   | Capacity (lbs.) | Ship Wt. (lbs.) |
|------------|-----------------|----------------------------|-----------------|-----------------|
| TR-1500-95 | Open Front      | 16-5/16 x 36-5/16 x 6-1/16 | 250             | 26              |
| TR-1502-95 | 3" Closed Front | 16-5/16 x 36-5/16 x 6-1/16 | 250             | 27              |



**Model**  
**TR-1500-95 & TR-1502-95**

### Hanger Bar, Hanger Arm & Spindles

| Model         | Description | Dimensions (in.)     | Ship Wt. (lbs.) |
|---------------|-------------|----------------------|-----------------|
| HB-36-95      | Hanger Bar  | 2 x 36-1/4 x 4-13/16 | 7               |
| SP-515-95     | Spindles    | 1 x 16-3/8 x 3-1/4   | 2               |
| ATT-ARM-12-95 | Hanger Arm  | 2-1/2 x 12 x 9-1/4   | 3               |



**Model**  
**HB-36-95**  
Hanger Bar shown with Spindles

### Pegboard Panel (Panel Only)

- Pegboard holes are 1/4" diameter and are punched on 1" centers. They accommodate standard hooks. (peg hooks not included)
- 14 gauge steel

| Model          | Overall Dim: WxDxH (in.) | Capacity (lbs.) | Ship Wt. (lbs.) |
|----------------|--------------------------|-----------------|-----------------|
| PB-2436-ATT-95 | 24 x 36 x 1-11/16        | 50              | 21              |



**Model**  
**PB-2436-ATT-95**

# TRUCKS

## "A"-FRAME



**Model**  
**AF-3048-PBLP-95**



### A-Frame Truck with Louvered Panels and Pegboard on either side (2,000 Lbs. capacity)

- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" angle iron frame
- 1-1/2" lip on deck prevents parts from falling off during transport
- Deck is 9-1/8" above the floor
- Heavy duty handle makes transport easy
- 16 gauge louvered panels are welded to one side. Pegboard on the other
- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)
- Pegboard holes are 1/4" diameter and are punched on 1" centers, they accommodate standard peg hooks. (hooks not included)
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- 9" of deck space on each side of "A"
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Description                                  | Ship Wt. (lbs.) |
|-----------------|--------------------------|----------------------------------------------|-----------------|
| AF-3048-PBLP-95 | 30 x 54-1/2 x 57         | Louvered panels & pegboard on opposite sides | 236             |

Hook-On Bins®  
not included



**Model**  
**AF-3048-LP-95**

### A-Frame Truck with Louvered Panels on both sides - (2,000 Lbs. capacity)

- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" angle iron frame
- 1-1/2" lip on deck prevents parts from falling off during transport
- Deck is 9-1/8" above the floor
- Heavy duty handle makes transport easy
- 16 gauge louvered panels are welded to both sides
- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- 9" of deck space on each side of "A"
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model         | Overall Dim: WxDxH (in.) | Description                   | Ship Wt. (lbs.) |
|---------------|--------------------------|-------------------------------|-----------------|
| AF-3048-LP-95 | 30 x 54-1/2 x 57         | Louvered panels on both sides | 236             |

Tools and hooks  
not included



**Model**  
**AF-3048-PBLP-BS-95**

### A-Frame Truck with Louvered Panels and Pegboard on both sides (2,000 Lbs. capacity)

- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" angle iron frame
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge louvered panels are welded to opposite sides of the truck
- Deck is 9-1/8" above the floor
- Heavy duty handle makes transport easy
- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)
- Each side is half louvered panel and half pegboard. Pegboard holes are 1/4" diameter. (peg hooks not included)
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- 9" of deck space on each side of "A"
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model              | Overall Dim: WxDxH (in.) | Description                              | Ship Wt. (lbs.) |
|--------------------|--------------------------|------------------------------------------|-----------------|
| AF-3048-PBLP-BS-95 | 30 x 54-1/2 x 57         | Louvered panels & pegboard on both sides | 236             |

# TRUCKS

## "A"-FRAME & MOBILE STORAGE BINS

### A-Frame Truck with Pegboard on both sides - (2,000 Lbs. capacity)

- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" angle iron frame
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge steel pegboard are welded to both sides of the truck
- Deck is 9-1/8" above the floor
- Heavy duty handle makes transport easy
- Pegboard holes are 1/4" diameter and are punched on 1" centers. They accommodate standard hooks. (peg hooks not included)
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- 9" of deck space on each side of "A"
- Ships fully assembled
- Durable, gray, textured powder coat finish



**Model**  
**AF-3048-PB-95**  
Tools not included

| Model         | Overall Dim: WxDxH (in.) | Description            | Ship Wt. (lbs.) |
|---------------|--------------------------|------------------------|-----------------|
| AF-3048-PB-95 | 30 x 54-1/2 x 57         | Pegboard on Both Sides | 236             |



**Model**  
**AF-2436-PB-5PU-95**



**Model**  
**AF-243652-PBS60-5PH-293T**



**Model**  
**AF-243652-PBS60-5PH-95**

### "A" Frame Trucks with Pegboard Panels (1,200 Lbs. capacity)

- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" angle iron frames
- Pegboard holes are 1/4" diameter or 3/8" squares
- Durable, textured, gray and \*blue powder coat finish

| Model                                                                                                     | Overall Dim: WxDxH (in.) | Description                                                        | Ship Wt. (lbs.) |
|-----------------------------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------|-----------------|
| 5" x 1-1/4" Polyurethane Casters (2) rigid, (2) swivel with side brakes • 1/4" pegboard holes • no handle |                          |                                                                    |                 |
| AF-2436-PB-5PU-95                                                                                         | 24 x 36-3/4 x 55-3/4     | Pegboard panels on both sides                                      | 173             |
| 5" x 2" Phenolic Casters (2) rigid, (2) swivel and tubular push handle • 3/8" pegboard squares            |                          |                                                                    |                 |
| AF-243652-PBS60-5PH-293T                                                                                  | 24 x 42-1/2 x 52         | Pegboard square holes panels on both sides with 60 tool holder set | 185             |
| AF-243652-PBS60-5PH-95                                                                                    | 24 x 42-1/2 x 52         | Pegboard square holes panels on both sides with 60 tool holder set | 185             |

### A-Frame Trucks (2000 Lbs. capacity)

- 1-1/2" angle iron frame
- 12 gauge, steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- 6" x 2" phenolic casters; (4) swivel
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model                                                       | Overall Dim: WxDxH (in) | Deck space on each side of "A" | Deck Height | Ship Wt. (lbs.) |
|-------------------------------------------------------------|-------------------------|--------------------------------|-------------|-----------------|
| <b>Double Sided Models</b>                                  |                         |                                |             |                 |
| AF-2448-95                                                  | 24 x 48-1/2 x 56-15/16  | 6                              | 9-1/8"      | 160             |
| AF-3048-95                                                  | 30 x 48-1/2 x 56-15/16  | 9                              | 9-1/8"      | 168             |
| AF-3060-95                                                  | 30 x 60-1/2 x 56-15/16  | 9                              | 9-1/8"      | 192             |
| AF-3672-95                                                  | 36 x 72-1/2 x 56-15/16  | 12                             | 9-1/8"      | 213             |
| <b>Single sided with Slanted Deck for Drywall Transport</b> |                         |                                |             |                 |
| DTAF-2448-6PH-95                                            | 24 x 48-1/2 x 57        | 9-1/4                          | 10-11/16    | 129             |



**DTAF-2448-6PH-95**

# TRUCKS

## BAR AND PIPE MOVER TRUCKS



**Model**  
**BCTE-2860-4K-95**



**Model**  
**BCTEH-2860-5K-95**

### Bar Cradle Trucks

- Specially designed structural channel cradles provide increased capacity
- Elevated cradles accommodate forklift loading
- BCTEH includes T-handle
- Wheels and casters are arranged in a diamond pattern with 1/2" tilt
- Ships fully assembled
- Durable, gray, textured powder coat finish

| Model            | Overall Dim: WxDxH (in) | Cap. (lbs.) | Wheel Type (in.)                | Caster type               | Cradles | Ship Wt. (lbs.) |
|------------------|-------------------------|-------------|---------------------------------|---------------------------|---------|-----------------|
| BCT-2860-10K-95  | 28-1/2 x 60 x 30-1/4    | 10000       | (2) 12" x 3 Phenolic - Rigid    | (2) 8 x 2 Phenolic swivel | 3       | 233             |
| BCT-2896-10K-95  | 28-1/2 x 96 x 30-1/4    | 10000       | (2) 12" x 3 Phenolic - Rigid    | (2) 8 x 2 Phenolic swivel | 4       | 287             |
| BCTE-2824-4K-95  | 28 x 24 x 34-1/2        | 4000        | -                               | (4) 6 x 2 Phenolic swivel | 2       | 127             |
| BCTE-2836-4K-95  | 28 x 36 x 34-1/2        | 4000        | -                               | (4) 6 x 2 Phenolic swivel | 2       | 134             |
| BCTE-2848-4K-95  | 28 x 48 x 34-1/2        | 4000        | -                               | (4) 6 x 2 Phenolic swivel | 2       | 140             |
| BCTE-2860-4K-95  | 28 x 60 x 28-1/8        | 4000        | (2) 10 x 2-1/2 Phenolic - Rigid | (2) 6 x 2 Phenolic swivel | 3       | 203             |
| BCTE-2896-4K-95  | 28 x 96 x 28-1/8        | 4000        | (2) 10 x 2-1/2 Phenolic - Rigid | (2) 6 x 2 Phenolic swivel | 3       | 242             |
| BCTEH-2860-5K-95 | 28 x 60 x 40-7/8        | 5000        | (2) 12" x 3 Phenolic - Rigid    | (2) 6 x 2 Phenolic swivel | 3       | 226             |



**Model**  
**BPT-3648-8PH-95**

### Bar and Pipe Moving Trucks

- All-welded, 14 gauge, steel construction
- Overall height 59-1/8"
- Deck height is 11-1/8" above the floor
- 8" x 2" Phenolic Casers
- Store or transport; bars, pipes, conduit or more
- Ships fully assembled and ready for use
- Gray, textured, powder coat finish

| Model           | Overall Dim: WxDxH (in.) | Cradles | Caster                   | Capacity | Ship Wt. (lbs.) |
|-----------------|--------------------------|---------|--------------------------|----------|-----------------|
| BPT-3648-95     | 36 x 48 x 59-1/8         | 12      | 4 Rigid with side brakes | 3,600    | 201             |
| BPT-3660-95     | 36 x 60 x 59-1/8         | 12      | 4 Rigid with side brakes | 3,600    | 218             |
| BPT-3672-95     | 36 x 72 x 59-1/8         | 12      | 4 Rigid with side brakes | 3,600    | 236             |
| BPT-3648-8PH-95 | 36 x 48 x 59-1/8         | 18      | 2 rigid, 2 swivel        | 4,000    | 241             |
| BPT-3660-8PH-95 | 36 x 60 x 59-1/8         | 18      | 2 rigid, 2 swivel        | 4,000    | 259             |



**Model**  
**VGT-3017-95**

### V-Groove Bar and Pipe Cradle Truck - 1,200 Lbs. capacity

- 7 gauge steel construction
- T-tubular push handle
- Two 15-1/5" x 3-3/4" pneumatic wheels
- V-deck dimensions are 17" x 30" x 17"
- Ships fully assembled
- Gray, textured, powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|-------------|--------------------------|-----------------|
| VGT-3017-95 | 34-3/16 x 57-7/8 x 36    | 120             |



# Safety Storage

**DURHAM MFG®**  
Est. 1922



| Safety Storage            |           |                             |           |
|---------------------------|-----------|-----------------------------|-----------|
| Flammable Safety Cabinets | 180 - 186 | Gas Cylinder Racks          | 187       |
| Medical Cylinder Cart     | 187       | Gas Cylinder Cabinets       | 188 - 189 |
| Spill Control             | 190 - 191 | Metal and Plastic First Aid | 192 - 197 |
| Commercial First Aid      | 198       | Industrial First Aid        | 199 - 200 |
| Medicine Cabinet          | 201       |                             |           |

**Empty First Aid Boxes, FM Approved Flammable Storage, Medicine Cabinets  
Gas Cylinder Storage Cabinets (meets NFPA & OSHA standards)**



# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety Yellow, powder coat finish

| Model       | Capacity (gl.)          | Overall Dim: WxDxH (in.)     | Shelves         | Optional Shelf Part | Door Style   | Ship Wt. (lbs.) |
|-------------|-------------------------|------------------------------|-----------------|---------------------|--------------|-----------------|
| *1001M-50   | 1                       | 17-7/16 x 8-5/16 x 17-1/4    | 1               | -                   | Manual       | 47              |
| *1002M-50   | 2                       | 17-7/16 x 18-1/8 x 17-1/4    | 1               | FS-SH-1413          | Manual       | 77              |
| *1002S-50   | 2                       | 17-7/16 x 18-3/16 x 18-1/2   | 1               | FS-SH-1413          | Self Closing | 82              |
| 1004M-50    | 4                       | 17-3/8 x 18-3/16 x 22-1/8    | 1               | FS-SH-1413          | Manual       | 101             |
| 1004S-50    | 4                       | 17-9/16 x 18-3/16 x 23-7/16  | 1               | FS-SH-1413          | Self Closing | 110             |
| 1012MH-50   | 12 - Horizontal         | 43-3/16 x 18-3/16 x 17-15/16 | 1               | FS-SH-1439          | Manual       | 170             |
| 1012MA-50   | 24 standard 12 oz. cans | 23-3/8 x 18-3/16 x 35        | 2 Slide Shelves | -                   | Manual       | 168             |
| 1012M-50    | 12                      | 23-3/8 x 18-3/16 x 35        | 1               | FS-SH-1419          | Manual       | 153             |
| 1012S-50    | 12                      | 23-9/16 x 18-3/16 x 36-1/4   | 1               | FS-SH-1419          | Self Closing | 165             |
| 1016M-50    | 16                      | 23-3/8 x 18-3/16 x 44        | 1               | FS-SH-1419          | Manual       | 186             |
| 1016S-50    | 16                      | 23-9/16 x 18-3/16 x 45-1/4   | 1               | FS-SH-1419          | Self Closing | 196             |
| 1022M-50    | 22                      | 23-7/16 x 18-3/16 x 65-1/8   | 2               | FS-SH-1419          | Manual       | 290             |
| 1022S-50    | 22                      | 23-5/8 x 18-3/16 x 66-11/16  | 2               | FS-SH-1419          | Self Closing | 305             |
| 1022UCM-50  | 22                      | 35-1/4 x 22-1/4 x 34-15/16   | 1               | FS-SH-1731          | Manual       | 237             |
| 1022UCS-50  | 22                      | 35-3/8 x 22-1/4 x 35         | 1               | FS-SH-1731          | Self Closing | 241             |
| 1024M-50    | 24                      | 23-1/4 x 18-1/16 x 65-1/16   | 3               | FS-SH-1419          | Manual       | 280             |
| 1024S-50    | 24                      | 23-1/4 x 18-1/16 x 65-1/16   | 3               | FS-SH-1419          | Self Closing | 281             |
| 1024SAWM-50 | 24                      | 43 x 12 x 44-1/16            | 3               | FS-SH-0839          | Self Closing | 226             |
| 1030M-50    | 30                      | 43-3/16 x 18-3/16 x 44-1/8   | 1               | FS-SH-1439          | Manual       | 277             |
| 1030S-50    | 30                      | 43-5/16 x 18-3/16 x 45-3/8   | 1               | FS-SH-1439          | Self Closing | 297             |
| 1030MPI-50  | 30 - Paint & Ink        | 43-1/4 x 12 x 65-1/8         | 5               | FS-SH-0839          | Manual       | 372             |
| 1030SPI-50  | 30 - Paint & Ink        | 43-1/4 x 12 x 65-1/8         | 5               | FS-SH-0839          | Self Closing | 374             |
| 1045M-50    | 45                      | 43-3/16 x 18-3/16 x 65-1/8   | 2               | FS-SH-1439          | Manual       | 390             |
| 1045S-50    | 45                      | 43-5/16 x 18-3/16 x 66-3/8   | 2               | FS-SH-1439          | Self Closing | 409             |
| 1055MDSR-50 | 55 - Drum               | 34-3/16 x 34-3/16 x 65-1/8   | 1               | FS-SH-2930          | Manual       | 492             |
| 1055SDSR-50 | 55 - Drum               | 34-5/16 x 34-3/16 x 66-3/8   | 1               | FS-SH-2930          | Self Closing | 518             |
| 1060M-50    | 60                      | 34-3/16 x 34-3/16 x 65-1/8   | 2               | FS-SH-2930          | Manual       | 470             |
| 1060S-50    | 60                      | 34-5/16 x 34-3/16 x 66-3/8   | 2               | FS-SH-2930          | Self Closing | 496             |
| 1060MPI-50  | 60 - Paint & Ink        | 43-3/16 x 18-3/16 x 65-1/8   | 5               | FS-SH-0839          | Manual       | 423             |
| 1060SPI-50  | 60 - Paint & Ink        | 43-5/16 x 18-3/16 x 66-3/8   | 5               | FS-SH-0839          | Self Closing | 444             |
| 1090M-50    | 90                      | 43-3/16 x 34-3/16 x 65-1/8   | 2               | FS-SH-2939          | Manual       | 540             |
| 1090S-50    | 90                      | 43-5/16 x 34-3/16 x 66-3/8   | 2               | FS-SH-2939          | Self Closing | 571             |
| 1120M-50    | 120                     | 59-3/16 x 34-3/16 x 65-1/8   | 2               | FS-SH-2955          | Manual       | 677             |
| 1120S-50    | 120                     | 59-9/16 x 34-3/16 x 66-3/8   | 2               | FS-SH-2955          | Self Closing | 715             |

\*FM Approval not required

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet with Legs

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" Box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety yellow powder coat finish

| Model     | Capacity (gl.) | Overall Dim: WxDxH (in.)   | Shelves | Optional Shelf Part | Door Style   | Ship Wt. (lbs.) |
|-----------|----------------|----------------------------|---------|---------------------|--------------|-----------------|
| 1012ML-50 | 12             | 23-3/8 x 18-3/16 x 40-1/2  | 1       | FS-SH-1419          | Manual       | 165             |
| 1012SL-50 | 12             | 23-9/16 x 18-3/16 x 41-3/4 | 1       | FS-SH-1419          | Self Closing | 176             |
| 1016ML-50 | 16             | 23-3/8 x 18-3/16 x 49-1/2  | 1       | FS-SH-1419          | Manual       | 196             |
| 1016SL-50 | 16             | 23-9/16 x 18-3/16 x 50-3/4 | 1       | FS-SH-1419          | Self Closing | 207             |
| 1030ML-50 | 30             | 43-3/16 x 18-3/16 x 49-5/8 | 1       | FS-SH-1439          | Manual       | 286             |
| 1030SL-50 | 30             | 43-5/16 x 18-3/16 x 50-7/8 | 1       | FS-SH-1439          | Self Closing | 306             |
| 1045ML-50 | 45             | 43-3/16 x 18-3/16 x 70-5/8 | 2       | FS-SH-1439          | Manual       | 398             |
| 1045SL-50 | 45             | 43-5/16 x 18-3/16 x 71-7/8 | 2       | FS-SH-1439          | Self Closing | 418             |
| 1060ML-50 | 60             | 34-3/16 x 34-3/16 x 70-5/8 | 2       | FS-SH-2930          | Manual       | 487             |
| 1060SL-50 | 60             | 34-5/16 x 34-3/16 x 71-7/8 | 2       | FS-SH-2930          | Self Closing | 513             |
| 1090ML-50 | 90             | 43-3/16 x 34-3/16 x 70-5/8 | 2       | FS-SH-2939          | Manual       | 557             |
| 1090SL-50 | 90             | 43-5/16 x 34-3/16 x 71-7/8 | 2       | FS-SH-2939          | Self Closing | 588             |
| 1120ML-50 | 120            | 59-3/16 x 34-3/16 x 70-5/8 | 2       | FS-SH-2955          | Manual       | 694             |

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



**Model 1055MDSR-HAZ-50**

**Model 1055SDSR-HAZ-50**



### FM Approved Hazardous Waste Safety Cabinet

- Sturdy all welded double wall steel construction
- 2- 2" Side Wall Vents with Flame Arrestors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side and back of the cabinet allow for ventilation
- Durable, safety yellow, powder coat finish

| Model           | Capacity (gl.) | Overall Dim: WxDxH (in.)   | Shelves | Optional Shelf Part | Door Style   | Ship Wt. (lbs.) |
|-----------------|----------------|----------------------------|---------|---------------------|--------------|-----------------|
| 1055MDSR-HAZ-50 | 55 - Drum      | 34-3/16 x 34-3/16 x 65-1/8 | 1       | FS-SH-2930          | Manual       | 492             |
| 1055SDSR-HAZ-50 | 55 - Drum      | 34-5/16 x 34-3/16 x 66-3/8 | 1       | FS-SH-2930          | Self Closing | 518             |



**Model 1045M-94T**

**Model 1060M-94T**



### FM Approved Flammable Safety Cabinet

- Sturdy all welded double wall steel construction
- 2- 2" Side Wall Vents with Flame Arrestors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allow for ventilation
- Durable, gray powder coat finish

| Model     | Capacity (gl.) | Overall Dim: WxDxH (in.)   | Shelves | Optional Shelf Part | Door Style | Ship Wt. (lbs.) |
|-----------|----------------|----------------------------|---------|---------------------|------------|-----------------|
| 1045M-94T | 45             | 43-3/16 x 18-3/16 x 65-1/8 | 2       | FS-SH-1439          | Manual     | 390             |
| 1060M-94T | 60             | 34-3/16 x 34-3/16 x 65-1/8 | 2       | FS-SH-2930          | Manual     | 470             |

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Flammable Safety Cabinet

- Sturdy all-welded, double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Units come fully assembled and ready for use
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Red, powder coat finish

| Model      | Capacity (gl.)   | Overall Dim: WxDxH (in.)   | Shelves | Optional Shelf Part | Door Style   | Ship Wt. (lbs.) |
|------------|------------------|----------------------------|---------|---------------------|--------------|-----------------|
| 1012M-17   | 12               | 23-3/8 x 18-3/16 x 35      | 1       | FS-SH-1419          | Manual       | 157             |
| 1030M-17   | 30               | 43-3/16 x 18-3/16 x 44-1/8 | 1       | FS-SH-1439          | Manual       | 272             |
| 1030S-17   | 30               | 43-5/16 x 18-3/16 x 45-3/8 | 1       | FS-SH-1439          | Self Closing | 292             |
| 1030MPI-17 | 30 - Paint & Ink | 43-1/4 x 12 x 65-1/8       | 5       | FS-SH-0839          | Manual       | 372             |
| 1045M-17   | 45               | 43-3/16 x 18-3/16 x 65-1/8 | 2       | FS-SH-1439          | Manual       | 383             |
| 1045ML-17  | 45               | 43-3/16 x 18-3/16 x 70-5/8 | 2       | FS-SH-1439          | Manual       | 400             |
| 1045S-17   | 45               | 43-5/16 x 18-3/16 x 66-3/8 | 2       | FS-SH-1439          | Self Closing | 409             |
| 1060M-17   | 60               | 34-3/16 x 34-3/16 x 65-1/8 | 2       | FS-SH-2930          | Manual       | 464             |
| 1060S-17   | 60               | 34-5/16 x 34-3/16 x 66-3/8 | 2       | FS-SH-2930          | Self Closing | 596             |
| 1060MPI-17 | 60 - Paint & Ink | 43-3/16 x 18-3/16 x 65-1/8 | 5       | FS-SH-0839          | Manual       | 423             |
| 1060SPI-17 | 60 - Paint & Ink | 43-5/16 x 18-3/16 x 66-3/8 | 5       | FS-SH-0839          | Self Closing | 444             |
| 1090S-17   | 90               | 43-5/16 x 34-3/16 x 66-3/8 | 2       | FS-SH-2939          | Self Closing | 571             |

# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Corrosive Cabinets

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- Units come with plastic trays that prevent any leak or spill of corrosive liquids
- 2" Wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Units come fully assembled and ready for use
- Durable, blue powder coat finish

| Model         | Capacity (gl.) | Overall Dim: WxDxH (in.)     | Shelves | Optional Shelf | Plastic Trays | Optional Tray     | Door Style   | Ship Wt. (lbs.) |
|---------------|----------------|------------------------------|---------|----------------|---------------|-------------------|--------------|-----------------|
| 1004M-293T    | 4              | 17-3/8 x 18-3/16 x 22-1/8    | 1       | FS-SH-1413     | 2             | FS-TR-1413-50-PKG | Manual       | 103             |
| 1004S-293T    | 4              | 17-9/16 x 18-3/16 x 23-7/16  | 1       | FS-SH-1413     | 2             | FS-TR-1413-50-PKG | Self Closing | 112             |
| 1012M-293T    | 12             | 23-3/8 x 18-3/16 x 35        | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Manual       | 157             |
| 1012MH-293T   | 12             | 43-3/16 x 18-3/16 x 17-15/16 | 1       | FS-SH-1439     | 2             | FS-TR-1439-50-PKG | Manual       | 173             |
| 1012S-293T    | 12             | 23-9/16 x 18-3/16 x 36-1/4   | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Self Closing | 168             |
| 1016M-293T    | 16             | 23-3/8 x 18-3/16 x 44        | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Manual       | 188             |
| 1016S-293T    | 16             | 23-9/16 x 18-3/16 x 45-1/4   | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Self Closing | 198             |
| 1022M-293T    | 22             | 23-7/16 x 18-3/16 x 65-1/8   | 2       | FS-SH-1419     | 3             | FS-TR-1419-50-PKG | Manual       | 293             |
| 1022S-293T    | 22             | 23-5/8 x 18-3/16 x 66-11/16  | 2       | FS-SH-1419     | 3             | FS-TR-1419-50-PKG | Self Closing | 308             |
| 1022UCM-293T  | 22             | 35-1/4 x 22-1/4 x 34-15/16   | 1       | FS-SH-1731     | 2             | FS-TR-1731-50-PKG | Manual       | 241             |
| 1022UCS-293T  | 22             | 35-3/8 x 22-1/4 x 35         | 1       | FS-SH-1731     | 2             | FS-TR-1731-50-PKG | Self Closing | 245             |
| 1024M-293T    | 24             | 23-1/4 x 18-1/16 x 65-1/16   | 3       | FS-SH-1419     | 4             | FS-TR-1419-50-PKG | Manual       | 291             |
| 1024S-293T    | 24             | 23-1/4 x 18-1/16 x 65-1/16   | 3       | FS-SH-1419     | 4             | FS-TR-1419-50-PKG | Self Closing | 292             |
| 1030M-293T    | 30             | 43-3/16 x 18-3/16 x 44-1/8   | 1       | FS-SH-1439     | 2             | FS-TR-1439-50-PKG | Manual       | 285             |
| 1030S-293T    | 30             | 43-5/16 x 18-3/16 x 45-3/8   | 1       | FS-SH-1439     | 2             | FS-TR-1439-50-PKG | Self Closing | 304             |
| 1045M-293T    | 45             | 43-3/16 x 18-3/16 x 65-1/8   | 2       | FS-SH-1439     | 3             | FS-TR-1439-50-PKG | Manual       | 397             |
| 1045S-293T    | 45             | 43-5/16 x 18-3/16 x 66-3/8   | 2       | FS-SH-1439     | 3             | FS-TR-1439-50-PKG | Self Closing | 417             |
| 1055MDSR-293T | 55 - Drum      | 34-3/16 x 34-3/16 x 65-1/8   | 1       | FS-SH-2930     | 1             | FS-TR-2930-50-PKG | Manual       | 492             |
| 1060M-293T    | 60             | 34-3/16 x 34-3/16 x 65-1/8   | 2       | FS-SH-2930     | 3             | FS-TR-2930-50-PKG | Manual       | 479             |
| 1060S-293T    | 60             | 34-5/16 x 34-3/16 x 66-3/8   | 2       | FS-SH-2930     | 3             | FS-TR-2930-50-PKG | Self Closing | 506             |
| 1090M-293T    | 90             | 43-3/16 x 34-3/16 x 65-1/8   | 2       | FS-SH-2930     | 3             | FS-TR-2939-50-PKG | Manual       | 552             |
| 1090S-293T    | 90             | 43-5/16 x 34-3/16 x 66-3/8   | 2       | FS-SH-2930     | 3             | FS-TR-2939-50-PKG | Self Closing | 583             |
| 1120M-293T    | 120            | 59-3/16 x 34-3/16 x 65-1/8   | 2       | FS-SH-2955     | 3             | FS-TR-2955-50-PKG | Manual       | 694             |
| 1120S-293T    | 120            | 59-9/16 x 34-3/16 x 66-3/8   | 2       | FS-SH-2955     | 3             | FS-TR-2955-50-PKG | Self Closing | 734             |



# SAFETY PRODUCTS

## FLAMMABLE SAFETY CABINETS



### FM Approved Pesticide Safety Cabinet

- Sturdy all welded double wall steel construction
- Choice of manual or self closing doors
- Units come with plastic trays that prevent any leak or spill of corrosive liquids
- 2" Wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Electrical ground to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Units come fully assembled and ready for use
- Durable, green powder coat finish

| Model     | Capacity (gl.) | Overall Dim: WxDxH (in.)   | Shelves | Optional Shelf | Plastic Trays | Optional Tray     | Door Style   | Ship Wt. (lbs.) |
|-----------|----------------|----------------------------|---------|----------------|---------------|-------------------|--------------|-----------------|
| 1012M-83T | 12             | 23-3/8 x 18-3/16 x 35      | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Manual       | 153             |
| 1012S-83T | 12             | 23-9/16 x 18-3/16 x 36-1/4 | 1       | FS-SH-1419     | 2             | FS-TR-1419-50-PKG | Self Closing | 165             |
| 1024M-83T | 24             | 23-1/4 x 18-1/16 x 65-1/16 | 3       | FS-SH-1419     | 4             | FS-TR-1419-50-PKG | Manual       | 291             |
| 1024S-83T | 24             | 23-1/4 x 18-1/16 x 65-1/16 | 3       | FS-SH-1419     | 4             | FS-TR-1419-50-PKG | Self Closing | 292             |
| 1030M-83T | 30             | 43-3/16 x 18-3/16 x 44-1/8 | 1       | FS-SH-1439     | 2             | FS-TR-1439-50-PKG | Manual       | 277             |
| 1030S-83T | 30             | 43-5/16 x 18-3/16 x 45-3/8 | 1       | FS-SH-1439     | 2             | FS-TR-1439-50-PKG | Self Closing | 297             |
| 1045M-83T | 45             | 43-3/16 x 18-3/16 x 65-1/8 | 2       | FS-SH-1439     | 3             | FS-TR-1439-50-PKG | Manual       | 390             |
| 1045S-83T | 45             | 43-5/16 x 18-3/16 x 66-3/8 | 2       | FS-SH-1439     | 3             | FS-TR-1439-50-PKG | Self Closing | 409             |
| 1060M-83T | 60             | 34-3/16 x 34-3/16 x 65-1/8 | 2       | FS-SH-2930     | 3             | FS-TR-2930-50-PKG | Manual       | 472             |
| 1060S-83T | 60             | 34-5/16 x 34-3/16 x 66-3/8 | 2       | FS-SH-2930     | 3             | FS-TR-2930-50-PKG | Self Closing | 498             |


Updated 1/27/25

# SAFETY PRODUCTS

## PLASTIC TRAYS



**Model**  
**FS-TR-1413-50-PKG**



**Model**  
**FS-TR-1419-50-PKG**




**Model**  
**FS-TR-1439-50-PKG**



**Model**  
**FS-TR-1731-50-PKG**



**Model**  
**FS-TR-2930-50-PKG**



**Model**  
**FS-TR-2939-50-PKG**



**Model**  
**FS-TR-2955-50-PKG**

### Plastic Trays for Corrosive and Pesticide Cabinets

- All polyethylene construction
- Plastic trays that prevent any leak or spill of corrosive liquids
- No minimum purchase is necessary
- Ready for use
- Durable, yellow matte finish

| Model             | Overall Dim: WxDxH (in.) | For use with                                                                                                       | Ship Wt. (lbs.) |
|-------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------|-----------------|
| FS-TR-1413-50-PKG | 13-31/32 x 14-11/32      | 1004M-293T, 1004S-293T                                                                                             | 2               |
| FS-TR-1419-50-PKG | 20-3/32 x 14-11/32       | 1012M-83T, 1012S-83T, 1012M-293T, 1012S-293T, 1016M-293T, 1016S-293T, 1022M-293T, 1022S-293T, 1024M-83T, 1024S-83T | 2               |
| FS-TR-1439-50-PKG | 40-5/16 x 14-5/16        | 1012MH-293T, 1030M-83T, 1030S-83T, 1030M-293T, 1030S-293T, 1045M-83T, 1045S-83T, 1045M-293T, 1045S-293T            | 3               |
| FS-TR-1731-50-PKG | 32-3/8 x 17-13/32        | 1022UCM-293T, 1022UCS-293T                                                                                         | 4               |
| FS-TR-2930-50-PKG | 31-1/8 x 29-11/16        | 1060M-83T, 1060S-83T, 1060M-293T, 1060S-293T                                                                       | 4               |
| FS-TR-2939-50-PKG | 39-7/16 x 30-11/16       | 1090M-293T, 1090S-293T                                                                                             | 6               |
| FS-TR-2955-50-PKG | 56-31/32 x 29-11/16      | 1120S-293T                                                                                                         | 8               |

# SAFETY PRODUCTS

## CYLINDER STORAGE RACKS AND CARTS



**GCRV-161230-08T**



**GCRV-162430-08T**



**GCRV-163630-08T**



**GCRV-302430-08T**



**GCRV-303630-08T**



**GCRV-304830-08T**

\*Cylinders are not included\*

### Gas Cylinder Racks

- 3 gauge, steel tube material
- Secures to the floor with included concrete anchors
- Includes chains to secure and align the gas cylinders
- Organize types in their own rows
- Built to meet and exceed quality and safety standards of OSHA, OSHPD, UFC, NFPA and CGA
- Ships fully assembled, ready for immediate use
- Black, textured, powder coat finish, good for outdoor or indoor use. Resistant to chemicals and rust

| Model           | Overall Dim: WxDxH (in.) | Cylinder Capacity | Concrete Anchors | Ship Wt. (lbs.) |
|-----------------|--------------------------|-------------------|------------------|-----------------|
| GCRV-161230-08T | 16 x 12 x 30             | 1                 | 2                | 109             |
| GCRV-162430-08T | 16 x 24 x 30             | 2                 | 2                | 145             |
| GCRV-163630-08T | 16 x 36 x 30             | 3                 | 4                | 183             |
| GCRV-301230-08T | 30 x 12 x 30             | 2                 | 3                | 157             |
| GCRV-302430-08T | 30 x 24 x 30             | 4                 | 3                | 213             |
| GCRV-303630-08T | 30 x 36 x 30             | 6                 | 6                | 282             |
| GCRV-304830-08T | 30 x 48 x 30             | 8                 | 6                | 338             |
| GCRV-441230-08T | 44 x 12 x 30             | 3                 | 4                | 20              |

### Medical Cylinder Cart

- Accommodates cylinders: M7, M9, C, D, & E (Not included)
- 14 gauge, all-welded, steel construction
- Raise, offset, tubular push handle
- 1,400 Lbs. of weight capacity
- Ships fully assembled and ready for use
- Green, textured, powder coat finished



**Model  
MCC-2436-6PU-83T**

| Model            | Overall Dim: WxDxH (in.) | Shelves     | Casters                                                | Ship Wt. (lbs.) |
|------------------|--------------------------|-------------|--------------------------------------------------------|-----------------|
| MCC-2436-5PO-83T | 24-1/4 x 39 x 36-1/8     | (2) 24 x 36 | 5" x 2" Polyolefin, 2 rigid, 2 swivel with side brakes | 87              |
| MCC-2436-6PU-83T | 24-1/4 x 39 x 37-1/2     | (2) 24 x 36 | 6" x 2" Polyurethane, 2 rigid, 2 swivel                | 99              |

# SAFETY PRODUCTS

## HORIZONTAL GAS CYLINDER STORAGE CABINETS



**Model  
EGCC6-SC-50**  
Holds 4 gas cylinders



**Model  
EGCC8-50**  
Holds 8 gas cylinders



**Model  
EGCC12-50**  
Holds 12 gas cylinders



**Model  
EGCC16-50**  
Holds 16 gas cylinders

### Horizontal Cylinder Storage Cabinets - Manual or Self Closing

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- Pre-punched lagging holes in feet
- Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- Manual close units include a magnet to keep door shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

| Model                                                                      | Overall Dim: WxDxH (in.)   | Cylinder Type                       | Ship Wt. (lbs.) |
|----------------------------------------------------------------------------|----------------------------|-------------------------------------|-----------------|
| EGCC4-50                                                                   | 29-3/4 x 30-1/8 x 34-7/8   | 20 lb. and 33-1/2 lb. LPG cylinders | 130             |
| EGCC8-50                                                                   | 30 x 30-3/16 x 71-7/8      | 20 lb. and 33-1/2 lb. LPG cylinders | 196             |
| EGCC12-50                                                                  | 50-1/4 x 41-15/16 x 71-7/8 | 20 lb. and 33-1/2 lb. LPG cylinders | 368             |
| EGCC16-50                                                                  | 60 x 30-3/16 x 71-7/8      | 20 lb. and 33-1/2 lb. LPG cylinders | 370             |
| <b>Units with Self Closing Stainless Steel Hinges • No Magnet Included</b> |                            |                                     |                 |
| EGCC6-SC-50                                                                | 31-7/8 x 30-7/16 x 54-3/4  | 20 lb. and 33-1/2 lb. LPG cylinders | 172             |
| EGCC12-SC-50                                                               | 51-3/4 x 42-3/16 x 71-7/8  | 20 lb. and 33-1/2 lb. LPG cylinders | 368             |
| EGCC16-SC-50                                                               | 61-1/2 x 30-7/16 x 71-7/8  | 20 lb. and 33-1/2 lb. LPG cylinders | 360             |



**Model  
EGCC8-9-50**  
Holds 9 vertical & 8 horizontal  
gas cylinders

### Combination Horizontal/Vertical Cylinder Storage Cabinet

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Accepts all standard vertical cylinders up to 59-3/4" tall plus 20 Lb. and 33-1/2 lb. cylinders in the horizontal compartment
- Vertical compartment includes a chain, adjustable in 1" increments, to hold cylinders in place
- Pre-punched lagging holes in feet
- DANGER FLAMMABLE MATERIALS signs on doors
- Heavy duty butt hinges prevent door sagging
- Doors have pad-lock hasp to secure contents (pad-lock not furnished)
- Magnet keeps door safely shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

| Model      | Overall Dim: WxDxH (in.) | Cylinder Capacity         | Ship Wt. (lbs.) |
|------------|--------------------------|---------------------------|-----------------|
| EGCC8-9-50 | 60 x 30-1/8 x 71-7/8     | 9 vertical & 8 horizontal | 326             |



# SAFETY PRODUCTS

## VERTICAL GAS CYLINDER STORAGE CABINETS



**Model  
EGCVC2-50**  
Holds 2 gas cylinders



**Model  
EGCVC4-50**  
Holds 4 gas cylinders



**Model  
EGCVC9-50**  
Holds 9 gas cylinders



**Model  
EGCVC18-SC-50**  
Holds 18 gas cylinders

### Vertical Cylinder Storage Cabinets - Manual or Self Closing

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- Pre-punched lagging holes in feet
- Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- Manual close units include a magnet to keep door shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- Durable safety yellow powder coat finish

| Model                                                                      | Overall Dim: WxDxH (in.)   | Cylinder Type               | Ship Wt. (lbs.) |
|----------------------------------------------------------------------------|----------------------------|-----------------------------|-----------------|
| EGCVC2-50                                                                  | 30-1/4 x 19-7/8 x 35       | 50 lb. cylinders            | 91              |
| EGCVC4-50                                                                  | 29-3/4 x 30-1/8 x 34-7/8   | 50 lb. cylinders            | 104             |
| EGCVC9-50                                                                  | 30-7/16 x 30-3/16 x 71-3/4 | standard up to 59-3/4" tall | 144             |
| EGCVC12-50                                                                 | 49 x 30-3/16 x 71-7/8      | standard up to 59-3/4" tall | 248             |
| EGCVC18-50                                                                 | 60 x 30-3/16 x 71-7/8      | standard up to 59-3/4" tall | 270             |
| EGCVC20-50                                                                 | 73 x 30-3/16 x 71-7/8      | standard up to 59-3/4" tall | 298             |
| <b>Units with Self Closing Stainless Steel Hinges • No Magnet Included</b> |                            |                             |                 |
| EGCVC4-SC-50                                                               | 31-7/8 x 30-7/16 x 35      | 50 lb. cylinders            | 104             |
| EGCVC12-SC-50                                                              | 49-1/2 x 30-7/16 x 71-7/8  | standard up to 59-3/4" tall | 248             |
| EGCVC18-SC-50                                                              | 61-1/2 x 30-7/16 x 71-7/8  | standard up to 59-3/4" tall | 259             |

Durham Manufacturing's gas cylinder storage cabinets are designed and constructed in full compliance with OSHA and NFPA standards for the storage of gas cylinders only. All compressed gases must be used in accordance with OSHA regulations and the Compressed Gas Association's (CGA) Pamphlets which have been adopted by OSHA regulations by reference.

For proper storage, handling and maintenance of compressed gas cylinders, please consult Compressed Gas Association Pamphlet P-1 and U.S. Department of Labor, OSHA General Industry standard 29 CFR 1910.101 which adopts by reference the Compressed Gas Association's (CGA) Pamphlets C-6-1986, C-8-1962, and P-1-1965. The Compressed Gas Association has updated the three pamphlets cited by OSHA as C-6-1993, C-8-1997, and P-1-1999.

Compressed gases should only be handled by experienced and properly trained people. [CGA 3.4.1] Durham Manufacturing's gas cylinder storage cabinets are for the storage of gas cylinders only.



# SPILL RESPONSE/PPE CABINETS

## WALL MOUNTABLE AND FREESTANDING



**Model  
052-50**

### Spill Control/PPE/Respirator Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Full piano hinges prevent doors from sagging
- (2) fully adjustable shelves are included
- Chrome handle with 2 keys included
- Full length clear window allows easy content inventory
- Keyhole slots in back provide for wall hanging
- Sold without contents
- Safety yellow powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Shelves Dim: WxDxH (in.) | Ship Wt. (lbs.) |
|--------|--------------------------|--------------------------|-----------------|
| 052-50 | 13-3/4 x 12-3/4 x 30     | (2) 13-5/8 x 11-15/16    | 26              |
| 057-50 | 20 x 14-1/4 x 32-3/4     | (2) 19-5/8 x 12-13/16    | 38              |



Ships UPS



**Model  
534AV-50**

### Wall Mountable Spill Control Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- Positive catches keep door securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- Sold without contents
- Safety yellow powder coat finish

| Model    | Description    | Overall Dim: WxDxH (in.)  | Ship Wt. (lbs.) |
|----------|----------------|---------------------------|-----------------|
| 534AV-50 | Yellow Cabinet | 15-3/16 x 5-5/8 x 16-7/16 | 12              |



Ships UPS



**Model  
VSCSP-242472-2-50**

### Spill Control Cabinet

- 16 gauge, Industrial duty, all-welded, steel construction
- (2) Front covers are to retain supplies
- Punched diamond pattern allows content visibility
- (2) bars are included and can accommodate up to 21" diameter rolled absorbent material
- Cabinets ship fully assembled
- Safety yellow, powder coat finish

| Model             | Overall Dim: WxDxH (in.) | Shelf capacity (lbs.) | Ship Wt. (lbs.) |
|-------------------|--------------------------|-----------------------|-----------------|
| VSCSP-242472-2-50 | 24-1/8 x 24-3/16 x 72    | (3) 300 Lbs.          | 211 Lbs         |

# SPILL RESPONSE/PPE CABINETS

## CABINET & CART

### Spill Control/PPE Cabinet with Wardrobe/Broom Storage, 1 Fixed and 4 Adj Shelves (Empty)

- Heavy duty all-welded 14 gauge construction
- Doors open at 180°
- 3-point locking system with keyed handle and 5/16" dia. lock rods
- Fully welded piano hinges for increased strength and rigidity of doors
- Hanger bar for uniforms, jackets, etc...
- Cabinet ships fully assembled
- 6H" box style legs
- fixed shelves have 300 Lbs. capacity per shelf
- Ample space for broom storage
- Durable safety yellow powder coat finish

| Model       | Overall Dim: WxDxH (in.) | Shelves             | Shelf Cap. (lbs.)  | Ship Wt. (lbs.) |
|-------------|--------------------------|---------------------|--------------------|-----------------|
| 3501-HDL-50 | 36 x 24 x 78             | 5 (4 adj., 1 fixed) | 300 (4), 1,000 (1) | 358             |



**Model  
3501-HDL-50**

### Spill Response/PPE Cart (Empty - 1,200 Lbs. capacity)

- 16 gauge all-welded steel
- Convenient sturdy work surface
- Top surface 36" x 18" has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 1 fixed shelf
- Storage area has a single point locking handle with 2 keys
- Ships fully assembled
- Durable safety yellow powder coat finish

| Model   | Overall Dim: WxDxH (in.) | Shelf Dims (WxD) | Ship Wt.(lbs.) |
|---------|--------------------------|------------------|----------------|
| 2210-50 | 42-1/8 x 18-1/4 x 36-3/8 | 36 x 16-1/8      | 151            |

\*Handle adds 6" to the width



**Model  
2210-50**

Labels included with: 052-50, 057-50, 3501-HDL-50 and 2210-50  
(Not sold separately)

# Personal Protective Equipment

# SPILL RESPONSE CENTER

# FIRST AID KIT BOXES

## POLYPROPYLENE PLASTIC



**Model  
542-43**

### Snake Bite Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

| Model  | Overall Dim: WxDxH (in.) | Carton QTY. | MOQ  | Ship Wt. (lbs.) |
|--------|--------------------------|-------------|------|-----------------|
| 542-43 | 4-1/8 x 2-3/4 x 1-1/16   | 100         | 5000 | 566             |



**Model  
498-43**

### Super Pocket Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Ideal size for promotional first aid packaging
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

| Model  | Overall Dim: WxDxH (in.) | Carton QTY. | MOQ  | Ship Wt. (lbs.) |
|--------|--------------------------|-------------|------|-----------------|
| 498-43 | 4-5/8 x 3-1/4 x 1-7/16   | 115         | 5060 | 963             |



**Model  
497-43**

### Multi Purpose Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- Color: white

| Model  | Overall Dim: WxDxH (in.) | Carton QTY. | MOQ  | Ship Wt. (lbs.) |
|--------|--------------------------|-------------|------|-----------------|
| 497-43 | 6-5/8 x 5-1/2 x 2        | 60          | 5040 | 1640            |

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**


# FIRST AID KIT BOXES

## POLYPROPYLENE PLASTIC UNIT KITS

### 10P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Gasket included
- Holds 10 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Seal pin holes in body and cover
- Easy to grip combination handle/hanger is attached
- Sold without contents
- Color: white

| Model   | Description | Overall Dim: (in.)     | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|---------|-------------|------------------------|------------------|-----------------|-----------------|
| 525G-43 | With gasket | 8-7/16 x 2-3/8 x 4-3/4 | 10               | 50              | 32              |



**Model  
525G-43**

### 16P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Available with or without gasket
- Holds 16 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Seal pin holes in body and cover
- Easy to grip combination handle/hanger is attached
- Sold without contents
- Color: white

| Model   | Description | Overall Dim: (in.) | Capacity (units) | Carton QTY. | MOQ  | Ship Wt. (lbs.) |
|---------|-------------|--------------------|------------------|-------------|------|-----------------|
| 511G-43 | With gasket | 10 x 7 x 3         | 16               | 36          | 1152 | 812             |



**Model  
511G-43**

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets**

**<https://www.durhammfg.com/request-a-catalog/>**

# FIRST AID KIT BOXES

## POLYPROPYLENE UNIT KITS



**Model  
512G-43**

### 24P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Available with or without gasket
- Available with or without partition
- Partition is removable in place when included
- Holds 24 standard prepackaged first aid units
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Easy to grip combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white

| Model       | Description                    | Overall Dim: (in.)      | Carton QTY./MOQ | MOQ | Ship Wt. (lbs.) |
|-------------|--------------------------------|-------------------------|-----------------|-----|-----------------|
| 512G-43     | With gasket                    | 9-1/16 x 2-3/8 x 9-1/16 | 24              | 768 | 720             |
| 512G-43-N/P | With gasket, without partition | 9-1/16 x 2-3/8 x 9-1/16 | 24              | 768 | 690             |

# FIRST AID KIT BOXES

## HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT KITS




**Model  
B276-43-HIPS**

### 10 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 10 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white

| Model        | Overall Dim: WxDxH (in.) | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------------|--------------------------|------------------|-----------------|-----------------|
| B276-43-HIPS | 5-3/8 x 8-5/16 x 3-3/16  | 10               | 12              | 19              |



Ships UPS



**Model  
B376-43-HIPS**

### 16 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 16 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white

| Model        | Overall Dim: WxDxH (in.) | Capacity (units) | Carton QTY./MOQ | Ship Wt. |
|--------------|--------------------------|------------------|-----------------|----------|
| B376-43-HIPS | 9-15/16 x 2-7/8 x 7      | 16               | 18              | 22       |



Ships UPS



# FIRST AID KIT BOXES

## HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT

### 24 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 24 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white



**Model  
B476-43-HIPS**

| Model        | Overall Dim: WxDxH (in.)  | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------------|---------------------------|------------------|-----------------|-----------------|
| B476-43-HIPS | 9-15/16 x 2-7/8 x 9-15/16 | 24               | 12              | 17              |



Ships UPS

### 36 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 36 standard prepackaged first aid units
- Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- Lightweight, sturdy and compact
- Hinges have brass hinge pins
- Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- Color: white



**Model  
B576-43-HIPS**

| Model        | Overall Dim: WxDxH (in.)   | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------------|----------------------------|------------------|-----------------|-----------------|
| B576-43-HIPS | 14-5/16 x 3-1/16 x 9-15/16 | 36               | 10              | 17              |



Ships UPS

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets**

**<https://www.durhammfg.com/request-a-catalog/>**

# FIRST AID KIT BOXES

## EMPTY METAL FIRST AID KITS




**Model  
501-43**

### 6 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 6 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------|--------------------------|------------------|-----------------|-----------------|
| 501-43 | 4-9/16 x 2-3/4 x 4-7/8   | 6                | 36              | 37              |





**Model  
502-43**

### 10 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 10 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Interior is open; no partition
- Sold without contents
- Finished with a durable white powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------|--------------------------|------------------|-----------------|-----------------|
| 502-43 | 7-9/16 x 2-11/16 x 5     | 10               | 24              | 42              |




**Model  
505-43**

### 16 Unit Vertical Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Center partition is welded in place
- Sold without contents
- Finished with a durable white powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Shelf Height (in.)  | Capacity (units) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------|--------------------------|---------------------|------------------|-----------------|-----------------|
| 505-43 | 6-3/8 x 2-11/16 x 9-1/2  | (A) 4-1/2 (B) 4-1/2 | 16               | 12              | 31              |



# FIRST AID KIT BOXES

## EMPTY METAL FIRST AID KITS

### 16 Unit Horizontal Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Interior is open; no partition
- Sold without contents
- Finished with a durable white powder coat finish




**Model  
506-43-N/P**

| Model      | Overall Dim: WxDxH (in.) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|------------|--------------------------|-----------------|-----------------|
| 506-43-N/P | 9-1/8 x 2-3/4 x 6-3/4    | 12              | 31              |

### 24 Unit Horizontal Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 24 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Center partition is welded in place
- Sold without contents
- Finished with a durable white powder coat finish



**Model  
508-43**

| Model  | Overall Dim: WxDxH (in.) | Shelf Height        | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------|--------------------------|---------------------|-----------------|-----------------|
| 508-43 | 9-1/8 x 2-11/16 x 9-1/2  | (A) 4-1/2 (B) 4-1/2 | 12              | 41              |

### 36 Unit Horizontal Metal First Aid Kit Box with Center Partition (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 36 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish



**Model  
510-43-B**

| Model    | Overall Dim: WxDxH (in.) | Shelf Height (in.)  | Carton QTY./MOQ | Ship Wt. (lbs.) |
|----------|--------------------------|---------------------|-----------------|-----------------|
| 510-43-B | 13-11/16 x 9-1/2 x 2-3/4 | (A) 4-1/2 (B) 4-1/2 | 6               | 27              |

# FIRST AID BOXES

## COMMERCIAL

### 50 Kit Commercial First Aid Box (Empty)



**Model  
520-43**

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Interior is open; no partition
- Sold without contents
- Durable white powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Carton | MOQ | Ship Wt. (lbs.) |
|--------|--------------------------|--------|-----|-----------------|
| 520-43 | 10-1/2 x 2-13/16 x 5     | 24     | 576 | 936             |

### 60 Kit Commercial First Aid Box (Empty)




**Model  
521-43-A**

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Offset shelf is welded in place; 4-1/4" from hinge
- Sold without contents
- Finished with a durable white powder coat finish

| Model    | Overall Dim: WxDxH (in.)  | Shelf Height        | Carton | MOQ | Ship Wt. (lbs.) |
|----------|---------------------------|---------------------|--------|-----|-----------------|
| 521-43-A | 10-1/2 x 2-13/16 x 7-3/16 | (A) 2-3/4 (B) 4-1/4 | 12     | 432 | 964             |

### 70 Kit Commercial First Aid Box (Empty)



**Model  
522-43**

- Constructed using prime cold-rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Shelf is welded in place; 5-1/8" from hinge
- Sold without contents
- Durable white powder coat finish

| Model  | Overall Dim: WxDxH (in.)  | Shelf Height        | Carton | MOQ | Ship Wt. (lbs.) |
|--------|---------------------------|---------------------|--------|-----|-----------------|
| 522-43 | 10-9/16 x 2-3/4 x 10-9/16 | (A) 5-1/4 (B) 5-1/4 | 6      | 324 | 1095            |

# FIRST AID CABINETS

## INDUSTRIAL WITH FIXED SHELVES

### 7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door

(Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fixed shelves (including cabinet base)
- Convenient sturdy carrying handle
- Positive catch keeps door securely closed
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish



**Model  
532-43**


(Shown with optional pouch installed)

| Model    | Description               | Overall Dim: WxDxH       | Shelf Height (in.) | Cartons | MOQ | Ship Wt. (lbs.) |
|----------|---------------------------|--------------------------|--------------------|---------|-----|-----------------|
| 532-43   | First Aid Cabinet         | 14-7/8 x 4-9/16 x 10-5/8 | (A) 4 (B) 6-1/8    | 1       | 96  | 602             |
| 563-H720 | 8 pocket pouch for 532-43 |                          |                    | 1       | 1   | 1               |

### 7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door

(Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Door folds down and positive catches keep it securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish



**Model  
533-43**

| Model    | Description               | Overall Dim: WxDxH       | Shelf Height (in.) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|----------|---------------------------|--------------------------|--------------------|-----------------|-----------------|
| 533-43   | First Aid Cabinet         | 14-7/8 x 4-9/16 x 10-1/2 | (A) 4 (B) 6-1/8    | 1               | 7               |
| 563-H720 | 8 pocket pouch for 533-43 |                          |                    | 1               | 1               |



Ships UPS

### 9FX (3 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish



**Model  
534-43**

| Model    | Description                | Overall Dim: WxDxH         | Shelf Height (in.) | Carton QTY./MOQ | Ship Wt. (lbs.) |
|----------|----------------------------|----------------------------|--------------------|-----------------|-----------------|
| 534-43   | First Aid Cabinet          | 15-3/16 x 5-9/16 x 16-7/16 | adjustable         | 1               | 12              |
| 564-H721 | 12 pocket pouch for 534-43 |                            |                    | 1               | 1               |




Ships UPS



# FIRST AID CABINETS

## INDUSTRIAL WITH FIXED SHELVES



**Model  
535-43**


### 11FX (4 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (4) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

| Model  | Description       | Overall Dim: WxDxH        | Shelf Height (in.)                      | Carton QTY./MOQ | Ship Wt. (lbs.) |
|--------|-------------------|---------------------------|-----------------------------------------|-----------------|-----------------|
| 535-43 | First Aid Cabinet | 15-3/16 x 5-9/16 x 22-1/4 | (A) 5-7/16 (B) 4-1/2<br>(C) 5-3/4 (D) 6 | 1               | 16              |



Ships UPS



**Model  
572-43**

### 5 Shelf, Extra Wide, First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (5) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

| Model  | Description       | Overall Dim: WxDxH    | Shelf Height (in.)                                   | MOQ | Ship Wt. (lbs.) |
|--------|-------------------|-----------------------|------------------------------------------------------|-----|-----------------|
| 572-43 | First Aid Cabinet | 19 x 5-17/32 x 28-1/4 | (A) 5-5/8 (B) 4-1/2<br>(C) 5-7/16 (D) 6-1/4<br>(E) 6 | 60  | 1278            |



**Model  
545-43**

### 8FX (3 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (3) Fixed shelves (including cabinet base)
- Positive catch keeps door securely closed
- Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- Durable white powder coat finish

| Model  | Description       | Overall Dim: WxDxH       | Shelf Height (in.)               | Carton | MOQ | Ship Wt. (lbs.) |
|--------|-------------------|--------------------------|----------------------------------|--------|-----|-----------------|
| 545-43 | First Aid Cabinet | 10-1/4 x 4-9/16 x 15-1/4 | (A) 4-1/2 (B) 4-1/2<br>(C) 5-3/4 | 1      | 96  | 636             |

# FIRST AID CABINETS

## INDUSTRIAL ADJUSTABLE SHELVES

### 9AV Cabinet (Empty)

- Constructed using prime cold-rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- Positive catches keep door securely closed
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- Sold without contents
- Durable white powder coat finish

| Model    | Description     | Overall Dim: WxDxH    | MOQ | Ship Wt. (lbs.) |
|----------|-----------------|-----------------------|-----|-----------------|
| 534AV-43 | White Cabinet   | 15 x 5-9/16 x 16-5/32 | 60  | 686             |
| 564-H721 | 12 pocket pouch |                       | 1   | 1               |



**Model  
534AV-43**


## SAFETY PRODUCTS

### MEDICINE CABINETS

### Lockable Medicine Cabinet with Plexiglass Door

- Durable cold-rolled steel construction
- Lock and 2 keys are included
- (4) fixed interior shelves are welded in place
- Plexiglass insert for product visibility
- Assembles easily

| Model     | Overall Dim: WxDxH (in.) | Shelf Spacing Height                         | Ship Wt. (lbs.) |
|-----------|--------------------------|----------------------------------------------|-----------------|
| 519-43-PD | 18-1/16 x 8-1/8 x 27     | (A) 5-15/16 (B) 5-5/16 (C) 5-5/16 (D) 10-1/2 | 31              |



**Model  
519-43-PD**

### VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets**  
**Available at: <https://www.durhammfg.com/request-a-catalog/>**

# DURHAM MFG®

Est. 1922



# Office & Literature Storage

## Office and Literature Storage

|                                                   |     |                                               |           |
|---------------------------------------------------|-----|-----------------------------------------------|-----------|
| Vertical Con-Tur Literature Racks and Accessories | 203 | Rotary Con-Tur Literature Racks               | 204 - 205 |
| Special Purpose Literature Racks and Accessories  | 206 | Horizontal Literature Storage and Accessories | 207 - 208 |

**Vertical Con-Tur®, Rotary Con-Tur® and Horizontal Literature Racks**  
**Black, Gray, and Tan colors, all powder coated**

# LITERATURE RACKS

## VERTICAL CON-TUR®



**Model  
403-75**



**Model  
402-08**



**Model  
401-95**

### Con-Tur® Pocket Vertical Literature Racks

- Prime cold-rolled all steel construction
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (6) colors to choose from; durable powder coat finish

| Model  | Openings | Color | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|----------|-------|--------------------------|--------------------------|--------|-----------------|
| 403-08 | 5        | Black | 9-3/4 x 4-1/8 x 20-1/4   | 8-13/16 x 3/4 x 8-1/2    | 1      | 9               |
| 403-75 | 5        | Tan   | 9-3/4 x 4-1/8 x 20-1/4   | 8-13/16 x 3/4 x 8-1/2    | 1      | 9               |
| 403-95 | 5        | Gray  | 9-3/4 x 4-1/8 x 20-1/4   | 8-13/16 x 3/4 x 8-1/2    | 1      | 9               |
| 402-08 | 11       | Black | 9-3/4 x 4-1/8 x 36       | 8-13/16 x 3/4 x 8-1/2    | 1      | 15              |
| 402-75 | 11       | Tan   | 9-3/4 x 4-1/8 x 36       | 8-13/16 x 3/4 x 8-1/2    | 1      | 15              |
| 402-95 | 11       | Gray  | 9-3/4 x 4-1/8 x 36       | 8-13/16 x 3/4 x 8-1/2    | 1      | 15              |
| 400-08 | 20       | Black | 9-3/4 x 4-1/8 x 58       | 8-13/16 x 3/4 x 8-1/2    | 1      | 26              |
| 400-75 | 20       | Tan   | 9-3/4 x 4-1/8 x 58       | 8-13/16 x 3/4 x 8-1/2    | 1      | 26              |
| 400-95 | 20       | Gray  | 9-3/4 x 4-1/8 x 58       | 8-13/16 x 3/4 x 8-1/2    | 1      | 26              |
| 401-08 | 23       | Black | 9-3/4 x 4-1/8 x 65-1/2   | 8-13/16 x 3/4 x 8-1/2    | 1      | 30              |
| 401-75 | 23       | Tan   | 9-3/4 x 4-1/8 x 65-1/2   | 8-13/16 x 3/4 x 8-1/2    | 1      | 30              |
| 401-95 | 23       | Gray  | 9-3/4 x 4-1/8 x 65-1/2   | 8-13/16 x 3/4 x 8-1/2    | 1      | 30              |



Ships UPS

# LITERATURE RACKS

## ROTARY CON-TUR®

### 20 Pocket Rotary Literature Racks

- Prime cold-rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish



**Model  
409-95**

| Model  | Color | Overall Dim WxDxH (in.)  | Opening Dim WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|-------------------------|--------|-----------------|
| 409-08 | Black | 14-1/8 x 14-1/8 x 23-1/8 | 8-13/16 x 3/4 x 8-1/2   | 5      | 65              |
| 409-75 | Tan   | 14-1/8 x 14-1/8 x 23-1/8 | 8-13/16 x 3/4 x 8-1/2   | 5      | 65              |
| 409-95 | Gray  | 14-1/8 x 14-1/8 x 23-1/8 | 8-13/16 x 3/4 x 8-1/2   | 5      | 65              |



Ships UPS

### 44 Pocket Rotary Literature Racks

- Prime cold-rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish



**Model  
410-08**

| Model  | Color | Overall Dim WxDxH (in.)  | Opening Dim WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|-------------------------|--------|-----------------|
| 410-08 | Black | 14-1/8 x 14-1/8 x 48-1/2 | 8-13/16 x 3/4 x 8-1/2   | 5      | 106             |
| 410-75 | Tan   | 14-1/8 x 14-1/8 x 48-1/2 | 8-13/16 x 3/4 x 8-1/2   | 5      | 106             |
| 410-95 | Gray  | 14-1/8 x 14-1/8 x 48-1/2 | 8-13/16 x 3/4 x 8-1/2   | 5      | 106             |



Ships UPS

**For additional information visit our website:**

**[www.durhammfg.com](http://www.durhammfg.com)**

**or**

**Contact us at: [info@durhammfg.com](mailto:info@durhammfg.com)**



# LITERATURE RACKS

## ROTARY CON-TUR®



**Model  
416-95**

### 80 Pocket Rotary Literature Racks

- Prime cold-rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

| Model  | Color | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|--------------------------|--------|-----------------|
| 416-08 | Black | 14-1/8 x 14-1/8 x 60-7/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 145             |
| 416-75 | Tan   | 14-1/8 x 14-1/8 x 60-7/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 145             |
| 416-95 | Gray  | 14-1/8 x 14-1/8 x 60-7/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 145             |



Ships UPS



**Model  
415-75**

### 92 Pocket Rotary Literature Racks

- Prime cold-rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

| Model  | Color | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|--------------------------|--------|-----------------|
| 415-08 | Black | 14-1/8 x 14-1/8 x 68-3/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 161             |
| 415-75 | Tan   | 14-1/8 x 14-1/8 x 68-3/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 161             |
| 415-95 | Gray  | 14-1/8 x 14-1/8 x 68-3/8 | 8-13/16 x 3/4 x 8-1/2    | 5      | 161             |



Ships UPS

## VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- **EDI (Electric Data Interchange) ordering and invoicing**
- **Automated Order Receipt and Shipment Acknowledgement**
- **Special Product Customizing Involving Colors, Company Names and Logos. (Minimums apply)**
- **Online portal gives you 24 hour access to pricing, order entry, order status, invoicing and most tracking**
- **E-mail Orders: [orders@durhammfg.com](mailto:orders@durhammfg.com)**
- **Other Information: [info@durhammfg.com](mailto:info@durhammfg.com)**

**Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: [www.durhammfg.com/catalogs](http://www.durhammfg.com/catalogs)**

# LITERATURE RACKS

## SPECIAL PURPOSE

### 10 Pocket Literature Rack (Large Pockets)

- Prime cold-rolled all steel construction
- Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

| Model  | Color | Overall Dim: WxDxH (in.)  | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|---------------------------|--------------------------|--------|-----------------|
| 406-08 | Black | 13-1/4 x 1-15/16 x 26-1/4 | 12-1/4 x 1/4 x 5-3/4     | 1      | 13              |
| 406-75 | Tan   | 13-1/4 x 1-15/16 x 26-1/4 | 12-1/4 x 1/4 x 5-3/4     | 1      | 13              |
| 406-95 | Gray  | 13-1/4 x 1-15/16 x 26-1/4 | 12-1/4 x 1/4 x 5-3/4     | 1      | 13              |



Ships UPS



**Model  
406-95**

### 11 Pocket Literature Rack (Large Pockets)

- Prime cold-rolled all steel construction
- Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

| Model  | Color | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|--------------------------|--------|-----------------|
| 405-08 | Black | 13-1/4 x 4-1/8 x 35-7/8  | 12-1/4 x 3/4 x 8-3/8     | 1      | 19              |
| 405-75 | Tan   | 13-1/4 x 4-1/8 x 35-7/8  | 12-1/4 x 3/4 x 8-3/8     | 1      | 19              |
| 405-95 | Gray  | 13-1/4 x 4-1/8 x 35-7/8  | 12-1/4 x 3/4 x 8-3/8     | 1      | 19              |



Ships UPS



**Model  
405-95**

### 20 Pocket Literature Rack (Large Pockets)

- Prime cold-rolled all steel construction
- Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

| Model  | Color | Overall Dim: WxDxH (in.) | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|-------|--------------------------|--------------------------|--------|-----------------|
| 411-08 | Black | 13-1/4 x 4-1/8 x 58      | 12-1/4 x 3/4 x 8-3/8     | 1      | 30              |
| 411-75 | Tan   | 13-1/4 x 4-1/8 x 58      | 12-1/4 x 3/4 x 8-3/8     | 1      | 30              |
| 411-95 | Gray  | 13-1/4 x 4-1/8 x 58      | 12-1/4 x 3/4 x 8-3/8     | 1      | 30              |



Ships UPS



**Model  
411-55**

# LITERATURE RACKS

## HORIZONTAL OPENINGS



Model  
432-08



Model  
434-75

**9, 12, 15, 30, 45 Opening Horizontal Literature Rack**

- Prime cold-rolled all steel construction
- Provides sturdy convenient storage for literature up to 11" x 11-5/8"
- Each opening is 3" high
- Openings can be easily labeled on 1/2" high front turns
- Racks can be used on desktops and countertops or stacked on the floor
- Will accommodate standard file folders without bending tabs
- 30 opening unit consists of 2 fully assembled 15 opening modular sections. 45 opening unit consists of 3
- Sections are easy to combine using pre-punched holes and fasteners provided
- Rubber feet are included
- (2) colors available; durable powder coat finish

| Model  | Openings | Color | Overall Dim: WxDxH (in.)     | Opening Dim: WxDxH (in.) | Carton | Ship Wt. (lbs.) |
|--------|----------|-------|------------------------------|--------------------------|--------|-----------------|
| 431-08 | 9        | Black | 33-13/16 x 11-11/16 x 10-7/8 | 11 x 11-5/8 x 3          | 1      | 27              |
| 431-75 | 9        | Tan   | 33-13/16 x 11-11/16 x 10-7/8 | 11 x 11-5/8 x 3          | 1      | 27              |
| 432-08 | 12       | Black | 33-13/16 x 11-11/16 x 14-1/4 | 11 x 11-5/8 x 3          | 1      | 37              |
| 432-75 | 12       | Tan   | 33-13/16 x 11-11/16 x 14-1/4 | 11 x 11-5/8 x 3          | 1      | 37              |
| 434-08 | 15       | Black | 33-13/16 x 11-11/16 x 17-1/4 | 11 x 11-5/8 x 3          | 1      | 41              |
| 434-75 | 15       | Tan   | 33-13/16 x 11-11/16 x 17-1/4 | 11 x 11-5/8 x 3          | 1      | 41              |


 Ships UPS

# NEW BIN, DRAWER & RACK ACCESSORIES

## Topper for Open Bins and Drawers (33-3/4" wide)

Keeps overstock hidden and out of sight

- All-welded 18 gauge steel construction
- Holes in bottom allow secure stacking
- Topper for bin and drawer cabinets that are also 33-3/4" wide
- Ships fully assembled
- Durable, gray, powder coat finish




\*Bin not included

**Model 377-95**


| Model  | Overall Dim: WxDxH (in.) | Fits models                                                                                                                                                              | Carton | Ship Wt. (lbs.) |
|--------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-----------------|
| 377-95 | 33-3/4 x 2-1/2 x 8       | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745, 002, 005, 007, 013, 014, 030, 031, 034, 017, 019, 022, 024, 025, 026 | 1      | 5               |




Ships UPS



FRONT SIDE VIEW



FRONT VIEW



REAR SIDE VIEW

## Wire Spool Rack for Bins and Drawers (33-3/4" wide)

- Prime cold-rolled steel construction
- 7 Rubberized grommets provided to keep wires free from tangling
- The rear rod acts as a guide for the wire, so that it passes through the rubber grommets located at the front
- Holes in bottom allow secure stacking
- Modular to attach on top of bin and drawer cabinets, that are also 33-3/4" wide
- Ships fully assembled
- Durable, gray, powder coat finish

| Model  | Overall Dim: WxDxH (in.) | Rods | Fits models                                                                                                                                                              | Carton Pk. | Ship Wt. (lbs.) |
|--------|--------------------------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------------|
| 387-95 | 33-3/4 x 9-5/16 x 10-5/8 | 2    | 329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745, 002, 005, 007, 013, 014, 030, 031, 034, 017, 019, 022, 024, 025, 026 | 1          | 17              |



Ships UPS

## Slide Rack Topper

Keeps overstock hidden and out of sight

- All-welded 18 gauge steel construction
- Holes in bottom allow secure stacking
- Topper for slide rack cabinets that are also 20-1/4" wide
- Ships fully assembled
- Durable, gray, powder coat finish



\*Slide rack & drawers not included

**Model 376-95**

| Model  | Overall Dim: WxDxH (in.) | Fits models                                         | Carton Pk. | Ship Wt. (lbs.) |
|--------|--------------------------|-----------------------------------------------------|------------|-----------------|
| 376-95 | 20-1/4 x 6-7/8 x 12      | 299-16.75, 300, 302B, 303B, 305B, 309B, 310B, 321B, | 1          | 5               |



Ships UPS

[illegible]



[illegible]

# WARRANTY, TERMS & CONDITIONS

## Warranty

The Durham Manufacturing Company warrants that, at time of shipment, the products manufactured by Durham are free from defects in material and workmanship. Durham's obligation under this warranty is limited to replacement or repair of such products within one year from the date of shipment. No material is accepted for replacement or repair without the written authority of Durham. A decision as to whether a defective product will be replaced or repaired will be made only after an examination of the product at our plant. Durham is in no event

liable for consequential damages, installation costs or other costs of any nature as a result of the use of the products manufactured by Durham, whether used in accordance with the instructions or not. This warranty is in lieu of all others, either expressed or implied. No representative is authorized to assume for Durham any other liability in connection with Durham's products. See the company website for full warranty details.

## Payment Terms

The terms are net 30 days for all companies with approved credit. To establish credit, submit: signed Durham credit application, resale certificate, one bank and three trade references. Durham also accepts most credit cards.

## Minimum Order

\$25.00

## Freight Policy & Terms

All shipments are made FOB shipping point. Because of our freight volume, we receive deep discounts from a wide range of large national carriers. Customers are invited to contact our Customer Service Department (1 800 243-3774) Ext. 7300 or 860-349-3428 and discuss how they may take advantage of discounted freight. Small package service is available utilizing UPS or Fed Ex Ground for some Durham products.

### METHOD OF SHIPMENT

Orders will be shipped by specifically requested carriers whenever possible. If there are no special instructions, Durham will ship via the best available routing, prepaid & add.

## Returns

Returned goods will not be accepted without a *return authorization number* which can be obtained by calling Customer Service. All returns must be shipped back in the original cartons and packing material, freight prepaid.

All returns are subject to a 25% restocking charge. Custom or modified items are non-returnable. See the company website for full warranty details.

## Packaging

All possible care is taken to ensure safe, damage free shipment. Special packaging has been designed for every SKU and is packed to industry tested standards. Foam inserts, corrugated inserts and Sus-Wrap are used wherever applicable.

Palletized shipments are stretch wrapped. Special requirements for carton identification i.e. part numbers or bar coding, can be met.

## Disclaimer

Durham Manufacturing products shown in this catalog are subject to change without notice. Durham has made every effort to illustrate and describe products in this catalog accurately; however, illustrations and descriptions are for the sole purpose of identification and do not imply a warranty that the products are fit for a particular purpose. Durham reserves the right to correct publishing errors. Please note that shipping weights are approximate.